





Machine Introduction

700 Series Window Patching Machine is used to film the windows of various paper boxes. It is developed on the original window patching machine in light of customers' requirements. Our research and development team, through the continuous improved & perfect human design, let the machines be easier to operate and better in efficiency, accuracy and stability. Both basic components and major automated accessories employ the proprietary technology of this company. Therefore, 700 Series Window Patching Machine can meet customers' requirements at a higher level.

Machine Features



The paper feeder is controlled by PLC with a human-computer interface. The length of paper to be fed can be entered on the touch screen, so that paper can be input quickly and accurately. Also, it applies to card paper and corrugated paper.



The film feeder is controlled by a servo control system of famous international brand. The length of film to be cut can be entered on the touch screen. Not only can film be cut accurately, but also adjustment can be made more quickly and directly. The film feeder is equipped with a magnetic powder clutch to control film tension. The film cutter has a device which can make free axial rotation to fit different window position, which helps reduce the adjusting time and improve the productivity significantly.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657





35⁺ YEARS
SERVING
INDONESIA

ZKT-700B

High Speed Window Patching Machine

	The gluing section can be pulled out easily and cleaned conveniently.
	Based on the original mechanism, the layout of each section of this product has been improved in order to reduce the adjusting time, so that it becomes more efficiency and friendly. ZKT-700B is widely used for 90 degrees of angle window sample, has the function of angle cutting and scoring.

Technical Specifications

	Paper Length: 140 - 600mm	Paper Caliper: Paper box & cardboard box 250-1000g/m2, Corrugated/flute up to 3mm	Speed with corner cutting and creasing line: 5000-10000pcs/h, Normal pasting speed: 7000-21000pcs/h
	Paper Width: 140 - 690mm		
	Film Length: 60- 400mm	Film Thickness: 0.03 - 0.25mm, OPP, PVC, PET, PE etc.	
	Film Width: 30 - 400mm		

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

Power of Pump: 1.5 kw, **Main Power:** 2.2 kw **Voltage:** 380V, 50Hz, 3P4L

Weight: 1800 kg


External Dimension: 4200*1400*1500 mm



Configuration List

Servo Motor	Yaskawa
Relay	Omron
PLC	Panasonic
Frequency converter	Toshiba
Power Switch & Switch Button	Schneider
Solenoid valve	SMC
Bearing	NSK

Sample:



1. Normal / standard pasting
2. Plastic Film with one corner cutting and creasing line
3. Plastic Film with two corners cutting and creasing line
4. Tissue / napkin box: cutting line on the middle of plastic film

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

ZKT-700B

High Speed Window Patching Machine



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA