



Machine Introduction

It equipped AC digital servo controlling technology and 10 inches colorful touching screen, double hydraulic system, the data resolution rate is 0.01mm, Full touch operating system for human computer interface, has self-diagnostic function of troubles and displays the operating pattern, 300 program units, over 10000 different cutting positions, it can memorize, store and dynamic follow-up.

The max paper-pushing speed is 5-20m/min. It adopts Japanese hydraulic components, Japan, and Korean electric components. Japan, Taiwan ball lead screw and linear double guiderail, PLC control system for electric configuration, its key parts adopt imported bearing of low maintenance. IR ray protective device is more convenient for cutting with optical knife-line alignment, button operated by two hands, single circulation cutting device etc.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

Technical Specifications

Model	137K
Cutting width	137cm
Max. cutting height without assistance pressing plate	16.5cm
Max. cutting depth	145cm
Min. cutting depth without assistance pressing plate	3cm
Extended length of working table	74cm
Height of working table	89-92cm
Machine width including side working table	287cm
Total length of working table	259cm
Cutting speed	45r/min
Max. paper pressure	45000n
Power of main motor	4kw
Motor for paper feeding	1kw
Air pump	0.75x2kw
Machine weight	4500kg
Dimension	280x160x215cm

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

Configurations

No	Name	Brand Model	Origin
1	Display screen computer	WEINVIEW 10 inches color touch screen	Taiwan
2	Motherboard chipset	AMTEL	America
3	Controlling PLC	Panasonic PLC	Japan
4	Drive under the knife	Flat worm reducer	Japan
5	Motor driver	SE Servo motor control system	Japan
6	Feed leadscrew	ABBA Ball screw	Taiwan
7	Guide rail	ABBA High precision linear guide	Taiwan
8	Worktable	Slot less chrome platform with air cushion	HT2500 Casting
9	Bearing	MSK Bearing	Japan
10	Sensor	OMRON	Japan
11	Switch	MACK	Taiwan
12	Air switch	LS	Korean
13	Power switch	SANLI	Taiwan
14	Locating switch	Panasonic	Japan
15	Contacts	Schneider	France
16	Host button	Moeller	Sino-German joint venture
17	Bridge rectifier	SEP	Taiwan
18	Seals	MERKEL	Japan
19	Hydraulic components	YUKEN	Japan
20	Hydraulic fittings	HONDA	Japan
21	Passage control system	Relief	Italy

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA