



Machine Introduction

This machine is used for color top sheets and corrugated paper laminating, top paper adopts scale continuous paper feeding, unique front gauge positioning way to insure the bottom paper never exceed. Easy to operate and maintenance.

Features:

1. Advanced automatic tracking technology, according to the size of the paper automatically adjust the relevant parameters, so that the machine is always running in the best condition
2. Unique front gauge positioning system, accuracy and the bottom paper never exceed; top paper exceed adjustable
3. Equipped with high precision high speed automatic feeder, strengthening type paper feeding device, feeding smoothly.
4. Using the principle of offset printing machine side gauge positioning, error correction for about top paper stack and feeding process;
5. Standby stack table can pile paper under non-stop situation, along the rail into the elevator, high working efficiency
6. Imported electrical components, to ensure the stability of the circuit system. PLC tracking technology, automatic fault alarm;
7. Fully automatic glue supplementary system, can automatically replenish the loss of the amount of glue, and cooperated with the glue recycling
8. Independent water tank control cycle, ensure the bottom paper back dry, at the same time cleaning up roller, glue receive tank and back glue tank;
9. Single side adjustment of the roller pressure, and equipped with a dial gauge, the replacement of the bottom paper one-step-to- reach.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA

Technical Specifications

Model	YB-1300E	YB-1450E	YB-1650E
Max. sheet size	1300*1250mm	1450*1300mm	1650*1450mm
Min. sheet size	400*400mm	400*400mm	400*400mm
Top sheet thickness	150-500GSM	150-500GSM	150-500GSM
Bottom sheet thickness	A/B/C/E/F Corrugated paper, Industrial board		
Max. speed	6000sheet/hour	6000sheet/hour	6000sheet/hour
Fitting precision	±1mm	±1mm	±1mm
Dimensions	11.5*2*2.4M	11.5*2.2*2.4M	11.5*2.4*2.4M
Machine weight	5000kgs	5500kgs	6000kgs
Machine power	10KW/380V	11KW/380V	12KW/380V

Machine Features

1. TOP SHEET FEEDING MECHANISM

- * High precision high speed automatic feeder, feeding smoothly.
- * Strengthening type paper feeding device, nozzle angle is adjustable, suitable for different type of papers



2. SIDE POSITIONING

- * Side Gauge Positioning, error correction for about top paper stack and feeding process;
- * Similar with the principle of offset printing machine, positioning accuracy



3. ELECTRICAL SYSTEM

- * Main electrical components are imported brands
- * PLC tracking technology, automatic fault detection



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA

4. PRESSURE REGULATION POSITIONING

- * Single pressure regulation, to ensure that the two-side pressure be same
- * With the display of dial gauge, it is easy to adjust when change the paper



5. TRANSMISSION

- * Floating design of press, no need to adjust the pressure
- * Heightening design, smooth working for thick corrugated paperboard



6. PRE-STACK PART

- * Standby stack table can pile paper under non-stop situation, along the rail into the elevator, high working efficiency.
- * Using the "working" font design, the platform can be used to push and easy back, labor saving.



Configurations

No.	Name	Picture	Brand/Country
1	Touch screen		Schneider (France)
2	PLC		Schneider (France)
3	AC DRIVES		Schneider (France)

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA

4	Electrical parts		Schneider (France)
5	Sensor of glue level		Delixi (China)
6	Servo Motor		MIGE (China)
7	Main Motor		SIEMENS-(CHINA)
8	Gluing motor		YUEHUA (Chinese Brand)
9	Air pump		CHENGGEN (Chinese Brand)
10	Axletree		NSK -(Japan)
11	Top Feeder		RUNZE (Chinese Brand)
12	Sensor for sheets		OMRON-(Japan)

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

34 YEARS
SERVING
INDONESIA