

ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine



Machine Introduction

This machine adopts mechanical, electrical, optical and pneumatic integration technology, suitable for non-woven fabric, different specs of non-woven bags can be made by this machine.

Technical Specifications

Model	ZXL-B700
Material	Rolls of pp spun bond non-woven fabric. Laminated non-woven fabric
Production speed	20-120pcs/min
Fabric thickness	30-120gsm
Bag width	100-800mm
Bag height	200-580mm
Power supplier	220V/380V
Power	12kW
Overall dimension (L*W*H)	7600*1900*2100mm
Weight	2200kg
Online D-cut punching Bottom gusset and side gusset making Drawstring feeding Optional online T-shirt bag auto punching Pressure requirements: 0.8-1.0 Mpa (recommended 7.5KW screw air compressor with refrigerate air dryer and 0.6 m3 air tank)	

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine

Schematic Diagram:



Sample Bag Picture:



T shirt bag/Vest bag/W cut bag (requires a w cut puncher)

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine



T shirt bag



T shirt bag

Solution 1(Left): purchase a semi auto w cut puncher; Speed: 20-30pcs/min
 Solution 2(Right): purchase a fully auto w cut puncher; Speed: 60-110pcs/min



D cut bag/Flat bag



Drawstring bag

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657



ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine

Bag Size, Unit: mm



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.




PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine

Configurations

Fabric Roll Unwinding				
			Auto loading material roll(lift by cylinders) Inflatable shaft $\phi 3''$ ($\phi 74\text{mm}$) to fix the fabric roll when machine working Auto stop when material run out of Magnetic powder tension controller Auto rectifying deviation system(EPC box and web guider) Bag mouth folding device Mouth folding part sealed by 2 sets of ultrasonic welding (power:1500W, horn journey 70mm) with 2 pcs round embossing mold Cylinders to lift and fix the sealing mold An Synchronous rectification motor 80W One 0.75KW AC motor Custom-made sealing mould is available Width of unwinding: 500-1300mm Max unwinding diameter: 1000mm Material roll paper tube diameter: 75mm	
				
				
Fabric Cross Folding				
			Stainless steel(triangular form) folding device Manual web guider One 500W DC motor One manual correction motor: 80W	
Bag Bottom Gusset And Side Gusset Forming - compressed air input here				
			Two sets round wheels for making bag bottom gusset and side gusset The blower removes waste fabric T-shirt bag sealing by 1 set ultrasonic welding(power:1500W, horn journey:70mm) with 1 pc embossing mold One 500W DC motor One 1.5kW AC motor	
				
Bag Side Sealing, Cutting, Collection				

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



ZXL-B700 Multifunctional Non-Woven D Cut Bag Making Machine

			Adjustable photoelectric sensor for printing color mark tracking(it can be turned on/off on the touch screen) Online D-cut punching, drawstring bag punching Bag side sealing by 4 sets ultrasonic welding systems(power: 1500W, horn journey:153mm)/Bag side sealing by 2 sets ultrasonic welding systems(power: 3000W, horn journey: 300mm) Durable cold cutter Sealing mould with heating device inside(temperature control by thermal indicator) Static eliminator device Double stepping motor feeding system for bag length fix 22N.M (SOYO) One 1.5KW AC reducing motor Distribution Box: Stepping motor drive: two stepping motor driver DC motor drive:DC motor speed regulator AC motor drive: three frequency converter(brand:Dovol) Motion control:PLC(brand:Japan Mitsubishi) Relay: Honeywell Electric components:CHNT Man machine interface:touch screen(brand:Taiwan Weinview) Power board (Delta)

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
 Jl. Terusan Bandengan Utara No.16 / B 3-4
 Jakarta, 14450, Indonesia
 Tel. (021) 660 2665, 661 8255.
 Fax. (021) 668 5874, 660 2657

