



Machine Introduction

Features:

- Adopts ceramic cylinder to convey ink.
- Magnetic powder brake control the feeding and frequency motor control the rewinding and hydraulic press system for discharging.
- Each printing unit adopts 360-degree registering adjuster.
- Each printing unit is equipped with an assembling of auto infrared drying installation.
- The ink roller can depart from the machine and rotate at a low speed in order to keep the ink from drying when it stops.
- The main motor adopts step-less converter. This machine can finish processing one web from feeding, printing, auto infrared drying and rewinding in one process. The machine is an ideal trademark printing machine to print slips and high grade self-adhesive trademarks.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

RYJ-650C4

4-Color Flexo Printing Machine

Technical Specifications

Model	RYJ-650C4
Max.Unwinding Diameter	1000mm
Max.Rewinding Diameter	1000mm
Max.Web Width	650mm
Min.Printing Width	630mm
Max.speed	80m/min
Power	25KW
Voltage	380V 3PH 50/60HZ
pressure	0.8MPA
Dimensions	6000x1800x2300
Weight	3.5T

Functions



Separation of plate roller and anvil roller



Magnetic power



Auto web guiding



Gears for anilox

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO

Jl. Terusan Bandengan Utara No.16 / B 3-4

Jakarta, 14450, Indonesia


Tel. (021) 660 2665, 661 8255.

Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

RYJ-650C4

4-Color Flexo Printing Machine




Ink roller, anilox, plate roller



IR dryer



Electrical cabinet



Nipping roller



Magnetic clutch for rewinding



Mitsubishi tension for unwinding

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA

Configurations

Name	Model	Quantity	Unit	Origin
Unwinding Tension control system	Mitsubishi	1	set	Japan
Web-guiding	Eurdow	1	set	China
Magnetic power	100N	1	set	China
Air shaft	3 inch	2	Piece	China
Adjusting handle for left/right		1	set	China
Plate roller	650	4	set	China
Ceramic	650	2	Piece	China
Motor	wangnan	1		China
Invert	Teco	1	Piece	Taiwan
Magnetic clutch	200N	1	Piece	China
Rewinding Tension Cotroller	ZTX	1	Set	China
Pneumatic cylinder For un/rewinding		2	set	China

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

35⁺ YEARS
SERVING
INDONESIA