

ZH-880BFT-H/BFT

High-Speed Bottom Lock Type
Folder Gluer Machine



ZH-880BFT-H



Features:

1. It is running steady with strengthened singleside driving system, also easy for maintenance.
2. The motor is controlled by transducers (inverter) which are available for automatic timing. It is power saved and it helps to work stably.
3. Paper is feed by several thick belts under the help of vibration motor. Feeding is continuous, exact and automatic with this system.
4. Grinders are provided in both sides of machine, to make gluing more stable and firm.
5. There are two sets of gluing system in this machine top glue and side glue system. Space adjustment is through tooth rods.
6. There is a PLC system controlled by human through touch screen in this machine. A remote diagnosis is there to help maintenance (remote controller system for options), and a photoelectric system to control speed in pressing unit (speed in pressing unit is corresponding automatically with the one in feeding unit). Functions are more complete when it is able to count by accumulated quantitative or partitioned.
7. Delivery unit is equipped with pressing sponge belts to ensure out-put in a perfect condition. A transverse paper collection table after the pressing unit helps to collect boxes quickly.
8. The machine is able to make 2-fold or 4-fold crash-lock bottom boxes. In the pre-folding part, the 1st fold 180° and the 3rd fold at 90°. The 2nd fold and the 4th fold are molded at 180°.
9. Small box like output size at 30mm is able to be done after the special design according to customer requirement.
10. The spare parts are: Siemens Motor, Schneider Electric/PLC/inverter, Japanese NITTA Belts, YHY/NSK Bearings, Continental Timing Belt, which make running more quick and stable. Except the normal cardboard boxes, it is able to fold and glue E flute. The pressing unit is in pneumatic design (air pressure system) to firm the glue.
11. The machine speeds up to 300m/min.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657


33 YEARS
SERVING
INDONESIA

ZH-880BFT-H/BFT


High-Speed Bottom Lock Type
Folder Gluer Machine




Box Type	A Max	A min	B Max	C Min	D Max	E Min	F Min
Crash-Lock Bottom Box	520 mm	210 mm	580 mm	120 mm	30 mm	85 mm	30 mm



Box Type	A Max	A min	B Max	B Min
Straight Line Box	580 mm	110 mm	580 mm	90 mm



Box Type	A Max	B Min	C Max	D Min
Double-Line Box	380 mm	500 mm	100 mm	300 mm



Technical Specifications

Model	ZH-880BFT-H
Line speed	0-300m/min, continuous adjustment
Usage paper	250-500 g/ms, paperboard
Box forming	Bottom lock, straight line box, double walls box
Fold method	1 st fold at 180° & 3 rd folds 90°, 2 nd & 4 th folds 180°
Paper feeding	Automatic feeding, grinding unit
Electric power	6.0 kw
Dimension	10.3*1.4*1.6m
Weight	2400kg

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO

Jl. Terusan Bandengan Utara No.16 / B 3-4

Jakarta, 14450, Indonesia

Tel. (021) 660 2665, 661 8255.

Fax. (021) 668 5874, 660 2657

33 YEARS
SERVING
INDONESIA

ZH-880BFT-H/BFT

High-Speed Bottom Lock Type
Folder Gluer Machine



ZH-880BFT



Features:

1. The machine is running steady with strengthened single-side driving system, and it is also easy for maintenance.
2. The motor is controlled by transducer (inverter) which is available for automatic timing. It is power saved and it helps to work stably.
3. Paper is feed by several thick belts under the help of vibration motor. Feeding is continuous, exact and automatic with this system.
4. Grinders are provided in both sides of machine, to make gluing more stable and firm.
5. There are two sets of gluing system in this machine top glue system and side glue system. Space adjustment is through the tooth rods.
6. There is a PLC system controlled by human through touch screen in this machine. A remote diagnosis is there to help maintenance (remote controller system for options), and a photoelectric system to control speed in pressing unit (speed in pressing unit is corresponding automatically with the one in feeding unit). Functions are more complete when it is able to count by accumulated quantitative or partitioned.
7. Delivery unit is equipped with pressing sponge belts to ensure output in a perfect condition. A transverse paper collection table after the pressing unit helps to collect boxes quickly.
8. The machine is able to make 2-fold or 4-fold crash-lock bottom boxes. In the pre-folding part, the first fold at 180° and the third fold at 90°. The 2nd fold and the 4th fold are molded at 180°.
9. Small box like out-put size at 30mm is able to be done after the special design

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657


33 YEARS
SERVING
INDONESIA

ZH-880BFT-H/BFT


High-Speed Bottom Lock Type
Folder Gluer Machine




Box Type	A Max	A min	B Max	C Min	D Max	E Min	F Min
Crash-Lock Bottom Box	520 mm	210 mm	580 mm	120 mm	30 mm	85 mm	30 mm



Box Type	A Max	A min	B Max	B Min
Straight Line Box	580 mm	110 mm	580 mm	90 mm



Box Type	A Max	B Min	C Max	D Min
Double-Line Box	380 mm	500 mm	100 mm	300 mm



Technical Specifications

Model	ZH-880BFT
Line speed	0-200m/min, continuous adjustment
Usage paper	250-500 g/ms, paperboard
Box forming	Bottom lock, straight line box, double walls box
Fold method	1 st fold at 180° & 3 rd folds 90°, 2 nd & 4 th folds 180°
Paper feeding	Automatic feeding, grinding unit
Electric power	6.0 kw
Dimension	9.0*1.2*1.5m
Weight	2000kg

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO

Jl. Terusan Bandengan Utara No.16 / B 3-4

Jakarta, 14450, Indonesia

Tel. (021) 660 2665, 661 8255.

Fax. (021) 668 5874, 660 2657

33 YEARS
SERVING
INDONESIA