

CYLZQ-1000 Automatic Drawing Film Cutting Machine



Machine Introduction

Cylzq-1000 automatic pull film scutter is an auxiliary product of waterborne laminating machine. It applies to sheets of paper dynamic splitter and automatic paper collection.

Configuration and Functions

This machine has the characteristics of compact structure, high speed, high efficiency, convenient operation, smooth operation, etc. The ideal equipment to increase production efficiency.

1. Thin paper flattening mechanism can keep thin paper from bending and wrinkling after laminating.
2. Guide wheel mechanism, can adjust the width of paper film edge after film covering, improve the precision of die cutting and other subsequent processes.
3. Auxiliary reduction wheel mechanism, auxiliary products quickly and neatly receive paper.
4. Three-way paper patting mechanism can automatically stack whole sheet or multiple sheets of paper.
5. Thin paper wave mechanism helps the machine to transport thin paper quickly and stably.

Machine introduction functionality

The machine has a compact structure, fast speed, high efficiency, convenient operation, smooth operation and other characteristics, is the printing factory increase. Ideal equipment for increasing production efficiency.

1. Thin paper levelling mecCYLZQ-1000 automatic pull film cutter is an auxiliary product of water-based film liner. It applies to the single sheet self. Dynamic split cutting and automatic paper collection. Configuration mechanism can keep the thin paper not bending and wrinkled after covering the film.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



CYLZQ-1000 Automatic Drawing Film Cutting Machine

2. The steering wheel mechanism can adjust the width of the paper film edge after the film covering and improve the accuracy of die cutting and other subsequent processes.
3. Auxiliary deceleration wheel mechanism, and auxiliary products to collect paper quickly and neatly.
4. Three-way p

Technical Specifications

Model	CYLZQ-1000
Maximum paper size	950X880mm
Maximum cutting speed	100m/min
Voltage	380V50Hz
Motor power	3Kw
Weight	660kg
Machine size	4000x1900x1900
Box size	2600×2100×2000 (CUTTER), 1800×2100×2000 (STACKER)

Main Electric List

Part	Origin/Brand
PLC	Taiwan Delta
Touch screen	Taiwan Delta
Frequency converter	Delta, China
Programmable controller	Taiwan Delta
Servo motor	Taiwan Delta
Ac contactor	French Schneider
Relays	French Schneider
Push button switch	French Schneider

The above configuration and parameters are subject to change without notice, subject to final confirmation.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



CYLZQ-1000 Automatic Drawing Film Cutting Machine



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

