



Machine Introduction

Machine Feature:

1. It adopts PLC frequency converter with a touch-screen display, measurement precision, electrical fault auto-detection, easy to operate and adjust.
2. It uses high-quality double-frequency simple mechanical structure, easy maintenance, long life, less wear and tear.
3. Its high-precision optical detection and tracking (film color tracking), two-way automatic compensation, accurate and reliable.
4. Intelligent products feeding detection, optimizing the online function, effectively prevent the packaging material consumption, making the device a perfect run.
5. Drinking straws calculated by counting wheel, servo motor control, more accuracy.
6. Packing speed and bag length use the double frequency converter control, infinitely variable speed, arbitrary adjustment range, can match the front-line working produce perfectly.
7. Stainless steel conveyor table, and the main machine part of the spray paint can also be operated according to the customers' requirements with stainless steel (adding price).

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Technical Specifications

Model	XL-450
Motor	Servo motor by driver
Packing mode	Three sides sealing, sealing with teeth
Straw Specs	Dia. $\Phi 3 \sim \Phi 6$ mm
	Length 120~260mm
Packaging material	BOPP, PE COATED PAPER
Max. film width	450mm
Bag length	90-500mm
Packaging width	50-180mm
Packaging height	10-115mm
Packing speed (Depend on packing material)	5-20bags/min
Packing Qty.	10-250pcs
Total Power	4kw
Machine dimension (mm)	2450*1000*1960
Machine weight	600KG

Electric Parts

Item	Model	Num.
Delta PLC	DVP12SA211T	1
Delta PLC	DVP16SP11T	1
CHINT air switch	1P16A	1
	1P10A	1
REPLY	TY-8YT	1
Solid	40DA	2
Cooling fin		2
Delta switch power	S-100-24	1
Plywood	450*450	1
Wiring terminal	TB1512	1
Wiring terminal	JF2.5/5	1
Wiring terminal	JF1.5/5	9
Maintenance control panel	LEV12070LK	1
Chint switch	Red green and yellow	3
Chint air switch	2P20A	1

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



XL-450

Straw Packing Machine

Chint button	Emergency stop	1
Huibang temperature control	voltage impulse 48*48	2
Boat shape switch	KCD2	2
FDF system	Iron cover	1
Delta servo driver	ASD-A2-0421-L	2
Delta servo motor	ECMA-C20604RA	2
Delta servo driver	ASD-A2-0721-L	1
Delta servo motor	ECMA-C20807RS	1
Servo wire	3 meters, 5 meters	

Machine details:



Packing material roller device:



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.





PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



XL-450

Straw Packing Machine

Cutting system:



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

