



Machine Introduction

Features:

1. Automatic intelligent meal box forming machine: servo drive, energy saving, stability, simple operation, microcomputer detection, domestic advanced technology products.
2. The original automatic mechanical paper feeding, now upgraded to servo motor paper feeding, with more stable paper feeding, faster speed, more convenient operation, feeding. Paper setting is more convenient and other advantages. This machine adopts built-in hot air generator, suitable for single and double PE coated paper, forming paper box can wrap inside and outside corners.
3. The original is the use of rod less cylinder collection, now upgraded to servo motor collection, with more saving gas consumption, more convenient setting, more stable collection wait for an advantage.
4. The workflow of the equipment through the servo motor feed paper, top cover corner heating (with hot air generator), fold the cover (mechanical device), hot pressing molding (gluing the four corners of the lunchbox), servo motor collection and other continuous processes, the whole process of microcomputer control, for the production of single-grid disposable paper quality lunchboxes, paper lunchboxes, etc.
5. The fastest working speed of the equipment is 35 minutes at present, which is the leading level in China. It has feeding monitoring, paper feeding monitoring, forming monitoring and collection monitoring such as automatic system, if the fault machine will stop with alarm.

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Technical Specifications

Model	FHJ-ATS
Production capacity	30-33pcs/min (actual quality products are subject to size)
Max Paper Size	480*450mm
Suitable Material	100-400g/m ² (PE Coated Paper)
Total Power	8KW
Total Weight	1.5T
Overall Dimension	2250(L)*1450(W)*1700(H)mm
Gas source requirement	Air pressure 0.4-0.5Mpa (Need to buy air compressor)
Working volume	0.4-0.5m ³ /min

Main Technical Parameters

Part Name	Description	Brand / Origin
Motor	Main motor	CHINA
Electrical Part	PLC	INOVANCE (CHINA)
	Frequency converter	INOVANCE (CHINA)
	Photoelectric switch	AUTONICS (KOREA)
	CONTACTOR	Schneider
	RELAY	Schneider
	Photoelectric switch	Autonics
	START SWITCH	Autonics
	TEM CONTROL	
	(1KW) PAPER FEEDING SERVO MOTOR	CHINA RIDING
	(0.4KW) COLLECT SERVO	CHINA RIDING
Pneumatic	Main cylinder	Airtac (Taiwan)
	Other pneumatic components	China famous brand
	Other bearings	HBR

* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657



Product Sample:



* Warna dan spesifikasi mesin bisa berubah sesuai dengan perubahan spesifikasi pabrik.



PT. EKA MAJU MESININDO
Jl. Terusan Bandengan Utara No.16 / B 3-4
Jakarta, 14450, Indonesia
Tel. (021) 660 2665, 661 8255.
Fax. (021) 668 5874, 660 2657

