

# 1. Description

# 1.1. Project

Project Name	RM_UART_Command_Handler
Board Name	custom
Generated with:	STM32CubeMX 6.12.1
Date	10/20/2024


## 1.2. MCU

MCU Series	STM32F7
MCU Line	STM32F7x7
MCU name	STM32F767ZITx
MCU Package	LQFP144
MCU Pin number	144

# 1.3. Core(s) information

Core(s)	Arm Cortex-M7	

# 2. Pinout Configuration




# 3. Pins Configuration

Pin Number LQFP144	Pin Name (function after	Pin Type	Alternate Function(s)	Label
EQI F 144	reset)		i dilction(s)	
6	VBAT	Power		
16	VSS	Power		
17	VDD	Power		
25	NRST	Reset		
30	VDD	Power		
31	VSSA	Power		
32	VREF+	Power		
33	VDDA	Power		
38	VSS	Power		
39	VDD	Power		
46	PB0 *	I/O	GPIO_Output	IGreen
51	VSS	Power		
52	VDD	Power		
61	VSS	Power		
62	VDD	Power		
71	VCAP_1	Power		
72	VDD	Power		
75	PB14 *	I/O	GPIO_Output	IRed
77	PD8	I/O	USART3_TX	
78	PD9	I/O	USART3_RX	
83	VSS	Power		
84	VDD	Power		
94	VSS	Power		
95	VDDUSB	Power		
106	VCAP_2	Power		
107	VSS	Power		
108	VDD	Power		
120	VSS	Power		
121	VDDSDMMC	Power		
130	VSS	Power		
131	VDD	Power		
137	PB7 *	I/O	GPIO_Output	IBlue
138	воото	Boot		
143	PDR_ON	Reset		
144	VDD	Power		

RM_UART_Com	nmand_	_Handler	Project
	Conf	iguration	Report

* The pin is affected with an I/O function		

# 4. Clock Tree Configuration



# 1. Power Consumption Calculator report

### 1.1. Microcontroller Selection

Series	STM32F7
Line	STM32F7x7
MCU	STM32F767ZITx
Datasheet	DS11532_Rev4

### 1.2. Parameter Selection

Temperature	25
Vdd	3.3

## 1.3. Battery Selection

Battery	Alkaline(9V)
Capacity	625.0 mAh
Self Discharge	0.3 %/month
Nominal Voltage	9.0 V
Max Cont Current	200.0 mA
Max Pulse Current	0.0 mA
Cells in series	1
Cells in parallel	1


## 1.4. Sequence

	1	
Step	Step1	Step2
Mode	RUN	STOP UDM (Under Drive)
Vdd	3.3	3.3
Voltage Source	Battery	Battery
Range	Scale1-High	No Scale
Fetch Type	ICTM FLASH-SingleBank REGON	n/a
CPU Frequency	216 MHz	0 Hz
Clock Configuration	HSE PLL	Regulator LP Flash-PwrDwn
Clock Source Frequency	4 MHz	0 Hz
Peripherals		
Additional Cons.	0 mA	0 mA
Average Current	118 mA	130 μΑ
Duration	0.1 ms	0.9 ms
DMIPS	462.0	0.0
Ta Max	89.42	104.98
Category	In DS Table	In DS Table

### 1.5. Results

Sequence Time	1 ms	Average Current	11.92 mA
Battery Life	2 days, 4 hours	Average DMIPS	462.24005
			DMIPS

## 1.6. Chart



# 2. Software Project

## 2.1. Project Settings

Name	Value
Project Name	RM_UART_Command_Handler
Project Folder	E:\Mysrc\EmbeddedSystems\RTOS\F767ZIT6\4_ResourceManament\RM_UART
Toolchain / IDE	STM32CubeIDE
Firmware Package Name and Version	STM32Cube FW_F7 V1.17.2
Application Structure	Advanced
Generate Under Root	Yes
Do not generate the main()	No
Minimum Heap Size	0x200
Minimum Stack Size	0x400

## 2.2. Code Generation Settings

Name	Value		
STM32Cube MCU packages and embedded software	Copy only the necessary library files		
Generate peripheral initialization as a pair of '.c/.h' files	No		
Backup previously generated files when re-generating	No		
Keep User Code when re-generating	Yes		
Delete previously generated files when not re-generated	Yes		
Set all free pins as analog (to optimize the power consumption)	No		
Enable Full Assert	No		

### 2.3. Advanced Settings - Generated Function Calls

Rank	Function Name	Peripheral Instance Name		
1	SystemClock_Config	RCC		
2	MX_GPIO_Init	GPIO		
3	MX USART3 UART Init	USART3		

# 3. Peripherals and Middlewares Configuration

#### 3.1. RCC

#### 3.1.1. Parameter Settings:

#### **System Parameters:**

VDD voltage (V) 3.3

Flash Latency(WS) 0 WS (1 CPU cycle)

**RCC Parameters:** 

HSI Calibration Value 16

TIM Prescaler Selection Disabled

HSE Startup Timout Value (ms) 100

LSE Startup Timout Value (ms) 5000

**Power Parameters:** 

Power Over Drive Disabled

Power Regulator Voltage Scale Power Regulator Voltage Scale 3

#### 3.2. SYS

**Timebase Source: TIM1** 

#### 3.3. **USART3**

**Mode: Asynchronous** 

### 3.3.1. Parameter Settings:

#### **Basic Parameters:**

Baud Rate 115200

Word Length 8 Bits (including Parity)

Parity None Stop Bits 1

**Advanced Parameters:** 

Data Direction Receive and Transmit

Over Sampling 16 Samples
Single Sample Disable

**Advanced Features:** 

Auto Baudrate Disable
TX Pin Active Level Inversion Disable
RX Pin Active Level Inversion Disable
Data Inversion Disable
TX and RX Pins Swapping Disable

Overrun Enable
DMA on RX Error Enable
MSB First Disable

#### 3.4. FREERTOS

Interface: CMSIS\_V2

### 3.4.1. Config parameters:

#### API:

FreeRTOS API CMSIS v2

**Versions:** 

FreeRTOS version 10.2.1 CMSIS-RTOS version 2.00

MPU/FPU:

ENABLE\_MPU Disabled ENABLE\_FPU Disabled

Kernel settings:

USE\_PREEMPTION Enabled

CPU\_CLOCK\_HZ SystemCoreClock

 TICK\_RATE\_HZ
 1000

 MAX\_PRIORITIES
 56

 MINIMAL\_STACK\_SIZE
 128

 MAX\_TASK\_NAME\_LEN
 16

 USE\_16\_BIT\_TICKS
 Disabled

IDLE\_SHOULD\_YIELD Enabled
USE\_MUTEXES Enabled
USE\_RECURSIVE\_MUTEXES Enabled
USE\_COUNTING\_SEMAPHORES Enabled
QUEUE\_REGISTRY\_SIZE 8

USE\_APPLICATION\_TASK\_TAG Disabled
ENABLE\_BACKWARD\_COMPATIBILITY Enabled
USE\_PORT\_OPTIMISED\_TASK\_SELECTION Disabled
USE\_TICKLESS\_IDLE Disabled
USE\_TASK\_NOTIFICATIONS Enabled

Memory management settings:

RECORD\_STACK\_HIGH\_ADDRESS

Memory Allocation Dynamic / Static

TOTAL\_HEAP\_SIZE 15360

Memory Management scheme heap\_4

#### Hook function related definitions:

Disabled

USE_IDLE_HOOK	Disabled
USE_TICK_HOOK	Disabled
USE_MALLOC_FAILED_HOOK	Disabled
USE_DAEMON_TASK_STARTUP_HOOK	Disabled
CHECK_FOR_STACK_OVERFLOW	Disabled

#### Run time and task stats gathering related definitions:

GENERATE\_RUN\_TIME\_STATS Disabled
USE\_TRACE\_FACILITY Enabled
USE\_STATS\_FORMATTING\_FUNCTIONS Disabled

#### Co-routine related definitions:

USE\_CO\_ROUTINES Disabled MAX\_CO\_ROUTINE\_PRIORITIES 2

#### Software timer definitions:

USE\_TIMERS Enabled
TIMER\_TASK\_PRIORITY 2
TIMER\_QUEUE\_LENGTH 10
TIMER\_TASK\_STACK\_DEPTH 256

#### Interrupt nesting behaviour configuration:

LIBRARY\_LOWEST\_INTERRUPT\_PRIORITY 15
LIBRARY\_MAX\_SYSCALL\_INTERRUPT\_PRIORITY 5

#### Added with 10.2.1 support:

MESSAGE\_BUFFER\_LENGTH\_TYPE size\_t
USE\_POSIX\_ERRNO Disabled

#### 3.4.2. Include parameters:

#### Include definitions:

vTaskPrioritySet Enabled uxTaskPriorityGet Enabled vTaskDelete Enabled vTaskCleanUpResources Disabled Enabled vTaskSuspend vTaskDelayUntil Enabled vTaskDelay Enabled xTaskGetSchedulerState Enabled xTaskResumeFromISR Enabled xQueueGetMutexHolder Enabled Disabled xSemaphoreGetMutexHolder pcTaskGetTaskName Disabled uxTaskGetStackHighWaterMark Enabled xTaskGetCurrentTaskHandleDisabled eTaskGetState Enabled
xEventGroupSetBitFromISR Disabled
xTimerPendFunctionCall Enabled
xTaskAbortDelay Disabled
xTaskGetHandle Disabled
uxTaskGetStackHighWaterMark2 Disabled

### 3.4.3. Advanced settings:

Newlib settings (see parameter description first):

USE\_NEWLIB\_REENTRANT Enabled \*

Project settings (see parameter description first):

Use FW pack heap file Enabled

<sup>\*</sup> User modified value

# 4. System Configuration

# 4.1. GPIO configuration

- 1			1				
	ΙP	Pin	Signal	GPIO mode	GPIO pull/up pull down	Max Speed	User Label
	USART3	PD8	USART3_TX	Alternate Function Push Pull	No pull-up and no pull-down	Very High	
		PD9	USART3_RX	Alternate Function Push Pull	No pull-up and no pull-down	Very High	
	GPIO	PB0	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	IGreen
		PB14	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	IRed
		PB7	GPIO_Output	Output Push Pull	No pull-up and no pull-down	Low	IBlue

## 4.2. DMA configuration

nothing configured in DMA service

## 4.3. NVIC configuration

# 4.3.1. NVIC

Interrupt Table	Enable	Preenmption Priority	SubPriority	
Non maskable interrupt	true	0	0	
Hard fault interrupt	true	0	0	
Memory management fault	true	0	0	
Pre-fetch fault, memory access fault	true	0	0	
Undefined instruction or illegal state	true	0	0	
System service call via SWI instruction	true	0	0	
Debug monitor	true	0	0	
Pendable request for system service	true	15	0	
System tick timer	true	15	0	
TIM1 update interrupt and TIM10 global interrupt	true	15	0	
USART3 global interrupt	true	5	0	
PVD interrupt through EXTI line 16	unused			
Flash global interrupt	unused			
RCC global interrupt	unused			
FPU global interrupt	unused			

## 4.3.2. NVIC Code generation

Enabled interrupt Table	Select for init sequence ordering	Generate IRQ handler	Call HAL handler
Non maskable interrupt	false	true	false
Hard fault interrupt	false	true	false
Memory management fault	false	true	false
Pre-fetch fault, memory access fault	false	true	false
Undefined instruction or illegal state	false	true	false
System service call via SWI instruction	false	false	false
Debug monitor	false	true	false
Pendable request for system service	false	false	false
System tick timer	false	false	true
TIM1 update interrupt and TIM10 global interrupt	false	true	true
USART3 global interrupt	false	true	true

#### \* User modified value

# 5. System Views

5.1. Category view

5.1.1. Current



## 6. Docs & Resources

Type Link

BSDL files https://www.st.com/resource/en/bsdl\_model/stm32f7\_bsdl.zip

IBIS models https://www.st.com/resource/en/ibis\_model/stm32f7\_ibis.zip

System View https://www.st.com/resource/en/svd/stm32f7-svd.zip

Description

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_embedded\_software\_solutions.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_eval-

tools\_portfolio.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32\_stm8\_functi

onal-safety-packages.pdf

Presentations https://www.st.com/resource/en/product\_presentation/stm32-

stm8\_software\_development\_tools.pdf

Presentations https://www.st.com/resource/en/product\_presentation/microcontrollers-

stm32-family-overview.pdf

Presentations https://www.st.com/resource/en/product\_presentation/microcontrollers-

stm32h7rs-lines-overview.pdf

Brochures https://www.st.com/resource/en/brochure/products-and-solutions-for-plcs-

and-smart-i-os.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32nucleo.pdf

Flyers https://www.st.com/resource/en/flyer/flstmcsuite.pdf

Flyers https://www.st.com/resource/en/flyer/flstm32trust.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1709-emc-design-

guide-for-stm8-stm32-and-legacy-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2606-stm32-

microcontroller-system-memory-boot-mode-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an2639-soldering-

recommendations-and-package-information-for-leadfree-ecopack-mcus-

and-mpus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an3126-audio-and-

- waveform-generation-using-the-dac-in-stm32-products-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3154-can-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3155-usart-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an3156-usb-dfu-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4031-using-the-stm32f2-stm32f4-and-stm32f7-series-dma-controller-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4221-i2c-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4229-how-to-implement-a-vocoder-solution-using-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4286-spi-protocol-used-in-the-stm32-bootloader-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4566-extending-the-dac-performance-of-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4655-virtually-increasing-the-number-of-serial-communication-peripherals-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4660-migration-of-microcontroller-applications-from-stm32f42xxxf43xxx-devices-to-stm32f7-series-devices-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4661-getting-started-with-stm32f7-series-mcu-hardware-development-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4676-stm32f7-series-peripheral-interconnections-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4731-stm32cube-mcu-package-examples-for-stm32f7-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4750-handling-of-soft-

- errors-in-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4776-generalpurpose-timer-cookbook-for-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4803-highspeed-si-simulations-using-ibis-and-boardlevel-simulations-using-hyperlynx-si-on-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4839-level-1-cache-on-stm32f7-series-and-stm32h7-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4850-stm32-mcusspreadspectrum-clock-generation-principles-properties-andimplementation-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4936-migration-of-microcontroller-applications-from-stm32f7-series-to-stm32h743753-line-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4989-stm32-microcontroller-debug-toolbox-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4990-getting-started-with-sigmadelta-digital-interface-on-applicable-stm32-microcontrollers-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5020-digital-camera-interface-dcmi-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5027-interfacing-pdm-digital-microphones-using-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5073-receiving-spdif-audio-stream-with-the-stm32f4f7h7-series-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4760-quadspiinterface-on-stm32-microcontrollers-and-microprocessors-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4899-stm32-microcontroller-gpio-hardware-settings-and-lowpower-consumption-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5612-esd-protection-of-stm32-mcus-and-mpus-stmicroelectronics.pdf

- Application Notes https://www.st.com/resource/en/application\_note/an5293-migration-guide-from-stm32f7-series-to-stmh74x75x-stm32h72x73x-and-stmh7a37bx-devices-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4838-introduction-to-memory-protection-unit-management-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4879-introduction-to-usb-hardware-and-pcb-guidelines-using-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5225-introduction-to-usb-typec-power-delivery-for-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2834-how-to-optimize-the-adc-accuracy-in-the-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5537-how-to-use-adcoversampling-techniques-to-improve-signaltonoise-ratio-on-stm32-mcusstmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an5036-guidelines-for-thermal-management-on-stm32-applications-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4230-introduction-to-random-number-generation-validation-using-the-nist-statistical-test-suite-for-stm32-mcus-and-mpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an2867-guidelines-for-oscillator-design-on-stm8afals-and-stm32-mcusmpus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4013-introduction-to-timers-for-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4277-how-to-use-pwm-shutdown-for-motor-control-and-digital-power-conversion-on-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4759-introduction-to-using-the-hardware-realtime-clock-rtc-and-the-tamper-management-unit-tamp-with-stm32-mcus-stmicroelectronics.pdf
- Application Notes https://www.st.com/resource/en/application\_note/an4861-introduction-to-

lcdtft-display-controller-ltdc-on-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4908-getting-started-

with-usart-automatic-baud-rater-detection-for-stm32-mcus-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5156-introduction-to-

security-for-stm32-mcus-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5543-guidelines-for-

enhanced-spi-communication-on-stm32-mcus-and-mpus-

stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an1202\_freertos\_guide-

for related Tools freertos-guide-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an1602\_semihosting\_in

for related Tools \_truestudio-how-to-do-semihosting-in-truestudio-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an1801\_stm32cubeprog

for related Tools rammer\_in\_truestudio-installing-stm32cubeprogrammer-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application note/atollic editing keyboard

for related Tools \_shortcuts-atollic-editing-keyboard-shortcuts-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/iar\_to\_atollic\_truestudio

for related Tools \_\_migration\_guide-truestudio-for-arm-migration-guide-iar-embedded-

& Software workbench-to-truestudio-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/stm32cubemx\_installatio

for related Tools n\_in\_truestudio-stm32cubemx-installation-in-truestudio-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4044-floating-point-

for related Tools unit-demonstration-on-stm32-microcontrollers-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4323-getting-started-

for related Tools with-stemwin-library-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4435-guidelines-for-

for related Tools obtaining-ulcsaiec-607301603351-class-b-certification-in-any-stm32-

& Software application-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4657-stm32-

for related Tools inapplication-programming-iap-using-the-usart-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4667-stm32f7-series-

for related Tools system-architecture-and-performance-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4731-stm32cube-for related Tools mcu-package-examples-for-stm32f7-series-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4749-managing-

for related Tools lowpower-consumption-on-stm32f7-series-microcontrollers-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4841-digital-signal-for related Tools processing-for-stm32-microcontrollers-using-cmsis-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5056-integration-

for related Tools guide-for-the-xcubesbsfu-stm32cube-expansion-package-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5360-getting-started-

for related Tools with-projects-based-on-the-stm32mp1-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5361-getting-started-

for related Tools with-projects-based-on-dualcore-stm32h7-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5394-getting-started-

for related Tools with-projects-based-on-the-stm32l5-series-in-stm32cubeide-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5418-how-to-build-a-for related Tools simple-usbpd-sink-application-with-stm32cubemx-stmicroelectronics.pdf

ion rollada roole cilipie dospa cilik application mar ciliozedecilik cililorecilectici.

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5426-migrating-

for related Tools graphics-middleware-projects-from-stm32cubemx-540-to-stm32cubemx-

& Software 550-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5564-getting-started-

for related Tools with-projects-based-on-dualcore-stm32wl-microcontrollers-in-

& Software stm32cubeide-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an4865-lowpower-timer-

& Software stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5698-adapting-the-for related Tools xcubestl-functional-safety-package-for-stm32-iec-61508-compliant-to-

& Software other-safety-standards-stmicroelectronics.pdf

Application Notes https://www.st.com/resource/en/application\_note/an5731-stm32cubemx-

for related Tools and-stm32cubeide-threadsafe-solution-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an4502-stm32-

for related Tools smbuspmbus-expansion-package-for-stm32cube-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5952-how-to-use-

for related Tools cmake-in-stm32cubeide-stmicroelectronics.pdf

& Software

Application Notes https://www.st.com/resource/en/application\_note/an5054-how-to-perform-for related Tools secure-programming-using-stm32cubeprogrammer-stmicroelectronics.pdf

& Software

Design Notes & https://www.st.com/resource/en/design\_tip/dt0117-microphone-array-Tips beamforming-in-the-pcm-and-pdm-domain-stmicroelectronics.pdf

Errata Sheets https://www.st.com/resource/en/errata\_sheet/es0334-stm32f76xxx-and-

stm32f77xxx-device-errata-stmicroelectronics.pdf

Datasheet https://www.st.com/resource/en/datasheet/dm00273119.pdf

Programming https://www.st.com/resource/en/programming\_manual/pm0253-stm32f7-

Manuals series-and-stm32h7-series-cortexm7-processor-programming-manual-

stmicroelectronics.pdf

Reference https://www.st.com/resource/en/reference\_manual/rm0410-stm32f76xxx-Manuals and-stm32f77xxx-advanced-armbased-32bit-mcus-stmicroelectronics.pdf

Technical Notes https://www.st.com/resource/en/technical\_note/tn1163-description-of-

stmicroelectronics.pdf https://www.st.com/resource/en/technical\_note/tn1204-tape-and-reel-**Technical Notes** & Articles shipping-media-for-stm32-microcontrollers-in-bga-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn1205-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-fpn-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn1206-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-qfp-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical\_note/tn1207-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-so-packagesstmicroelectronics.pdf **Technical Notes** https://www.st.com/resource/en/technical note/tn1208-tape-and-reel-& Articles shipping-media-for-stm8-and-stm32-microcontrollers-in-tssop-and-ssoppackages-stmicroelectronics.pdf

wlcsp-for-microcontrollers-and-recommendations-for-its-use-

Technical Notes https://www.st.com/resource/en/technical\_note/tn1433-reference-device-& Articles marking-schematics-for-stm32-microcontrollers-and-microprocessors-

stmicroelectronics.pdf

& Articles

Technical Notes https://www.st.com/resource/en/technical\_note/tn1489-security-bulletin-& Articles tn1489stpsirt-physical-attacks-on-stm32-and-stm32cube-firmware-

stmicroelectronics.pdf

User Manuals https://www.st.com/resource/en/user\_manual/um2318-stm32f7-series-

safety-manual-stmicroelectronics.pdf

User Manuals https://www.st.com/resource/en/user\_manual/um3251-stm32f7-series-

ulcsaiec-607301603351-selftest-library-user-guide-stmicroelectronics.pdf