Data Dictionary for Gold Layer

Retail Data Warehouse Mini-Project

Overview

The Gold Layer is the business-level data representation designed to support analytical and reporting use cases. It contains dimension tables that describe customers, products, and stores, and a fact table that records sales transactions and measurable business activity.

Each table below includes its purpose and a column dictionary with the column name, data type, and short description.

1. gold.dim_customer

Purpose: Stores customer profile, demographic, contact, and geographic details for customer-level analysis.

Columns:

Column Name	Data Type	Description
customer_id	VARCHAR(50)	Identifier used to identify each customer.
customer_name	NVARCHAR(50)	Customer's name; supports Unicode characters.
gender	VARCHAR(20)	Customer's recorded gender.
age	INT	Customer's age in years.
city	VARCHAR(50)	City where the customer lives.
state	VARCHAR(50)	State or region where the customer lives.
pincode	VARCHAR(10)	Customer's postal PIN code, stored as text.
phone	VARCHAR(20)	Customer's contact phone number.
email	VARCHAR(100)	Customer's email address.
registration_date	DATE	Date the customer registered.

2. gold.dim_product

Purpose: Stores product master details to support analysis by product, category, subcategory, and brand.

Columns:

Column Name	Data Type	Description
product_id	VARCHAR(50)	Identifier used to identify each product.
product_name	VARCHAR(50)	Name of the product.
category	VARCHAR(50)	Main category of the product.
subcategory	VARCHAR(50)	More specific classification of the product.
brand	VARCHAR(50)	Brand associated with the product.
unit_price	DECIMAL(10,2)	Selling price per unit.
cost_price	DECIMAL(10,2)	Cost price per unit.

3. gold.fact_sales

Purpose: Stores sales transactions and measurable sales details for reporting by date, customer, product, and store.

Columns:

Column Name	Data Type	Description
sale_id	VARCHAR(50)	Identifier assigned to each sales transaction.
sale_date	DATE	Date the sale took place.
customer_id	VARCHAR(50)	Customer identifier associated with the sale.
product_id	VARCHAR(50)	Product identifier for the item sold.
store_id	VARCHAR(50)	Store identifier where the sale occurred.
quantity	INT	Number of units sold.
unit_price	DECIMAL(10,2)	Selling price per unit for the transaction.
discount_percent	DECIMAL(5,2)	Discount percentage applied to the sale.
payment_method	VARCHAR(50)	Payment method used for the transaction.

4. gold.dim_store

Purpose: Stores store master and location details for analysis by store, geography, and store type.

Columns:

Column Name	Data Type	Description
store_id	VARCHAR(50)	Identifier used to identify each store.
store_name	VARCHAR(50)	Name of the store.
city	VARCHAR(50)	City where the store is located.
state	VARCHAR(50)	State or region where the store is located.
pincode	VARCHAR(10)	Store postal PIN code, stored as text.
store_type	VARCHAR(50)	Format or type of the store.
opening_date	DATE	Date the store began operating.

Notes

• Descriptions are based on the Gold Layer schema provided.

• The customer table name was written as gold.dim_customr in the message; this catalog assumes the intended name is gold.dim_customer. Change the heading if your actual table uses a different name.

• The supplied schema does not specify primary keys, foreign keys, or NOT NULL constraints, so these are not documented as enforced constraints.

• The sales fact table contains customer_id, product_id, and store_id fields that are intended to relate to the corresponding dimension tables.