


The maid’s wing re-planned · laundry first · Taif / Palm House V10.0


LAYOUT D ADOPTED (owner, 10 Nov 2026) · the bath against the south part of the cut wall next to the laundry (its drains straight out through the cut wall to the east branch, its own window), the room north of it with the shelf wedge in the north tip, the bed, the wardrobe and a small desk, the escape casement on the cut’s north part; no store (G21 removed). **Refined the same day (owner):** the bath a simple 1.5 m deep wet room like the guest WC (a wall-mounted shower and mixer over a floor drain with falls, tanked and tiled, no tray, no cubicle), shrunk in one direction (y 3.2–4.7); the gained strip to the room: the bed in the north corner with its head on the north wall, the wardrobe on the majlis wall south of it. Applied to `data/rooms_gf.csv`, `design_gf.typ`, `studies/east_wing.typ` and the presentation (sheets 02 and 08). Round 1 (A–C, C recommended) is kept below as the record; C’s wedge, drawn outside the cut wall in round 1, is corrected.

The owner’s brief (10 Nov 2026): one roof span, no columns, light partitions placed freely; the order along the kitchen wall **kitchen → laundry → maid bath → maid room**; no store; her room one door (not from the kitchen), bed, wardrobe, small desk, the escape window kept; her bath private, door only from her room; the laundry the priority. Block 4.36 × 7 m, 23.05 m² on axes (the cut wall from (1.511, 0) to (4.36, 5.245)); local x = CSV x − 8.95; the dashed blue line = the escape window’s place before D.









Layout	A · the bath in the tip, the room a true rectangle	B · the laundry 2.8 m deep (the limit test)	C · the owner's order, the bath on the courtyard side (round 1's recommendation)	D · ADOPTED (owner, 10 Nov 2026) and refined the same day: the bath a 1.5 m deep wet room, the bed in the north corner
Laundry (axes · ≈ clear)	10.35 · **9.2 m²**	11.91 · **10.67 m²**	9.95 · **8.82 m²**	9.95 · **8.82 m²**
Maid room (axes · ≈ clear, built-ins inside)	8.59 · **7.65 m²** ✓ ≥ 7.28	7.03 · **6.2 m²** ✗ < 7.28: does not fit	10.04 · **8.64 m²** ✓ ≥ 7.28	10.17 · **8.85 m²** ✓ ≥ 7.28
Maid bath (axes · ≈ clear)	4.11 · **3.34 m²**	4.11 · **3.34 m²**	3.06 · **2.64 m²**	2.94 · **2.47 m²**
The room	a 2.6 × 2.6 rectangle with the deep wedge wardrobe on its east side and a window niche	the same, 0.4 m shorter: too small	a 2.6 × 3.0 rectangle with a shelf wedge in the north tip, the wardrobe on the north wall, a desk alcove under the kept window	the bed in the north corner (its head on the north wall), the wardrobe on the majlis wall south of it, the shelf wedge in the tip, the desk under the escape window, the door end beside the bath: no slanted wall meets the floor except the window’s (refined 10 Nov 2026: the bath 1.5 m deep, the room 0.4 m longer east of x 1.7)
Escape window	moved 1.2 m north on the cut	moved	kept at y 3.4–4.4	on the cut’s north part (y 1.5–2.5), 1.14 × 1.0, sill +1.10, no screen
Bath	in the tip, a window on the cut	as A	internal, an extract fan; the drains ≈ 3 m under the laundry	on the cut wall’s south part, 1.5 m deep: a simple wet room like the guest WC (a wall-mounted shower over a floor drain, no tray, no cubicle), the WC under its own window, a basin; the drains straight out through the cut wall (≈ 1 m)
Doors	bath 0.70, from the room · room 0.90, from the laundry · laundry 0.90 from the kitchen	bath 0.70 · room 0.90 · laundry 0.90	bath 0.70, from the room · room 0.90, from the laundry · laundry 0.90 from the kitchen	bath 0.70, from the room only · room 0.90, from the laundry · laundry 0.90 from the kitchen

Windows	escape casement 1.14 × 1.0, moved 1.2 m north on the cut · bath vent window · laundry window 1.0 (insect screen)	escape casement, moved · vent · laundry window	escape casement 1.14 × 1.0, kept · laundry window 1.0 (insect screen)	escape casement 1.14 × 1.0 on the cut's north part, sill +1.10 · bath window on the cut above the WC (obscured, sill +1.5) · laundry window 1.0 (insect screen)

Maid wing study checks passed (4 layouts: inside the block, no overlaps, the rooms tile the block, every fixture and wedge inside the walls; D's room 8.85 m² clear ≥ 7.28)

Layout D in detail · the laundry · what was decided

1 · The laundry (D; 2.3 m deep, the whole width, y 4.7–7.0; ≈ 8.82 m² clear)

- **Machines** on the west wall (the women's majlis wall, 0.20; anti-vibration feet, the wall lined): **washer 1** and **washer 2 with the dryer stacked on it**, 0.65 deep, from y 5.3 (the 0.6 m in front of the room's door kept free); the water and drain points behind them, the floor drain (an anti-odour membrane trap, a trap primer) under the stacked column; a tap and a hose point beside it.
- **The folding / ironing table** 1.8 × 0.6 along the kitchen wall with the **steam ironing station** at its east end (0.6 × 0.6: the generator on a shelf below, the board stored folded) and a socket group above the table; the passage between the machines and the table ≈ 1.0 m.
- **Cupboards** 1.0 m tall-and-deep (0.6) on the room's north partition east of the door; open shelves above the table.
- **The ceiling drying rack** (a pulley rack 1.3 × 0.7) over the east end in front of the **window** 1.0 × 1.0 on the straight east wall (sill +1.1, an insect screen); above it the **extract fan** (≈ 150–200 m^3/h, a humidity sensor and a timer, a backdraught shutter outside); **finishes:** porcelain floor to a drain, washable walls to the ceiling, a moisture-resistant ceiling, the machines on a drip tray.
- **Doors:** the laundry's door 0.90 from the kitchen (today an open entrance: a door keeps the humidity and the noise out of the kitchen); the maid room's door 0.90 at the west end of the partition, from the laundry (her only door; not from the kitchen). **No sink** (the kitchen's sink is 2 m away; optional); **no yard door** (the straight east wall is 1.75 m and the window takes it; the kitchen's service door is a step away round the corner).

2 · The maid bath (D refined; 1.5 m deep, ≈ 2.47 m² clear)

- Against the south part of the cut wall, x 1.7 to the cut, y 3.2–4.7 (≈ 1.4 m clear deep, 1.3–2.2 m wide): **a simple wet room like the guest WC:** a **wall-mounted shower and mixer** in the wide south-east corner (the obtuse corner against the cut) over a **floor drain with falls**, the whole floor and the walls **tanked and tiled**, **no shower tray, no cubicle wall** (a short 10 cm block wall of 0.6 m between the shower and the WC only if the owner wants the WC kept dry); the **WC** against the cut wall under its **window** (y 3.35–3.95 on the cut, obscured, sill +1.5); the **basin** on the west partition beside the door; the door 0.70 on its north wall, **from her room only**, opening in. The drains leave straight through the cut wall (≈ 1 m) to the east branch and the yard manhole: short, one slope; the extract fan beside the window.

3 · The maid room (D; 10.17 m² on axes, ≈ 8.85 m² clear ≥ 7.28)

- North of the bath, 0.4 m longer than before east of x 1.7 (the bath's strip y 2.8–3.2 gained): the **bed** 0.9 × 2.0 **in the north corner, its head on the north wall** (the majlis wall at its side), the **wardrobe** 1.35 × 0.6 on the majlis wall south of the bed (the best remaining wall: solid, no window, 1.0 m passage to the door), the **shelf wedge** in the north tip inside the room (its front on x 1.7, 0–0.6 deep, beside the bed's head), the **small desk** under the **escape casement** on the cut's north part (y 1.5–2.5, 1.14 × 1.0, sill +1.10, obscured below +1.60, no screen: the same opening), the door 0.90 from the laundry at the room's south-west, the 1.7 × 1.5 m part beside the bath as the entry. No slanted wall meets the floor except the window's.

4 · Round 1 (A–C) and why D

- **A** put the bath in the tip (a window, but the bath far from the laundry) and made the room a 2.6 × 2.6 rectangle by moving the window; **B** showed the limit (a laundry deeper than ≈ 2.4 m starves the room); **C** followed the order but left the bath internal, with no window and ≈ 3 m of drain under the laundry.
- **D** keeps the order, gives the bath the cut wall (its own window, the shortest drain, the east cluster) and the room the north wall and the majlis wall (the bed and the wardrobe on solid walls, the shelf wedge using the tip); it is the owner's decision.

5 · Applied now (lean) · for the next release

- **Now:** `data/rooms_gf.csv` (G05 maid bath, G06 maid room, G07 laundry as polygons; G21 the store removed), `design_gf.typ` (the doors, the windows, the note), `studies/east_wing.typ` (the rooms, the fixtures, the doors and windows: the presentation's ground-floor sheet reads them), the presentation (sheet 02 and sheet 08's note).
- **Next release:** the 3D and the DXFs, `studies/plumbing.typ` (the bath's branch through the cut wall, the laundry's drain and its machines' points), the structure notes (the partitions on the slab), `studies/fire_escape.typ` (the casement's new place), the presentation's sheet 06 text, `PROJECT_V10.md` §3 / §4, `OPEN_ITEMS.md` (the laundry's extract and the bath's fan to the MEP engineer, item 9), `tools/check.py` (this study's job; the east wing's room total unchanged at 49.22 m²).

جناح الخادمة، التخطيط D (قرار المالك، 10 نوفمبر 2026): الترتيب من المطبخ: الغسيل ثم حمام الخادمة ثم غرفتها. **الحمام** على الجزء الجنوبي من الجدار المائل بجوار الغسيل، بعمق 1.5 م، بسيط كدورة مياه الضيوف: دش ومخلاط معلقان على الجدار فوق مصرف أرضي بميول، معزول ومبلط، بلا حوض ولا كابينة (جدار قصير 10 سم فقط إن أراد المالك إبقاء المرحاض جافا)؛ صرفه يخرج مباشرة عبر الجدار المائل، وله نافذته فوق المرحاض؛ مرحاض ومغسلة؛ بابه من غرفتها فقط. **الغرفة** شمال الحمام وقد كسبت شريط الحمام: السرير في الزاوية الشمالية ورأسه على الجدار الشمالي، الدولاب على جدار المجلس جنوب السرير، الرفوف المدمجة في الزاوية الضيقة عند الطرف الشمالي داخل الغرفة، مكتب صغير تحت نافذة الهروب على الجزء الشمالي من الجدار المائل (بالمقاس نفسه)، وباب واحد من الغسيل لا من المطبخ؛ نحو 8.85 م² صافيا (الحد الأدنى 7.28). **الغسيل** كما في C: غسالتان ومجفف فوق إحداهما، طاولة طي وكي، محطة كي بالبخار، دواليب، رف تجفيف في السقف عند النافذة الشرقية، مروحة شفط بحساس رطوبة، مصرف أرضي؛ نحو 8.82 م² صافيا. لا مخزن. طُبّق على مخطط الدور الأرضي ولوحة الدور الأرضي وجدول المساحات في العرض؛ وتتبع المجسّم ومخططات الكاد ودراسة السباكة في الإصدار القادم.

Every size is on axes unless "clear"; the clear areas take 0.25 for the outer walls and the cut, 0.20 for the majlis and kitchen walls, 0.10 for the partitions; the fixtures are concept sizes. The drains, the extract and the electrical points are for the engineers.