

Exercice 2


a) SELECT * FROM PERSONNAGE;




b) SELECT DISTINCT Race FROM PERSONNAGE;




c) SELECT * FROM SORT ORDER BY IdSort DESC;




d) SELECT * FROM SORT ORDER BY Niveau DESC, Nom;




e) SELECT DISTINCT NumObjet AS Possede FROM POSSEDER;




f) SELECT IdPersonnage FROM PERSONNAGE WHERE Nom IS NULL; (enregistrement rajouté à la main)




g) SELECT * FROM PERSONNAGE WHERE (Race = 'Humain') AND (Niveau <= 10);




h) SELECT * FROM OBJET WHERE NOT (Categorie = 'arme');




i) SELECT * FROM OBJET WHERE Categorie IN ('arme', 'armure');




j) SELECT * FROM OBJET WHERE NOT (Categorie IN ('arme', 'armure'));




k) SELECT Libelle, Prix*1.15 & '€' AS 'Prix Majore', Categorie FROM OBJET WHERE (Categorie ='Objet Magique');




1) SELECT IdSort FROM CONNAITRE WHERE Month(DateConnu) BETWEEN 6 AND 9;



m) SELECT Nom FROM SORT WHERE Nom LIKE 'Soins*';



n) SELECT Nom FROM SORT WHERE Action LIKE '*dég[a,â]t*';



N suite) SELECT LCASE(IdPersonnage) & '_' & IdClasse & '_' & LCASE(Nom) & '_' & LEFT(Race,1) & '_' & RIGHT(Year(DateCreation),2) AS Code FROM PERSONNAGE;

