

Midiname Developer Guide 0.1.0

Chris Ahlstrom
(ahlstromcj@gmail.com)

February 21, 2026



Midiname Logo

Contents

1	Introduction	2
1.1	Naming Conventions	2
1.2	Future Work	3
2	Summary	3
3	References	3

List of Figures

List of Tables

1 Introduction

The *Midiname* library reworks some of the fundamental code from the *Ardour* DAW project ([1]).

Midiname contains the following subdirectories of **src** and **include**, each of which holds modules in a namespace of the same name:

- **utfcpp**. Contains header files to support sanitizing UTF-8 data.
- **xml**. Provides C/C++ code reworked from the Ardour project.

In the sections that follow, the basics are described. At some point we will make the effort to add some *Dia* diagrams to make the relationships more clear.

1.1 Naming Conventions

Midiname uses some conventions for naming things in this document.

- **\$prefix**. The base location for installation of the application and its ancillary data files on *UNIX/Linux/BSD*:
 - `/usr/`
 - `/usr/local/`
- **\$winprefix**. The base location for installation of the application and its ancillary data files on *Windows*.
 - `C:/Program Files/`
 - `C:/Program Files (x86)/`
- **\$home**. The location of the user's configuration files. Not to be confused with `$HOME`, this is the standard location for configuration files. On a UNIX-style system, it would be `$HOME/.config/appname`. The files would be put into a `po` subdirectory here.
- **\$winhome**. This location is different for *Windows*: `C:/Users/user/AppData/Local/PACKAGE`.

1.2 Future Work

- Hammer on this code in *Windows*.

2 Summary

Contact: If you have ideas about *Midiname* or a bug report, please email us (at <mailto:ahlstromcj@gmail.com>).

3 References

The *Midiname* references list.

References

- [1] Chris Ahlstrom. *ARDOUR: Record Edit Mix* <https://ardour.org/>.
- [2] Chris Ahlstrom. *A reboot of the Seq24 project as "Seq66"*. <https://github.com/ahlstromcj/seq66/>. 2015-2024.