Seq66 0.99.27 – Fix for CC Data-Window Display

Technical note for Mr. Ahlstrom | Xubuntu 26.04 | Source-code diagnosis and verified fix

1. Observed problem

In the Pattern Editor, the large lower data pane continued to display Note-On Velocity after selecting “CC1 Modulation Wheel” in the event selector. The small event display updated, but the large data pane did not show the selected controller values as bars of varying height. Reopening the Pattern Editor also restored “Note On Velocity” as the default display.

2. Comparison with Seq66 0.99.23

A diff of seq_qt5/src/qseqdata.cpp between the older seq66-wip tree (0.99.23) and seq66-master (0.99.27) showed that a controller-event branch had been added in 0.99.27.

3. Root cause

In qseqdata::set_data_type(), the assignments for controller events were guarded by the preprocessor macro SEQ66_SHOW_GM_CONTROL_NAME. The local feature header explicitly disables this macro:

```
#if defined SEQ66_SHOW_GM_CONTROL_NAME
  m_data_type = type::control_change;
  m_status = status;
  m_cc = control;
#endif
```

The file libseq66/include/seq66_features.h contains #undef SEQ66_SHOW_GM_CONTROL_NAME. Consequently, selecting CC1 did not update m_data_type, m_status, or m_cc. Although update() was called, the pane continued drawing the previously selected event category.

4. Fix

In seq_qt5/src/qseqdata.cpp, the preprocessor guard was removed from the controller-event branch. Controller selection is now processed regardless of whether the optional GM controller-name display is enabled.

```
else if (event::is_controller_msg(status))
{
  m_data_type = type::control_change;
  m_status = status;
  m_cc = control;
}
```

The change is limited to this function. The feature macro itself was not enabled, and no other configuration changes were required.

5. Build and verification

```
cd /media/hartmut/Daten/Synthesizer/seq66-master
./work.sh --make
```

After a successful rebuild, Seq66 0.99.27 was launched and a MIDI file was opened in the Pattern Editor. Selecting “CC1 Modulation Wheel” made the large data pane display the CC1 events with varying bar heights. The screenshot below records the successful result.

6. Screenshot after the fix




Figure 1: Seq66 0.99.27 after the fix. “[0xB0] CC1 Modulation Wheel” is selected in the lower event selector, and the large data pane shows bars with varying heights.
Result: the issue was reproduced, traced to a source-code regression, fixed with a minimal change, rebuilt, and verified in the GUI.