/burl@stx null def /BU.S /burl@stx null def def /BU.SS currentpoint /burl@lly exch def /burl@llx exch def burl@stx null ne burl@endx burl@llx ne BU.FL BU.S if if burl@stx null eq burl@llx dup /burl@stx exch def /burl@endx exch def burl@lly dup /burl@boty exch def /burl@topy exch def if burl@lly burl@boty gt /burl@boty burl@lly def if def /BU.SE currentpoint /burl@ury exch def dup /burl@urx exch def /burl@endx exch def burl@ury burl@topy lt /burl@topy burl@ury def if def /BU.E BU.FL def /BU.FL burl@stx null ne BU.DF if def /BU.DF BU.BB [/H /I /Border [burl@border] /Color [burl@bordercolor] /Action « /Subtype /URI /URI BU.L » /Subtype /Link BU.B /ANN pdfmark /burl@stx null def def /BU.BB burl@stx HyperBorder sub /burl@stx exch def burl@endx HyperBorder add /burl@endx exch def burl@boty HyperBorder add /burl@boty exch def burl@topy HyperBorder sub /burl@topy exch def def /BU.B /Rect[burl@stx burl@boty burl@endx burl@topy] def /eop where begin /@ldeopburl /eop load def /eop SDict begin BU.FL end @ldeopburl def end /eop SDict begin BU.FL end def ifelse

Article Title

First Author[1,2*], Second Author[2,3†] and Third Author[1,2†]

[1*]Department, Organization, Street, City, 100190, State, Country.
[2]Department, Organization, Street, City, 10587, State, Country.
[3]Department, Organization, Street, City, 610101, State, Country.

*Corresponding author(s). E-mail(s): iauthor@gmail.com;
Contributing authors: iiauthor@gmail.com; iiiauthor@gmail.com;
†These authors contributed equally to this work.

Abstract

The abstract serves both as a general introduction to the topic and as a brief, non-technical summary of the main results and their implications. Authors are advised to check the author instructions for the journal they are submitting to for word limits and if structural elements like subheadings, citations, or equations are permitted.

Keywords: keyword1, Keyword2, Keyword3, Keyword4

1 Introduction

The Introduction section, of referenced text [**?**] expands on the background of the work (some overlap with the Abstract is acceptable). The introduction should not include subheadings.

please also be aware that some stylistic choices are not supported in full text XML (publication version), including coloured font. These will not be replicated in the typeset article if it is accepted.

2 Results

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

3 This is an example for first level head—section head

3.1 This is an example for second level head—subsection head

3.1.1 This is an example for third level head—subsubsection head

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

4 Equations

Equations in LaTeX can either be inline or on-a-line by itself ("display equations"). For inline equations use the `$...$` commands. E.g.: The equation $H\psi = E\psi$ is written via the command `$H \psi = E \psi$`.

For display equations (with auto generated equation numbers) one can use the equation or align environments:

$$\|\tilde{X}(k)\|^2 \leq \frac{\sum_{i=1}^{p} \left\|\tilde{Y}_i(k)\right\|^2 + \sum_{j=1}^{q} \left\|\tilde{Z}_j(k)\right\|^2}{p+q}. \tag{1}$$

where,

$$D_\mu = \partial_\mu - ig\frac{\lambda^a}{2}A^a_\mu$$
$$F^a_{\mu\nu} = \partial_\mu A^a_\nu - \partial_\nu A^a_\mu + gf^{abc}A^b_\mu A^a_\nu \tag{2}$$

Notice the use of `\nonumber` in the align environment at the end of each line, except the last, so as not to produce equation numbers on lines where no equation numbers are required. The `\label{}` command should only be used at the last line of an align environment where `\nonumber` is not used.

$$Y_\infty = \left(\frac{m}{\text{GeV}}\right)^{-3}\left[1 + \frac{3\ln(m/\text{GeV})}{15} + \frac{\ln(c_2/5)}{15}\right] \tag{3}$$

The class file also supports the use of `\mathbb{}`, `\mathscr{}` and `\mathcal{}` commands. As such `\mathbb{R}`, `\mathscr{R}` and `\mathcal{R}` produces $\mathbb{R}$, $\mathscr{R}$ and $\mathcal{R}$ respectively (refer Subsubsection **??**).

5 Tables

Tables can be inserted via the normal table and tabular environment. To put footnotes inside tables you should use `\footnotetext[]{...}` tag. The footnote appears just below the table itself (refer Tables **??** and **??**). For the corresponding footnotemark use `\footnotemark[...]`

The input format for the above table is as follows:

```
\begin{table}[<placement-specifier>]
\caption{<table-caption>}\label{<table-label>}%
\begin{tabular}{@{}llll@{}}
\toprule
Column 1 & Column 2 & Column 3 & Column 4\\
```

Table 1 Caption text

Column 1	Column 2	Column 3	Column 4
row 1	data 1	data 2	data 3
row 2	data 4	data 5[1]	data 6
row 3	data 7	data 8	data 9[2]

Source: This is an example of table footnote. This is an example of table footnote.

[1]Example for a first table footnote. This is an example of table footnote.

[2]Example for a second table footnote. This is an example of table footnote.

```
\midrule
row 1 & data 1 & data 2  & data 3 \\
row 2 & data 4 & data 5\footnotemark[1] & data 6 \\
row 3 & data 7 & data 8  & data 9\footnotemark[2]\\
\botrule
\end{tabular}
\footnotetext{Source: This is an example of table footnote.
This is an example of table footnote.}
\footnotetext[1]{Example for a first table footnote.
This is an example of table footnote.}
\footnotetext[2]{Example for a second table footnote.
This is an example of table footnote.}
\end{table}
```

In case of double column layout, tables which do not fit in single column width should be set to full text width. For this, you need to use `\begin{table*} ... \end{table*}` instead of `\begin{table} ... \end{table}` environment. Lengthy tables which do not fit in textwidth should be set as rotated table. For this, you need to use `\begin{sidewaystable} ... \end{sidewaystable}` instead of `\begin{table*}`

Table 2 Example of a lengthy table which is set to full textwidth

	Element 1[1]			Element 2[2]		
Project	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote. This is an example of table footnote this is an example of table footnote this is an example of table footnote this is an example of table footnote.

[1]Example for a first table footnote.

[2]Example for a second table footnote.

`...` `\end{table*}` environment. This environment puts tables rotated to single column width. For tables rotated to double column width, use `\begin{sidewaystable*}` `...` `\end{sidewaystable*}`.

6 Figures

As per the LaTeX standards you need to use eps images for LaTeX compilation and `pdf/jpg/png` images for `PDFLaTeX` compilation. This is one of the major difference between LaTeX and `PDFLaTeX`. Each image should be from a single input .eps/vector image file. Avoid using subfigures. The command for inserting images for LaTeX and `PDFLaTeX` can be generalized. The package used to insert images in `LaTeX/PDFLaTeX` is the graphicx package. Figures can be inserted via the normal figure environment as shown in the below example:

```
\begin{figure}[<placement-specifier>]
\centering
\includegraphics{<eps-file>}
\caption{<figure-caption>}\label{<figure-label>}
\end{figure}
```

Table 3 Tables which are too long to fit, should be written using the "sidewaystable" environment as shown here

	Element 1[1]			Element[2]		
Projectile	Energy	σ_{calc}	σ_{expt}	Energy	σ_{calc}	σ_{expt}
Element 3	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 4	500 A	961	922 ± 10	900 A	1268	1092 ± 40
Element 5	990 A	1168	1547 ± 12	780 A	1166	1239 ± 100
Element 6	500 A	961	922 ± 10	900 A	1268	1092 ± 40

Note: This is an example of table footnote this is an example of table footnote this is an example of table footnote this is an example of table footnote.

[1]This is an example of table footnote.

Fig. 1 This is a widefig. This is an example of long caption this is an example of long caption this is an example of long caption this is an example of long caption

In case of double column layout, the above format puts figure captions/images to single column width. To get spanned images, we need to provide `\begin{figure*} ... \end{figure*}`.

For sample purpose, we have included the width of images in the optional argument of `\includegraphics` tag. Please ignore this.

7 Algorithms, Program codes and Listings

Packages `algorithm`, `algorithmicx` and `algpseudocode` are used for setting algorithms in LaTeX using the format:

```
\begin{algorithm}
\caption{<alg-caption>}\label{<alg-label>}
\begin{algorithmic}[1]
. . .
\end{algorithmic}
\end{algorithm}
```

You may refer above listed package documentations for more details before setting `algorithm` environment. For program codes, the "verbatim" package is required and the command to be used is `\begin{verbatim} ... \end{verbatim}`.

Similarly, for `listings`, use the `listings` package. `\begin{lstlisting} ... \end{lstlisting}` is used to set environments similar to `verbatim` environment. Refer to the `lstlisting` package documentation for more details.

A fast exponentiation procedure:

```
begin
  for i := 1 to 10 step 1 do
      expt(2, i);
      newline() od                    Comments will be set flush to the right margin
where
proc expt(x, n) ≡
  z := 1;
  do if n = 0 then exit fi;
     do if odd(n) then exit fi;
        comment: This is a comment statement;
        n := n/2; x := x * x od;
     { n > 0 };
     n := n − 1; z := z * x od;
  print(z).
end
```

Algorithm 1 Calculate $y = x^n$

Require: $n \geq 0 \vee x \neq 0$
Ensure: $y = x^n$

```
 1: y ⇐ 1
 2: if n < 0 then
 3:     X ⇐ 1/x
 4:     N ⇐ −n
 5: else
 6:     X ⇐ x
 7:     N ⇐ n
 8: end if
 9: while N ≠ 0 do
10:     if N is even then
11:         X ⇐ X × X
12:         N ⇐ N/2
13:     else[N is odd]
14:         y ⇐ y × X
15:         N ⇐ N − 1
16:     end if
17: end while
```

```
for i:=maxint to 0 do
begin
{ do nothing }
end;
Write('Case insensitive ');
Write('Pascal keywords.');
```

8 Cross referencing

Environments such as figure, table, equation and align can have a label declared via the `\label{#label}` command. For figures and table environments use the `\label{}` command inside or just below the `\caption{}` command. You can then use the `\ref{#label}` command to cross-reference them. As an example, consider the label declared for Figure **??** which is `\label{fig1}`. To cross-reference it, use the command `Figure \ref{fig1}`, for which it comes up as "Figure **??**".

To reference line numbers in an algorithm, consider the label declared for the line number 2 of Algorithm **??** is `\label{algln2}`. To cross-reference it, use the command `\ref{algln2}` for which it comes up as line **??** of Algorithm **??**.

8.1 Details on reference citations

Standard LaTeX permits only numerical citations. To support both numerical and author-year citations this template uses `natbib` LaTeX package. For style guidance please refer to the template user manual.

Here is an example for `\cite{...}`: [**?**]. Another example for `\citep{...}`: [**?**]. For author-year citation mode, `\cite{...}` prints Jones et al. (1990) and `\citep{...}` prints (Jones et al., 1990).

All cited bib entries are printed at the end of this article: [**?**], [**?**], [**?**], [**?**], [**?**], [**?**], [**?**], [**?**], [**?**], [**?**] and [**?**].

9 Examples for theorem like environments

For theorem like environments, we require `amsthm` package. There are three types of predefined theorem styles exists—`thmstyleone`, `thmstyletwo` and `thmstylethree`

`thmstyleone`	Numbered, theorem head in bold font and theorem text in italic style
`thmstyletwo`	Numbered, theorem head in roman font and theorem text in italic style
`thmstylethree`	Numbered, theorem head in bold font and theorem text in roman style

For mathematics journals, theorem styles can be included as shown in the following examples:

Theorem 1 (Theorem subhead)**.** *Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text. Example theorem text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Proposition 2. *Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text. Example proposition text.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Example 1. *Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Remark 1. *Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem.*

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Definition 1 (Definition sub head)**.** *Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text. Example definition text.*

Additionally a predefined "proof" environment is available: `\begin{proof} ... \end{proof}`. This prints a "Proof" head in italic font style and the "body text" in roman font style with an open square at the end of each proof environment.

Proof. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. □

Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text. Sample body text.

Proof of Theorem **??**. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. Example for proof text. □