Answers to your questions

HeatGuard AI · from the backend team to the frontend developer · 12 November 2026

In short

Every endpoint in `/docs` now shows what it **returns**: all 78 have a response schema and a real example (before, 42 had none). Look under **Responses** on each endpoint, or in `/docs-json`.

Vercel preview deployments of your project are now allowed by CORS.

These are live on the backend after its next deploy. The answers below follow your numbering.

1. Response schemas

- Done for every endpoint you listed, and all others. Each one shows the schema and one real response captured with the demo data. Arrays in the examples are shortened to 3 items.
- So you no longer need to save your own reference responses. If you still want to call the endpoints with the demo accounts, that is fine; we reseed before the demo.

2. "I understand" on What to do

- `GET /me/risk` has a `recommendations` array, highest level first. Each item has an `id` and the `code` `worker.engine_action`.
- The button acknowledges the **first** recommendation: `POST /recommendations/{id}/interventions` with `{ "status": "acknowledged" }`. Workers can only acknowledge their own.

3. Needs attention on Today

`needsAttention` is `{ open, items }`. Each item has a `kind`; the list is sorted in this order:

kind	Meaning	Fields	Action
`help`	First-aid alert or symptom report	`helpRequestId`, `helpKind` (`first_aid_alert` or `symptom_report`), `workerId`, `workerCode`, `crewId`, `status`, `createdAt`, `acknowledgedAt`	`POST /help-requests/{id}/acknowledge`, then `/resolve`
`critical`	A worker at Critical: stop the activity	`recommendationId`, `workerId`, `workerCode`, `crewId`, `level`, `status`, `createdAt`	Interventions endpoint
`crew_risk`	A crew at High or above: rotate and cool	`recommendationId`, `crewId`, `level`, `highOrAbove`, `crewOnShift`, `activity`, `dueAt`, `status`, `createdAt`	Interventions endpoint
`worker_care`	A worker with precautions	Same as `critical`, plus `need`: `reduced_exposure` or `earlier_breaks` (never the reason)	Interventions endpoint

The interventions endpoint is `POST /recommendations/{recommendationId}/interventions` with `status` `acknowledged`, `implemented`, `reassigned` or `dismissed`.

4. Code lists

List	Codes
Worker recommendations	`worker.engine_action` (the text comes from the AI engine, in the worker's language)
Supervisor recommendations	`supervisor.suspend_activity`, `supervisor.extra_breaks_reduce_load`, `supervisor.increase_monitoring`, `supervisor.reschedule_before_peak`, `supervisor.review_ppe_cooling`, `supervisor.worker_reduced_exposure`, `supervisor.worker_earlier_breaks`, `crew.rotate_and_cool`
Hazards	`{ type: "dust", severity: "moderate" | "high" }` and `{ type: "thunderstorm", severity: "possible" }`, each with `from` and `to`
Reasons	Engine **text**, already in the worker's language, not codes. Only the worker receives them; supervisors never do.

5. "Workers needing reduced exposure: 2" on the shift plan

Yes. `GET /sites/{id}/plan` returns `workersNeedingReducedExposure`, a count only, with no names or reasons. That fits decision D1.

6. Occupational health in the access log

Yes, they can appear, with `actorRole: "occupational_health"`. Suggested wording: **"Occupational health viewed your health profile"**. There is no occupational health screen in the app, but the role still exists on the back office.

7. Health profile

- A save without health consent returns **409 Conflict**.
- To clear a saved age range, send `{ "ageRange": null }` in the `PUT`. (Tested.)
- Deleting the profile does **not** withdraw consent. To withdraw, send `healthPrecautions: false` to `PUT /me/consents`.

8. Break place

Not available. `nextBreak` has the time and duration only. Please use a fixed text such as "shaded rest area" for now; tell us if you need it per site.

9. Shift plan

- The "What the suggested plan changes" text is **written by the app**. The backend returns `current` and `suggested`, each with its `tasks` and `tooHotCells`; compare the two to describe the changes.

- Yes: save an edited plan with `PUT /sites/{id}/plan`, then send it with `POST /sites/{id}/plan/send` and `{ "use": "current" }`.
- Send does not notify anyone yet. It marks the plan as sent (`status`, `sentAt`) and reruns the risk assessments using the planned work. Push notifications come later.

10. Site sensors in System health

`systemHealth.siteSensors` is `null` when no sensor has ever reported at the site, so show "No site sensors". When there is one, it is `{ lastAt, ok }`.

11. Consent policyVersion

Send `"2026-11-v1"`. The backend stores it with each consent. When the privacy text changes, we agree a new version.

12. Error messages

Yes. For validation errors (400), `message` is an **array** of strings. For all other errors it is a single string. Handle both.

13. Vercel previews

Done. Preview deployments of your Vercel project (addresses ending in `-ahmads-projects-727aea25.vercel.app`) are now allowed, as well as production and `localhost:5173`.

Questions? The `/docs` page is the reference; each endpoint says who can call it and what it returns.