

Two-Column Scientific Layout - page 1

This document verifies plain body text extraction at real-world scale.	This document verifies plain body text extraction at real-world scale.
The pipeline must convert every paragraph to markdown without losing words	The pipeline must convert every paragraph to markdown without losing words
or inserting phantom symbols, and it must do so deterministically.	or inserting phantom symbols, and it must do so deterministically.
Sequential queue workers process files one by one so the memory footprint	Sequential queue workers process files one by one so the memory footprint
returns to baseline after each item and allocation stays predictable.	returns to baseline after each item and allocation stays predictable.
Benchmarking measures character counts and latency for every document in the suite, and the results are reported in a machine-readable phase	Benchmarking measures character counts and latency for every document in the suite, and the results are reported in a machine-readable phase
report that is verified by the delivery gate before completion.	report that is verified by the delivery gate before completion.
Native Rust compilation is delegated to the GitHub Actions runner while	Native Rust compilation is delegated to the GitHub Actions runner while
the local machine keeps a lightweight toolchain for scripts and tests	the local machine keeps a lightweight toolchain for scripts and tests
Artifacts are verified for presence and size before a phase report may	Artifacts are verified for presence and size before a phase report may
be marked complete, and cache keys isolate test builds from releases.	be marked complete, and cache keys isolate test builds from releases.
The graphical shell follows Apple design guidelines with a fixed window	The graphical shell follows Apple design guidelines with a fixed window
size, a deep dark theme, and minimalist status indicators.	size, a deep dark theme, and minimalist status indicators.
Documents with mixed scripts, complex tables, and embedded images are	Documents with mixed scripts, complex tables, and embedded images are
exercised so that regressions cannot hide behind toy-sized fixtures.	exercised so that regressions cannot hide behind toy-sized fixtures.
Encrypted files return a structured failure, and password-protected content is never written to disk unless authentication succeeds.	Encrypted files return a structured failure, and password-protected content is never written to disk unless authentication succeeds.
Long-running conversions can be cancelled by the user at any status and	Long-running conversions can be cancelled by the user at any status and
the engine process is terminated promptly without leaking memory.	the engine process is terminated promptly without leaking memory.

Two-Column Scientific Layout - page 2

The watchdog deadline protects the queue from pathological documents so that regressions cannot hide behind toy-sized fixtures.

that would otherwise stall conversion for hours.

Encrypted files return a structured

Paths containing spaces are handled correctly on Windows, including, and password-protected

folders such as My Documents that are common in real deployments. Content is never written to disk unless authentication succeeds.

Every release artifact is a single lightweight installer that runs

Long-running conversions can be cancelled by the user at any moment and

fully offline with no telemetry and no cloud dependency.

This document verifies plain body text extraction at real-world scale. The engine process is terminated promptly without leaking memory.

The pipeline must convert every paragraph to markdown without losing words

The watchdog deadline protects the queue from pathological documents

or inserting phantom symbols, and it must do so deterministically.

that would otherwise stall conversion for

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every folder, such as My Documents that are common in real deployments.

in the suite, and the results are reported in a machine-readable phase

Every release artifact is a single

report that is verified by the delivery gate before completion. lightweight installer that runs

Native Rust compilation is delegated to the GitHub Actions runner. Fully offline with no telemetry and no cloud dependency.

while

the local machine keeps a lightweight toolchain for scripts and tests. This document verifies plain body text extraction at real-world scale.

Artifacts are verified for presence and size before a phase report may

The pipeline must convert every paragraph

be marked complete, and cache keys isolate test builds from releases. Markdown without losing words

The graphical shell follows Apple design guidelines with a fixed or inserting phantom symbols, and it must do so deterministically.

window

size, a deep dark theme, and minimalist status indicators. Sequential queue workers process files one

Two-Column Scientific Layout - page 3

Documents with mixed scripts, complex tables, and embedded images are exercised so that regressions cannot hide behind toy-sized fixtures.

Encrypted files return a structured failure, and password-protected content is never written to disk unless authentication succeeds.

Long-running conversions can be cancelled by the user at any time and the engine process is terminated promptly without leaking memory.

The watchdog deadline protects the queue from pathological documents that would otherwise stall conversion for hours.

Paths containing spaces are handled correctly on Windows, including folders such as My Documents that are common in real deployments.

Every release artifact is a single lightweight installer that runs fully offline with no telemetry and no cloud dependency.

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document in the suite, and the results are reported in a machine-readable phase report that is verified by the delivery gate before completion.

Native Rust compilation is delegated to the GitHub Actions runner while the local machine keeps a lightweight toolchain for scripts and tests.

Artifacts are verified for presence and size before a phase report may be marked complete, and cache keys isolate test builds from releases.

The graphical shell follows Apple design guidelines with a fixed window size, a deep dark theme, and minimalist status indicators.

Documents with mixed scripts, complex tables, and embedded images are exercised so that regressions cannot hide behind toy-sized fixtures.

Encrypted files return a structured failure, and password-protected content is never written to disk unless authentication succeeds.

Two-Column Scientific Layout - page 4

Native Rust compilation is delegated to the GitHub Actions runner while long-running conversions can be cancelled by the user at any moment and

the local machine keeps a lightweight toolchain for scripts and tests the engine process is terminated promptly without leaking memory.

Artifacts are verified for presence and size before a phase report may be marked complete, and cache keys isolate test builds from releases. The watchdog deadline protects the queue from pathological documents

The graphical shell follows Apple design guidelines with a fixed window size that would otherwise stall conversion for hours.

size, a deep dark theme, and minimalist status indicators. Paths containing spaces are handled correctly on Windows, including Documents with mixed scripts, complex tables, and embedded images are folders such as My Documents that are exercised so that regressions cannot hide behind toy-sized fixtures. These are common in real deployments.

Encrypted files return a structured failure, and password-protected content is never written to disk unless authentication succeeds. Every release artifact is a single lightweight installer that runs

Long-running conversions can be cancelled by the user at any moment and fully offline with no telemetry and no cloud dependency.

the engine process is terminated promptly without leaking memory. This document verifies plain body text extraction at real-world scale.

The watchdog deadline protects the queue from pathological documents that would otherwise stall conversion for hours. The pipeline must convert every paragraph to markdown without losing words

Paths containing spaces are handled correctly on Windows, including or inserting phantom symbols, and it must do so deterministically.

folders such as My Documents that are common in real deployments. Sequential queue workers process files one by one so the memory footprint

Every release artifact is a single lightweight installer that runs returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

report that is verified by the delivery gate before completion.

Native Rust compilation is delegated to the GitHub Actions runner while

the local machine keeps a lightweight toolchain for scripts and tests.

Artifacts are verified for presence and size before a phase report may

be marked complete, and cache keys isolate test builds from releases.

The graphical shell follows Apple design guidelines with a fixed window

size, a deep dark theme, and minimalist status indicators.

Documents with mixed scripts, complex tables, and embedded images are

exercised so that regressions cannot hide behind toy-sized fixtures.

Encrypted files return a structured failure, and password-protected

content is never written to disk unless authentication succeeds.

Long-running conversions can be cancelled by the user at any moment and

the engine process is terminated promptly without leaking memory.

The watchdog deadline protects the queue from pathological documents

that would otherwise stall conversion for

hours.

Paths containing spaces are handled correctly on Windows, including

folders such as My Documents that are common in real deployments.

Every release artifact is a single lightweight installer that runs

fully offline with no telemetry and no cloud dependency.