

Equation Heavy Fixture - page 1

$$E = mc^2$$

$$e^x = 1 + x + x^2/2! + x^3/3! + \dots$$

$$\sin^2(x) + \cos^2(x) = 1$$

$$\sqrt{2} \approx 1.4142135623730951$$

$$f(x) = \int \dots t^2 dt = x^3/3$$

$$P(A|B) = P(B|A) \cdot P(A) / P(B)$$

$$\dots x_n = \dots + \dots n$$

$$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$$

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

$$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$$

$$H = - \sum p_i \log_2 p_i$$

$$u = u(y) \frac{du}{dy}$$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

$$E = mc^2$$

$$e^x = 1 + x + x^2/2! + x^3/3! + \dots$$

$$\sin^2(x) + \cos^2(x) = 1$$

$$\sqrt{2} \approx 1.4142135623730951$$

$$f(x) = \int \dots t^2 dt = x^3/3$$

$$P(A|B) = P(B|A) \cdot P(A) / P(B)$$

$$\dots x_n = \dots + \dots n$$

$$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$$

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

$$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$$

$$H = - \sum p_i \log_2 p_i$$

$$u = u(y) \frac{du}{dy}$$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

$$E = mc^2$$

$$e^x = 1 + x + x^2/2! + x^3/3! + \dots$$

$$\sin^2(x) + \cos^2(x) = 1$$

$$\sqrt{2} \approx 1.4142135623730951$$

$$f(x) = \int \dots t^2 dt = x^3/3$$

$$P(A|B) = P(B|A) \cdot P(A) / P(B)$$

$$\dots x_n = \dots + \dots n$$

$$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$$

$$\partial^2 u / \partial x^2 + \partial^2 u / \partial y^2 = 0$$

$$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$$

$$H = - \sum p_i \log_2 p_i$$

$$u = u(y) (du/dy)$$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

$E = mc^2$

$e^x = 1 + x + x^2/2! + x^3/3! + \dots$

$\sin^2(x) + \cos^2(x) = 1$

$\sqrt{2} \approx 1.4142135623730951$

$f(x) = \int \dots t^2 dt = x^3/3$

$P(A|B) = P(B|A) \cdot P(A) / P(B)$

$\dots x_n = \dots + \dots n$

$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$

$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$

$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$

$H = -k_B \sum p_i \log p_i$

$\frac{1}{\rho} = \frac{1}{\rho_0} (1 - \beta \Delta T)$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

$$E = mc^2$$

$$e^x = 1 + x + x^2/2! + x^3/3! + \dots$$

$$\sin^2(x) + \cos^2(x) = 1$$

$$\sqrt{2} \approx 1.4142135623730951$$

$$f(x) = \int \dots t^2 dt = x^3/3$$

$$P(A|B) = P(B|A) \cdot P(A) / P(B)$$

$$\dots x_n = \dots + \dots n$$

$$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$$

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

$$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$$

$$H = - \sum p_i \log_2 p_i$$

$$u = u(y) \frac{du}{dy}$$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase

$$E = mc^2$$

$$e^x = 1 + x + x^2/2! + x^3/3! + \dots$$

$$\sin^2(x) + \cos^2(x) = 1$$

$$\sqrt{2} \approx 1.4142135623730951$$

$$f(x) = \int \dots t^2 dt = x^3/3$$

$$P(A|B) = P(B|A) \cdot P(A) / P(B)$$

$$\dots x_n = \dots + \dots n$$

$$\lim_{n \rightarrow \infty} (1 + 1/n)^n = e$$

$$\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = 0$$

$$\oint F \cdot dr = \iint (\nabla \times F) \cdot dA$$

$$H = - \sum p_i \log_2 p_i$$

$$u = u(x,y) = \dots (du/dy)$$

This document verifies plain body text extraction at real-world scale.

The pipeline must convert every paragraph to markdown without losing words

or inserting phantom symbols, and it must do so deterministically.

Sequential queue workers process files one by one so the memory footprint

returns to baseline after each item and allocation stays predictable.

Benchmarking measures character counts and latency for every document

in the suite, and the results are reported in a machine-readable phase