

REFERENCES

- [1] H. Sun, P. Saeedi, S. Karuranga, M. Pinkepank, K. Ogurtsova, B. B. Duncan, et al., "IDF Diabetes Atlas: Global, regional and country-level diabetes prevalence estimates for 2021 and projections for 2045," *Diabetes Research and Clinical Practice*, vol. 183, p. 109119, Jan. 2022. [Online]. Available: <https://doi.org/10.1016/j.diabres.2021.109119>
- [2] World Health Organization, "Diabetes Fact Sheet," WHO, Geneva, Switzerland, 2023. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- [3] American Diabetes Association, "Standards of Medical Care in Diabetes—2023," *Diabetes Care*, vol. 46, Suppl. 1, pp. S1–S291, Jan. 2023. [Online]. Available: https://diabetesjournals.org/care/issue/46/Supplement_1
- [4] I. Contreras and J. Vehi, "Artificial intelligence for diabetes management and decision support: Literature review," *Journal of Medical Internet Research*, vol. 20, no. 5, p. e10775, May 2018. [Online]. Available: <https://doi.org/10.2196/10775>
- [5] S. Huang, Y. Liang, J. Li, and X. Li, "Applications of clinical decision support systems in diabetes care: Scoping review," *Journal of Medical Internet Research*, vol. 25, p. e51024, Dec. 2023. [Online]. Available: <https://doi.org/10.2196/51024>
- [6] A. G. Tabak, C. Herder, W. Rathmann, E. J. Brunner, and M. Kivimaki, "Prediabetes: A high-risk state for diabetes development," *The Lancet*, vol. 379, no. 9833, pp. 2279–2290, Jun. 2012. [Online]. Available: [https://doi.org/10.1016/S0140-6736\(12\)60283-9](https://doi.org/10.1016/S0140-6736(12)60283-9)
- [7] I. Kavakiotis, O. Tsave, A. Salifoglou, N. Maglaveras, I. Vlahavas, and I. Chouvarda, "Machine learning and data mining methods in diabetes research," *Computational and Structural Biotechnology Journal*, vol. 15, pp. 104–116, 2017. [Online]. Available: <https://doi.org/10.1016/j.csbj.2016.12.005>
- [8] Z. Ullah, M. U. Farooq, S. Habib, and A. Al-Dhelaan, "Detecting high-risk factors and early diagnosis of diabetes using machine learning methods," *Computational and Mathematical Methods in Medicine*, vol. 2022, Art. no. 5348226, Sep. 2022. [Online]. Available: <https://doi.org/10.1155/2022/5348226>
- [9] H. He and E. A. Garcia, "Learning from imbalanced data," *IEEE Transactions on Knowledge and Data Engineering*, vol. 21, no. 9, pp. 1263–1284, Sep. 2009. [Online]. Available: <https://doi.org/10.1109/TKDE.2008.239>
- [10] N. Japkowicz and S. Stephen, "The class imbalance problem: A systematic study," *Intelligent Data Analysis*, vol. 6, no. 5, pp. 429–449, Oct. 2002. [Online]. Available: <https://doi.org/10.3233/IDA-2002-6504>
- [11] J. Ramesh, R. Aburukba, and A. Sagahyroon, "A remote healthcare monitoring framework for diabetes prediction using machine learning," *Healthcare Technology Letters*, vol. 8, no. 3, pp. 45–57, 2021. [Online]. Available: <https://doi.org/10.1049/htl2.12010>
- [12] Centers for Disease Control and Prevention, "Behavioral Risk Factor Surveillance System (BRFSS) survey data and documentation," CDC, Atlanta, GA, USA, 2015. [Online]. Available: https://www.cdc.gov/brfss/annual_data/annual_2015.html
- [13] A. Teboul, "Diabetes Health Indicators Dataset," Kaggle, 2021. [Online]. Available: <https://www.kaggle.com/datasets/alexteboul/diabetes-health-indicators-dataset>
- [14] A. L. Beam and I. S. Kohane, "Big data and machine learning in health care," *JAMA*, vol. 319, no. 13, pp. 1317–1318, Apr. 2018. [Online]. Available: <https://doi.org/10.1001/jama.2017.18391>

- [15] G. Ke, Q. Meng, T. Finley, T. Wang, W. Chen, W. Ma, Q. Ye, and T.-Y. Liu, "LightGBM: A highly efficient gradient boosting decision tree," in *Advances in Neural Information Processing Systems*, vol. 30, pp. 3146–3154, 2017. [Online]. Available: <https://proceedings.neurips.cc/paper/2017/hash/6449f44a102fde848669bdd9eb6b76fa-Abstract.html>
- [16] T. Chen and C. Guestrin, "XGBoost: A scalable tree boosting system," in *Proc. 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, San Francisco, CA, USA, 2016, pp. 785–794. [Online]. Available: <https://doi.org/10.1145/2939672.2939785>
- [17] L. Breiman, "Random forests," *Machine Learning*, vol. 45, no. 1, pp. 5–32, Oct. 2001. [Online]. Available: <https://doi.org/10.1023/A:1010933404324>
- [18] P. Geurts, D. Ernst, and L. Wehenkel, "Extremely randomized trees," *Machine Learning*, vol. 63, no. 1, pp. 3–42, Apr. 2006. [Online]. Available: <https://doi.org/10.1007/s10994-006-6226-1>
- [19] J. H. Friedman, "Greedy function approximation: A gradient boosting machine," *Annals of Statistics*, vol. 29, no. 5, pp. 1189–1232, Oct. 2001. [Online]. Available: <https://doi.org/10.1214/aos/1013203451>
- [20] Y. Freund and R. E. Schapire, "A decision-theoretic generalization of on-line learning and an application to boosting," *Journal of Computer and System Sciences*, vol. 55, no. 1, pp. 119–139, Aug. 1997. [Online]. Available: <https://doi.org/10.1006/jcss.1997.1504>
- [21] D. W. Hosmer, S. Lemeshow, and R. X. Sturdivant, *Applied Logistic Regression*, 3rd ed. Hoboken, NJ, USA: Wiley, 2013. [Online]. Available: <https://doi.org/10.1002/9781118548387>
- [22] N. V. Chawla, K. W. Bowyer, L. O. Hall, and W. P. Kegelmeyer, "SMOTE: Synthetic minority over-sampling technique," *Journal of Artificial Intelligence Research*, vol. 16, pp. 321–357, Jun. 2002. [Online]. Available: <https://doi.org/10.1613/jair.953>
- [23] G. Haixiang, L. Yijing, J. Shang, G. Mingyun, H. Yuanyue, and G. Bing, "Learning from class-imbalanced data: Review of methods and applications," *Expert Systems with Applications*, vol. 73, pp. 220–239, May 2017. [Online]. Available: <https://doi.org/10.1016/j.eswa.2016.12.035>
- [24] S. M. Lundberg and S.-I. Lee, "A unified approach to interpreting model predictions," in *Advances in Neural Information Processing Systems*, vol. 30, pp. 4765–4774, 2017. [Online]. Available: <https://arxiv.org/abs/1705.07874>
- [25] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, et al., "Scikit-learn: Machine learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011. [Online]. Available: <https://jmlr.org/papers/v12/pedregosa11a.html>
- [26] W. Li, Y. Peng, and K. Peng, "Diabetes prediction model based on GA-XGBoost and stacking ensemble algorithm," *PLOS ONE*, vol. 19, no. 9, p. e0311222, Sep. 2024. [Online]. Available: <https://doi.org/10.1371/journal.pone.0311222>
- [27] Z. Xie, O. Nikolayeva, J. Luo, and D. Li, "Building risk prediction models for type 2 diabetes using machine learning techniques," *Preventing Chronic Disease*, vol. 16, p. E130, Sep. 2019. [Online]. Available: <https://doi.org/10.5888/pcd16.190109>
- [28] D. D. Rufo, T. G. Debelee, A. Ibenthal, and W. Negera, "Diagnosis of diabetes mellitus using gradient boosting machine (LightGBM)," *Diagnostics*, vol. 11, no. 9, p. 1714, Sep. 2021. [Online]. Available: <https://doi.org/10.3390/diagnostics11091714>

- [29] M. J. Sai, P. Chettri, R. Panigrahi, A. Garg, A. K. Bhoi, and P. Barsocchi, "An ensemble of light gradient boosting machine and adaptive boosting for prediction of type-2 diabetes," *International Journal of Computational Intelligence Systems*, vol. 16, no. 1, p. 14, 2023. [Online]. Available: <https://doi.org/10.1007/s44196-023-00195-0>
- [30] L. Kopitar, P. Kocbek, L. Cilar, A. Sheikh, and G. Stiglic, "Early detection of type 2 diabetes mellitus using machine learning-based prediction models," *Scientific Reports*, vol. 10, p. 11981, 2020. [Online]. Available: <https://doi.org/10.1038/s41598-020-68771-z>
- [31] J. Davis and M. Goadrich, "The relationship between precision-recall and ROC curves," in *Proc. 23rd International Conference on Machine Learning*, Pittsburgh, PA, USA, 2006, pp. 233–240. [Online]. Available: <https://doi.org/10.1145/1143844.1143874>
- [32] T. Fawcett, "An introduction to ROC analysis," *Pattern Recognition Letters*, vol. 27, no. 8, pp. 861–874, Jun. 2006. [Online]. Available: <https://doi.org/10.1016/j.patrec.2005.10.010>
- [33] W. J. Youden, "Index for rating diagnostic tests," *Cancer*, vol. 3, no. 1, pp. 32–35, Jan. 1950. [Online]. Available: [https://doi.org/10.1002/1097-0142\(1950\)3:1<32::AID-CNCR2820030106>3.0.CO;2-3](https://doi.org/10.1002/1097-0142(1950)3:1<32::AID-CNCR2820030106>3.0.CO;2-3)
- [34] L. Ismail, H. Materwala, M. Tayefi, P. Ngo, and A. P. Karduck, "Type 2 diabetes with artificial intelligence machine learning: Methods and evaluation," *Archives of Computational Methods in Engineering*, vol. 29, pp. 313–333, 2022. [Online]. Available: <https://doi.org/10.1007/s11831-021-09582-x>
- [35] A. Dinh, S. Miertschin, A. Young, and S. D. Mohanty, "A data-driven approach to predicting diabetes and cardiovascular disease with machine learning," *BMC Medical Informatics and Decision Making*, vol. 19, no. 1, p. 211, Nov. 2019. [Online]. Available: <https://doi.org/10.1186/s12911-019-0918-5>
- [36] P. J. Huber, "Robust estimation of a location parameter," *Annals of Mathematical Statistics*, vol. 35, no. 1, pp. 73–101, Mar. 1964. [Online]. Available: <https://doi.org/10.1214/aoms/1177703732>
- [37] World Health Organization, "BMI Classification," WHO Global Database on Body Mass Index, 2004. [Online]. Available: <https://www.who.int/toolkits/growth-reference-data-for-5to19-years/indicators/bmi-for-age>
- [38] T. M. Cover and J. A. Thomas, *Elements of Information Theory*, 2nd ed. Hoboken, NJ, USA: Wiley-Interscience, 2006. [Online]. Available: <https://doi.org/10.1002/047174882X>
- [39] D. R. Cox, "The regression analysis of binary sequences," *Journal of the Royal Statistical Society: Series B*, vol. 20, no. 2, pp. 215–232, 1958. [Online]. Available: <https://doi.org/10.1111/j.2517-6161.1958.tb00292.x>
- [40] L. Prokhorenkova, G. Gusev, A. Vorobev, A. V. Dorogush, and A. Gulin, "CatBoost: Unbiased boosting with categorical features," in *Advances in Neural Information Processing Systems*, vol. 31, pp. 6638–6648, 2018. [Online]. Available: <https://proceedings.neurips.cc/paper/2018/hash/14491b756b3a51daac41c24863285549-Abstract.html>
- [41] R. Kohavi, "A study of cross-validation and bootstrap for accuracy estimation and model selection," in *Proc. 14th International Joint Conference on Artificial Intelligence*, Montreal, Canada, 1995, vol. 2, pp. 1137–1143. [Online]. Available: <https://dl.acm.org/doi/10.5555/1643031.1643047>
- [42] J. Bergstra and Y. Bengio, "Random search for hyper-parameter optimization," *Journal of Machine Learning Research*, vol. 13, pp. 281–305, Feb. 2012. [Online]. Available: <https://jmlr.org/papers/v13/bergstra12a.html>
- [43] B. W. Matthews, "Comparison of the predicted and observed secondary structure of T4 phage lysozyme," *Biochimica et Biophysica Acta*, vol. 405, no. 2, pp. 442–451, Oct. 1975. [Online]. Available: [https://doi.org/10.1016/0005-2795\(75\)90109-9](https://doi.org/10.1016/0005-2795(75)90109-9)

- [44] D. M. W. Powers, "Evaluation: From precision, recall and F-measure to ROC, informedness, markedness and correlation," *Journal of Machine Learning Technologies*, vol. 2, no. 1, pp. 37–63, 2011. [Online]. Available: <https://arxiv.org/abs/2010.16061>
- [45] C. Ferri, J. Hernandez-Orallo, and R. Modroiu, "An experimental comparison of performance measures for classification," *Pattern Recognition Letters*, vol. 30, no. 1, pp. 27–38, Jan. 2009. [Online]. Available: <https://doi.org/10.1016/j.patrec.2008.08.010>
- [46] A. Niculescu-Mizil and R. Caruana, "Predicting good probabilities with supervised learning," in *Proc. 22nd International Conference on Machine Learning*, Bonn, Germany, 2005, pp. 625–632. [Online]. Available: <https://dl.acm.org/doi/10.1145/1102351.1102430>
- [47] P. Linardatos, V. Papastefanopoulos, and S. Kotsiantis, "Explainable AI: A review of machine learning interpretability methods," *Entropy*, vol. 23, no. 1, p. 18, 2020. [Online]. Available: <https://doi.org/10.3390/e23010018>
- [48] A. L. Beam and I. S. Kohane, "Translating artificial intelligence into clinical care," *JAMA*, vol. 316, no. 22, pp. 2368–2369, Dec. 2016. [Online]. Available: <https://doi.org/10.1001/jama.2016.17217>
- [49] N. Unwin, "The IDF Diabetes Atlas: Providing evidence, raising awareness, and promoting action," *Diabetes Research and Clinical Practice*, vol. 87, no. 1, pp. 2–3, Jan. 2010. [Online]. Available: <https://doi.org/10.1016/j.diabres.2009.10.005>
- [50] H. He, Y. Bai, E. A. Garcia, and S. Li, "ADASYN: Adaptive synthetic sampling approach for imbalanced learning," in *Proc. IEEE International Joint Conference on Neural Networks*, Hong Kong, China, 2008, pp. 1322–1328. [Online]. Available: <https://doi.org/10.1109/IJCNN.2008.4633969>
- [51] J. Snoek, H. Larochelle, and R. P. Adams, "Practical Bayesian optimization of machine learning algorithms," in *Advances in Neural Information Processing Systems*, vol. 25, pp. 2951–2959, 2012. [Online]. Available: <https://proceedings.neurips.cc/paper/2012/hash/05311655a15b75fab86956663e1819cd-Abstract.html>
- [52] World Health Organization, "Global Action Plan for the Prevention and Control of Noncommunicable Diseases 2013–2030," WHO, Geneva, Switzerland, 2021. [Online]. Available: <https://www.who.int/publications/i/item/9789240023222>