



USER REQUIREMENT SPECIFICATION (URS)

P.R.I.S.M

Predictive Real-time Intelligence Sentiment Monitoring System

Software-as-a-Service Platform

DOCUMENT CONTROL

FIELD	DESCRIPTION
Document Title	PRISM_URS_SaaS_v1.0
Version	1.0 (Draft for Customer review)
Prepared By	Aras Integrasi — Delivery & Business Analysis Team
Customer	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri
Date	20 July 2026
Basis	User Requirement & System Requirement Study workshop (14 July 2026)
Approval Authority	Farul Mohd Ghazali (Aras Integrasi)

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT PRISM Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM) Version 1.0
---	--

1. INTRODUCTION

1.1 Business Context

Organisations responsible for strategic communications, public-opinion management and campaign operations face a common problem: the truth arrives late, scattered, and unverified. Monitoring, analysis, prediction and ground reporting typically live in disconnected tools and group chats. Sentiment is judged by feel while rumours move faster than facts. Reports arrive daily or weekly while issues explode within hours, and ground intelligence stays in notebooks and never reaches leadership in time to act.

PRISM addresses this problem by providing one command centre in which news, social media, sentiment, predictions and ground intelligence appear on one screen. AI reads thousands of items per day and scores them consistently in Malay and English; alerts are raised within hours, ranked by severity, each with a recommended action; and every validated ground report flows directly into the leadership picture.

1.2 Product Background

PRISM (Predictive Real-time Intelligence Sentiment Monitoring System) is an AI-powered intelligence and decision-support platform designed, built and operated by Aras Integrasi. It is delivered as a subscription-based Software-as-a-Service (SaaS): the Customer subscribes to a capability that is always on and always current, with nothing to install or own. The platform is region-, campaign- and client-agnostic by design — a new deployment, geography or engagement is onboarded through data and configuration, not through a new build.

PRISM consolidates capabilities that operations teams have historically run across disconnected tools — real-time news and social monitoring, sentiment analysis, predictive outcome modelling for configurable areas of interest, entity and issue intelligence, ground-intelligence management, resource optimisation and misinformation monitoring — into a single command-and-control interface. The platform operates under a continuous-improvement engagement and evolves through scheduled feedback cycles.

ASPECT	DESCRIPTION
Purpose	Provide leadership and analyst teams with a unified, real-time intelligence and decision-support platform across all configured areas of interest and watched entities.
Core Flow	SENSE (continuous ingestion of news, social and ground input) → UNDERSTAND (AI sentiment scoring and issue tagging) → PREDICT (per-area outcome projections re-scored as signals arrive) → ALERT (threshold-based, severity-ranked escalations with recommended actions) → DECIDE (human decision; results feed back into the loop).

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT		
	PRISM		
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)		
	Version 1.0		

ASPECT	DESCRIPTION
Coverage	Configurable: areas of interest (constituencies, districts, regions or other geographies), watched entities (candidates, public figures, organisations), issue taxonomies and language settings.
Output	Live dashboards, conversational intelligence with cited answers, per-area and per-entity dossiers, AI daily briefs, scheduled intelligence reports (PDF), and escalation alerts.
Delivery Model	Subscription SaaS on Aras-managed, secured infrastructure; continuously improved through scheduled feedback cycles; role-based access that scales on demand.
Users	Leader (decision-maker), PMO / Analyst (engine room), SME (ground intelligence and expert knowledge), System Administrator (platform operations).

1.3 Objectives & Success Outcomes

Each objective is linked to the stakeholder role that primarily owns it, so that acceptance can be assessed role by role.

REF	SUCCESS OUTCOME	PRIMARY ROLE(S)	EVIDENCED BY
O-1	Leadership has a single, real-time operating picture across every configured area, narrative and alert.	Leader; PMO	Executive Dashboard live with area-risk distribution, sentiment trends and prioritised daily decisions.
O-2	Media and social narrative is monitored continuously and translated into ranked issues, risks and recommended responses.	PMO / Analyst	Narrative Monitor scoring news at scale (≈1,900+ items/24h at reference deployments); scheduled intelligence reports delivered on cadence.
O-3	Every configured area and watched entity carries a maintained, evidence-anchored projection so effort and budget go where they matter most.	Leader; PMO	Prediction engine scoring all configured areas; heatmap, area watch and entity watch populated and refreshed.
O-4	Ground intelligence and expert knowledge are captured digitally, validated by humans, and flow into the intelligence picture the same day.	SME	SME Knowledgebase, ground-input submissions and validation workflow feeding analysis and citations.
O-5	The platform is operated as a living service — stable, secured, auditable, and improved through scheduled feedback cycles.	System Admin; all roles	SaaS operations (uptime, backups, monitoring); recurring feedback cycles; auditable administration.

1.4 Scope of Work

SCOPE	DESCRIPTION
In-Scope	A. Subscription delivery and operation of the PRISM platform — Command, Intelligence, Operations and System Administration layers; B. The AI agent fleet and data platform; C. Configuration-driven onboarding of the Customer's areas of interest, watched entities, data sources and report cadences; D. Scheduled feedback and enhancement cycles; E. UAT support; documentation, training and handover.
Out-of-Scope (v1.0)	A. Single sign-on (roadmap item); B. Automated message generation and distribution (deliberately not activated pending an approved content-moderation workflow); C. Third-party data subscriptions requiring Customer-obtained credentials; D. The field Volunteer Portal (deferred to v2.0 — the SME role covers ground input in v1.0).

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT		
	PRISM		
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)		
	Version 1.0		

2. STAKEHOLDERS & ROLES

2.1 Stakeholder Register

STAKEHOLDER	PARTY	ROLE	RESPONSIBILITY
Project Sponsor	BKS (JPM)	Accountable owner	Owns the engagement; final acceptance and sign-off authority.
Leader / Campaign Director	BKS (JPM)	Primary user / decision-maker	Principal platform user; approves priority actions and message strategies; confirms operational fitness.
PMO / Analysts	BKS (JPM)	Delivery governance & analysis	Coordinates UAT and acceptance; runs deep analysis; prepares briefs; validates AI output; channels feedback and change requests.
SME (Subject-Matter Experts)	BKS (JPM)	Ground intelligence & knowledge	Provide expert analysis and ground intelligence; maintain the knowledgebase; validate critical data before it influences projections.
System Administrator	Aras Integrasi	Platform operations	Operates and configures the platform (users, data connections, schedules, agents, audit); delivers the SaaS service.
Delivery Lead	Aras Integrasi	Delivery accountable	Accountable for service scope, schedule and quality.
Project Manager & Business Analyst	Aras Integrasi	Feedback triage	Triage enhancement requests before development; manage the feedback cycle.

2.2 Platform Access Roles (RBAC)

Access is role-based: each person sees exactly what their role needs, and nothing more. Every user requirement in Section 4 carries the role(s) to which it applies. Role keys: L = Leader, P = PMO/Analyst, S = SME, A = System Administrator.

ROLE	SCOPE OF ACCESS
Leader (L)	Full picture: every configured area, alert and module across Command, Intelligence and Operations layers; approves AI-proposed priority actions

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT
	PRISM
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)
	Version 1.0

ROLE	SCOPE OF ACCESS
	and message strategies; receives all scheduled reports. Similar screen set to PMO, with approval authority.
PMO / Analyst (P)	War-room modules scoped to assigned areas of interest; runs profiling, segmentation and simulations; prepares and validates briefs; configures report cadences; must NOT see modules or areas outside assigned scope.
SME (S)	Ground-intelligence-focused workspace: uploads expert documents to the Knowledgebase, creates source notes, submits structured ground assessments and predictions, participates in validation workflows. Does not access leadership decision modules.
System Administrator (A)	System Administration layer: user management, data connections, scrape schedules, agent management, audit logs, platform configuration. Operated by Aras Integrasi as part of the SaaS service.
Ground Volunteer (v2.0)	Deferred: a separate, hard-isolated field portal for canvassing submission is planned for v2.0. In v1.0, ground input is captured through the SME role.

3. DELIVERY MODEL — SOFTWARE AS A SERVICE

PRISM is a service, not a project. The Customer subscribes to a capability that is always on and always current — like streaming, not like buying a DVD.

ASPECT	DESCRIPTION
Nothing to install or own	The platform runs on managed, secured infrastructure. The Customer's team needs only a browser and an account.
Configured, not rebuilt	The platform is client- and region-agnostic. A new engagement, geography or operation is onboarded through data and configuration — typically weeks, not months.
Continuously improved	New capabilities ship in regular feedback cycles. Enhancement requests are triaged by the Aras PM/BA, batched, and applied between review cycles.
Scales with the operation	From a handful of analysts to hundreds of field contributors — access is role-based and grows on demand.
Operated & supported	Monitoring, backups, and a delivery team accountable for uptime and quality are part of the subscription.
Predictable engagement	Subscription-style commercial model with defined deliverables and review cadence — cost follows usage, not surprises.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT	
	PRISM	
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)	
	Version 1.0	

4. USER REQUIREMENTS

Requirements are grouped by capability area. Role keys: L = Leader, P = PMO/Analyst, S = SME, A = System Administrator. Status: Available (in the current platform baseline), Planned (committed roadmap arising from the requirement study).

4.1 Command & Decision Support

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-CM D-01	Decision-first Executive Dashboard summarising, on one screen: countdown to the configured milestone date; areas favourable vs vulnerable; risk distribution (Win / Defend / Risk / Lose); media sentiment trend (24h / 7d) with volume; AI priority decisions; escalation alerts; misinformation tracker; and closest-contest (marginal) areas.	L, P	All widgets render with live data and reconcile to the underlying models.	Available
UR-CM D-02	Role-based default landing screens, with widget order configurable per role. Study finding: the Executive Dashboard is the preferred first screen of the day, and the geospatial heatmap and Today's Priority Decisions are the highest-priority widgets.	L, P, A	Each role lands on its configured default; widget order matches the agreed configuration.	Available
UR-CM D-03	Conversational Command Chat over all platform data: natural-language questions, evidence-cited answers (sources, counts, refresh time), and an auto-generated Daily Brief on load covering overnight movement, risks and recommended actions.	L, P	Chat answers reconcile to source data and display citations; Daily Brief generates without prompting.	Available
UR-CM D-05	Narrative Monitor with three views: News Sentiment (tracker, trending topics, live scored article feed); Social Pulse (per-platform social monitoring, subject to feed subscription); Topic Network (topic co-occurrence graph with a Narrative Gaps panel).	L, P	All three views render from the live data pipeline.	Available

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-CM D-06	Scenario simulation supporting 1-way, 2-way and 3-way contest configurations, with a configurable starting political environment per area (e.g. incumbent vs challenger status differs by region). Simulations are sandboxed and never write back to live projections.	L, P	Analyst can configure and run 1/2/3-way scenarios with distinct starting environments; results clearly labelled as simulation.	Planned
UR-CM D-07	Message testing (simulation) against AI voter/audience personas before publication, covering the four strategy modes identified in the study: amplify own narrative; counter opposing narratives (defensive); offensive contrast; and disruption framing. Human approval is required before any tested message is used.	L, P	Simulation returns segment-level reaction output per strategy mode; approval step enforced.	Planned
UR-CM D-08	Escalation alerts carrying severity (Critical/High/Medium), category, recommended first response, and time-sensitivity. Sensitive-category content (e.g. 3R-type issues) must escalate to named humans and must never trigger automated public responses.	L, P	Alerts display all fields; sensitive-category rule verified; no automated outbound response exists.	Available

4.2 Intelligence & Analysis

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-INT -01	Per-area contest watch listing every configured area with its historical baseline (at least three previous cycles where data exists), incumbent/holder context, live risk rating and trend.	L, P	All configured areas listed with baseline anchors and live risk.	Available
UR-INT -02	On-demand AI entity dossiers (profiler): strengths, weaknesses, sentiment, ground intelligence, network and digital footprint, with recommended actions.	L, P	Dossier generates for any named watched entity.	Available

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-INT-03	Continuous watchlist tracking sentiment, mentions and top issues for every watched entity, with selectable time windows.	L, P	Watchlist renders and switches across time windows correctly.	Available
UR-INT-04	Audience/voter segment analysis with segment sizing per area, sentiment lean, key issues and a segment-vs-area priority matrix; qualitative field-intelligence panel alongside quantitative scores.	P	Segments render with sizing, lean, matrix and field notes.	Available
UR-INT-05	Aggregated ground-intelligence results view: filterable submissions with per-session AI risk assessment, feeding projections and segment scores.	P, S	Submissions aggregate; filters and AI risk assessment work; data flows to projections.	Available
UR-INT-06	Early-trend detection (Trend Scout): keyword and topic spikes surfaced before mainstream coverage, feeding the narrative watchlist.	P	Emerging topics surfaced with spike evidence.	Available
UR-INT-07	Influence mapping: community and key-opinion-leader (KOL) registers per area, platform-level listening, and network views connecting topics, places and actors — including identification of narrative gaps.	P	Network view renders; KOL register populated per area; gaps panel live.	Available
UR-INT-08	Configurable composite prediction index combining historical baseline, demographics, sentiment, candidate/entity acceptance and organisational-strength factors, with time-decaying weights (e.g. historical baseline weighted ~40% at cycle start, decaying to ~30% as fresh signals accumulate) plus an explicit uncertainty (omega) adjustment in the range -10 to +10 covering strategic, data and environmental uncertainty.	P	Index weights configurable; decay schedule applied; omega adjustment visible with rationale.	Planned
UR-INT-09	Guided intelligence interview: a structured, framework-driven Q&A (aligned to the Customer's analytical doctrine, e.g. R.I.S.I.K — Reality, Issue,	P, S	Guided flow completes end-to-end and outputs a	Planned

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
	Sentiment, Influence, Kontra-narrative) that starts from an issue in any area, uses platform data as evidence, and produces a structured intelligence report with a conclusion.		framework-structured report.	

4.3 Ground Intelligence & Expert Knowledge (SME)

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-SM E-01	SME Knowledgebase: upload expert documents and analyst notes; automatic tagging by area and entity; content citable in Command Chat answers as “SME insight”.	S, P	Document uploads, auto-tags, and is cited in a chat answer.	Available
UR-SM E-02	Source notes from chat: an SME can capture an important chat answer or search result as a curated source note (reference-notebook model) that becomes part of the knowledgebase and is citable thereafter.	S	Note created from a chat result; appears in knowledgebase; citable.	Available
UR-SM E-03	Structured SME ground input: submission of assessments, observations and predictions through a dedicated SME module, tagged to area and issue, feeding analysis the same day.	S	SME submission appears in the intelligence picture same-day.	Available
UR-SM E-04	Human validation workflow: SME review and validation of AI outputs and of critical datasets before they influence any projection; every role operates under its own documented SOP.	S, P	Validation step recorded; unvalidated critical data excluded from projections.	Planned
UR-SM E-05	Complaint and programme input channels: structured intake of complaint data (aduan) and government/organisation programme data with a configurable sub-category taxonomy, localised to area.	S, P	Complaint and programme records enter with sub-categories and are analysable by area.	Planned

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT				
	PRISM				
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)				
	Version 1.0				

4.4 Reporting & Operating Cadence

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-RP T-01	Scheduled intelligence reports on a configurable cadence, defaulting to the PERSADA standard: daily morning report (~09:00 — overnight issues and incidents, trend and pattern monitoring, risk/threat detection, narrative suggestion and avoidance lists); daily afternoon update (~17:00 — movement since morning, emerging spikes, misinformation flags, end-of-day actions); weekly narrative analysis; and periodic hyper-local deep-dive studies for designated areas.	L, P	Reports generate on schedule with the agreed contents and recipients.	Available (daily)
UR-RP T-02	Canned report distribution: scheduled reports exportable and distributable as PDF to designated recipient groups (e.g. messaging groups), without manual assembly.	L, P, A	PDF renders correctly and reaches the configured distribution list.	Planned
UR-RP T-03	Mandatory disclaimer: every generated report and dossier carries a standard caveat/disclaimer limiting liability and stating the scope and advisory nature of AI-generated content.	All	Disclaimer present on every generated artefact.	Planned
UR-RP T-04	Continuous alerting alongside scheduled reporting: live dashboards operate 24/7 with threshold-based escalation alerts — scheduled reports build routine; live alerts handle exceptions.	L, P	Alerts raised between report cycles when thresholds breach.	Available

4.5 System Administration & Governance

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
UR-AD M-01	Role-based user management: create, edit, deactivate accounts centrally; departures lose access the same day; role changes take effect immediately.	A	Account lifecycle demonstrated; deactivation immediate.	Available
UR-AD M-02	In-platform data register: every configured dataset/connection visible with owner, freshness class, validation	A, P	Register lists all sources with live health states.	Available (connections);

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA	STATUS
	status and health (connected / pending / stale) on an admin screen — not in an external spreadsheet.			register fields Planned
UR-ADM-03	Configurable ingestion schedules: feed polling intervals and keyword lists maintainable by administrators; new keywords discoverable from trend detection.	A	Interval and keyword changes apply to subsequent ingestion runs.	Available
UR-ADM-04	Tamper-evident audit log of all significant events — logins, configuration changes, exports, agent runs — retained per policy.	A	Events recorded with integrity protection; sample audit walkthrough.	Planned
UR-ADM-05	Agent management console: start, stop, configure and monitor the AI agent fleet with run history and per-agent success metrics.	A	Agents controllable; run logs visible.	Available
UR-ADM-06	Kill-switch and response policy: administrative capability to suspend agents, outputs or distributions immediately, backed by a documented what-to-do policy.	A, L	Kill-switch demonstrated in a controlled test; policy documented.	Planned
UR-ADM-07	Two-person approval for designated critical actions (e.g. releasing tested messages, changing prediction-model configuration, bulk exports) — such actions can never be one person's call.	L, A	Approval matrix configured; single-person attempt blocked.	Planned

4.6 Non-Functional Requirements

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA
NFR-01	Key pages load within ~2–3 seconds under normal load; dashboards reflect the latest scoring cycle without manual refresh.	All	Page-load timing and auto-refresh verified.
NFR-02	Role-based access isolation: users cannot reach modules, areas or data outside their role scope; field/SME-facing surfaces are hard-separated from leadership modules.	All	Cross-role access attempts blocked.
NFR-03	Bilingual processing: Malay and English handled natively across news, social, sentiment scoring and voice input, including local idiom.	All	Both languages scored correctly on sample content.

ID	REQUIREMENT	ROLE(S)	VALIDATION CRITERIA
NFR-04	Evidence over vibes: every AI answer, score and projection carries provenance — sources, model, and refresh time — traceable on demand.	L, P, S	Randomly sampled outputs trace to sources.
NFR-05	Human-in-the-loop: the AI proposes; humans dispose. No autonomous spend, deployment or public messaging; automated distribution remains disabled until a content-moderation workflow is approved.	All	No autonomous execution path exists.
NFR-06	Scale: thousands of scored items per day, hundreds of watched entities and all configured areas handled without degradation.	A	Stable under reference load.
NFR-07	Security & privacy: credentials in secured configuration only; personal data processed lawfully under PDPA 2010; voter/citizen-level records aggregated and anonymised by design; sensitive categories (welfare, finances, faith) carry extra governance.	A	No secrets in artefacts; PDPA controls evidenced.
NFR-08	Auditability by default: significant actions recorded and retained; accountability designed in.	A	Audit records retained per policy.
NFR-09	Configuration-driven onboarding: a new region, cycle or client onboarded through data and configuration in weeks, not months.	A	Onboarding runbook executed on a test configuration.
NFR-10	Data retention and post-engagement archival configurable per dataset class, with a documented archival policy after each operating cycle.	A	Retention settings applied; archival policy signed.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT		
	PRISM		
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)		
	Version 1.0		

5. EXECUTION MODEL (SaaS)

5.1 Service Phases

PHASE	INDICATIVE PERIOD	KEY ACTIVITIES	MILESTONE
Phase 1 — Onboarding & Configuration	Weeks 1–4	Tenant setup on managed infrastructure; configuration of areas of interest, watched entities, taxonomies, data sources and report cadences; account provisioning per role (RBAC); data-register population.	Configured tenant live
Phase 2 — UAT & Acceptance	Weeks 4–6	Structured UAT with Customer users against the validation criteria in this document; defect resolution; acceptance sign-off.	UAT sign-off
Phase 3 — Live Service	Continuous	24/7 operation: ingestion, scoring, alerting and reporting; service monitoring, backups and support; scheduled feedback cycles with batched enhancements.	Service reviews (recurring)
Phase 4 — Cycle Close / Renewal	Per cycle	Post-cycle data snapshot and archival per retention policy; service review; renewal or scope adjustment for the next cycle.	Cycle acceptance / renewal

5.2 Engagement Model

ASPECT	DESCRIPTION
Delivery Mode	Subscription service with recurring progress and feedback reviews with Customer stakeholders.
Feedback Handling	Enhancement requests triaged by the Aras Project Manager and Business Analyst before development; changes batched and applied between review cycles.
Iteration	The platform improves continuously; new capabilities are introduced in response to Customer feedback across the subscription term.
Knowledge Transfer	Admin guide, user guides per role, system walkthrough and handover sessions.
Service Operations	Aras-managed infrastructure with monitoring, backups and support included in the subscription.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT		
	PRISM		
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)		
	Version 1.0		

6. CURRENT LIMITATIONS

6.1 Analytical Constraints

REF	CONSTRAINT
C-1	Predictions are anchored to historical baselines plus live news and ground signals; official electoral/registry data enters only where the Customer subscribes to and supplies credentials for such feeds.
C-2	Social intelligence coverage depends on the social-listening feeds subscribed at any time.
C-3	Authentication is username/password in the current build; single sign-on is a roadmap item.
C-4	Resource-optimisation outputs use representative data until a Customer resource-management backend is connected.
C-5	Simulations (scenario and messaging) are sandboxed and never write back to live projection data.
C-6	Credentials, keys and secrets are excluded from all Customer-facing documentation by policy.

6.2 Risk Factors

FACTOR	RISK	DESCRIPTION	MITIGATION
Official data dependency	High	Official electoral/registry feeds require Customer-obtained credentials; until connected, projections rely on historical baselines plus live signals.	Customer obtains credentials (A-3); ground intelligence supplies verified ground truth.
Social coverage gap	High	Youth and social-heavy audiences may be under-represented while social feeds are pending.	Activate social-listening subscription; interim coverage via news pipeline.
Misinformation pollution	Medium	Coordinated fake narratives could pollute sentiment inputs and projections.	Content-integrity agent flags suspicious content; SME review before escalation.
Single-environment operations	Medium	Service runs on a single managed environment unless a dedicated environment is subscribed.	Managed monitoring and backups; dedicated environment available as a subscription option.
Data-governance exposure	Medium	Personal or sensitive datasets carry PDPA obligations shared between service and Customer.	Anonymise-by-design; sensitive-category governance; Customer confirms lawful basis per dataset.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT
	PRISM
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)
	Version 1.0

6.3 Explicit Exclusions

EXCLUDED CAPABILITY	REASON / DISPOSITION
Automated message generation & distribution	Deliberately not activated pending approval of the content-moderation workflow and distribution infrastructure; message testing remains human-approved.
Single sign-on (SSO)	Roadmap item; prioritised with the Customer in a feedback cycle.
Third-party data feeds without credentials	Official electoral data, social-listening feeds and resource backends activate only when the Customer supplies subscriptions/credentials.
Field Volunteer Portal	Deferred to v2.0; ground input in v1.0 is captured through the SME role.

6.4 Assumptions

REF	ASSUMPTION
A-1	The Customer confirms the legal entity named as “Customer” and the authorised signatories in Section 8.
A-2	The Customer provides and maintains the configuration inputs required for scoring: areas of interest, watched entities, baseline and demographic data where held.
A-3	The Customer obtains and supplies third-party credentials where those integrations are pursued.
A-4	The Aras-managed shared environment is acceptable unless a dedicated environment is subscribed.
A-5	Content sources (news feeds) remain available and their terms permit ingestion for the subscription period.
A-6	Customer users are available for UAT and provide feedback within the engagement's review cycles.

 ARAS INTEGRASI	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT
	PRISM
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)
	Version 1.0

7. SECURITY & USAGE DISCLAIMER

This platform is provided for the internal use of the Customer and its authorised personnel. Access to the system — including any associated URLs, login credentials and system content — must not be shared, distributed or disclosed to any external party without the prior written consent of Aras Integrasi Sdn Bhd.

The Customer is responsible for ensuring that all data uploaded, processed or stored within the platform complies with applicable laws and regulations, including the Personal Data Protection Act 2010 (PDPA), and that personal or sensitive information is handled with appropriate care.

Intelligence outputs produced by the platform — including projections, sentiment scores, dossiers and recommended actions — are generated by AI models and are provided as decision-support for human review only. Aras Integrasi does not warrant the accuracy, completeness or suitability of any AI-generated output for any particular decision. The Customer retains full responsibility for reviewing and validating outputs before acting on them. Aras Integrasi shall not be held liable for any consequence arising from reliance on unreviewed outputs, from misuse of the platform, or from any breach of data-protection obligations by the Customer or its personnel.

Credentials, keys and other secrets are held in secure configuration and are deliberately excluded from this and all Customer-facing documentation.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT
	PRISM
	Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM)
	Version 1.0

8. CUSTOMER SIGN-OFF

For and on behalf of Aras Integrasi Sdn. Bhd.	For and on behalf of the Bahagian Keselamatan Strategik, Jabatan Perdana Menteri
---	--

Name:

Title:

Date:

Name:

Title:

Date:

 ARAS INTEGRASI	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT PRISM Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM) Version 1.0
---	--

APPENDIX A — WORKSHOP-DERIVED ACCEPTANCE STATEMENTS

The following success statements were contributed by participants during the User Requirement & System Requirement Study workshop (14 July 2026) in response to: “I would consider the overall PRISM platform successful if I could ____.” They form the seed of the UAT acceptance criteria. The workshop fit-baseline rating for the overall platform was 3.5 / 5.

#	ACCEPTANCE STATEMENT (VERBATIM)	MAPPED REQUIREMENT(S)
1	Generate instant reports based on latest data.	UR-RPT-01, UR-CMD-03
2	Provide simplified strategic prescriptive analysis via an infographic format in a timely manner (near real-time).	UR-CMD-01, UR-RPT-01
3	Receive clear campaign recommendations (terima cadangan kempen secara jelas).	UR-CMD-01, UR-CMD-08
4	Easily extract data for further analysis.	UR-RPT-02, UR-ADM-02
5	Provide accurate recommendations to leadership.	UR-CMD-01, UR-CMD-08
6	Deliver consistent values-aligned messaging to the public (sampaikan mesej yg sama ikut nilai).	UR-CMD-07
7	Serve as the ultimate network brain combining structured and unstructured data, with analytics (cadangan PRISM sebagai network Brain).	UR-CMD-03, UR-SME-01, O-1
8	Predict the result of upcoming electoral cycles.	UR-INT-01, UR-INT-08
9	Utilize platform data to enhance AI agents for narrative testing.	UR-CMD-07, UR-INT-09
10	Have full analysis reports, sticky-note watchlists, to-do lists, final checklists and mind maps of strategies.	UR-RPT-01, UR-SME-02 (partially Planned)

A.2 Desired Impact (Closing Pulse)

Participants' closing statements on desired impact: PRISM as the primary, authoritative source of relevant data in one system; a trusted decision-support system enabling real-time issue monitoring, early risk identification and faster evidence-based decisions; reduced manual work and improved situational awareness through data visualisation and analytics; integration so that stakeholder teams can retrieve SME information and consume insights through one channel; a reliable source with high accuracy on a sustainable database platform; and survey/ground findings that are easily interpreted and utilised by stakeholders.

	USER REQUIREMENT SPECIFICATION (URS) DOCUMENT PRISM Bahagian Keselamatan Strategik - Jabatan Perdana Menteri (JPM) Version 1.0
---	--

A.3 Parking-Lot Decisions Carried Into This Specification

#	ITEM AND DISPOSITION
1	Replace volunteer roles with SME roles in v1.0 — reflected in Section 2.2 (Volunteer Portal deferred to v2.0).
2	Support multi-way contest configurations in simulation — reflected in UR-CMD-06.
3	Add sub-category taxonomies for complaint and programme inputs — reflected in UR-SME-05.
4	Share the analytical-framework prompt and skill for guided intelligence — reflected in UR-INT-09.
5	Add caveat/disclaimer to every generated report — reflected in UR-RPT-03.
6	Time-decaying baseline weighting (~40% first period, ~30% thereafter) — reflected in UR-INT-08.