Skrill Quick Checkout Integration Guide

For use by Skrill eCommerce merchants using Quick Checkout

This guide describes how to integrate with Skrill Quick Checkout.

www.skrill.com

Version 7.1

Skrill Limited, 25 Canada Square, Canary Wharf, London, E14 5LQ, UK

Copyright

© 2015. Skrill Ltd. All rights reserved.

The material contained in this guide is copyrighted and owned by Skrill Ltd together with any other intellectual property in such material. Except for personal and non-commercial use, no part of this guide may be copied, republished, performed in public, broadcast, uploaded, transmitted, distributed, modified or dealt with in any manner at all, without the prior written permission of Skrill Ltd, and, then, only in such a way that the source and intellectual property rights are acknowledged.

To the maximum extent permitted by law, Skrill Ltd shall not be liable to any person or organisation, in any manner whatsoever from the use, construction or interpretation of, or the reliance upon, all or any of the information or materials contained in this guide.

The information in these materials is subject to change without notice and Skrill Ltd. assumes no responsibility for any errors.

Skrill Ltd.

Registered office: Skrill Limited, 25 Canada Square, Canary Wharf, London, E14 5LQ, UK.

Version Control Table

Date	Version	Description
September 2013	6.2	New guide template and updated content, including new Quick Checkout pages.
October 2013	6.3	Changes to description of Payment Method Codes appendix.
November 2013	6.4	Removal of Latvian currency.
December 2013	6.5	Addition of credit card brands when passing payment methods, plus new screenshots.
February 2014	6.6	Changes to Skrill 1-tap.
May2014	6.7	Removal of Laser. Addition of Paysafecard.
September 2014	6.8	New Quick Checkout pages and functionality. New structure to the guide. Addition of Trustly payment method code.
November 2014	6.9	Addition of mobile wallet payment service and changes to screens, guide rewrite.
January 2015	7.0	Changes made to the coverage of Visa Electron, JCB & Diners
April 2015	7.1	Updated the URL for merchants to post transactions to https://www.skrill.com/app/payment.pl Removed Slovakian Koruna, Estonian Kroon and Lithuanian Litas currencies from ISO 4217 currency table. Removed individual bank payment method codes for Poland and other minor updates to payment method codes.

Publication number: *GW-ECOM-H3-REL-4/9/15*

Contents

1. About this Guide 3
1.1. Objectives and target audience 3
1.2. Related documentation 3
1.3. Conventions used in this guide 3
1.4. Who to contact for queries 3

2. Introduction 5
2.1. Skrill payment flow 5
2.2. Displaying Skrill as a payment option on your website 6
2.2.1 Display Pay by Skrill logos 6
2.2.2 Display logos of specific payment methods 6
2.2.3 Logo restrictions for non-EU merchants 7
2.3. Redirecting customers to Quick Checkout 8
2.3.1 Secure redirection method 8
2.3.2 Parameters to be posted to Quick Checkout 9
2.3.3 Requesting a test account 13
2.4. The Quick Checkout page 14
2.4.1 Skrill transaction status 15
2.5. Skrill status response 16
2.5.1 Detailed status description 18
2.6. Process for customers who are registered with Skrill 19
2.7. Quick Checkout for non-EU merchants 20

3. Customising the Quick Checkout page 21
3.1. Pre-populating payment fields 21
3.2. Displaying payment and order details 23
3.3. Specifying which payment methods to display 24
3.4. Fixed payment methods 25
3.4.1 Flexible payment methods 26
3.4.2 Displaying credit/debit card brands 27
3.5. Integrating Quick Checkout into your website 28
3.5.1 Displaying your company logo or brand 28
3.5.2 Embedding the Quick Checkout page 29
3.5.3 Removing the header and reducing the footer 31

4. Skrill Digital Wallet Payments 33
4.1. Customer access to the Skrill Digital Wallet 33
4.1.1 Existing customers accessing their Skrill Wallet account 33
4.1.2 Customers who want to register for a Skrill account 37

5. Mobile Wallet Payments 39
5.1. Who should use this service? 39
5.2. Mobile Wallet payment options and availability 39
5.3. Enabling mobile wallet payments 40
5.3.1 Transaction charges 40
5.3.2 Currency conversion 40
5.4. Displaying Mobile Wallet logos on your website 40
5.5. integration steps 40
5.6. The mobile wallet payment process 41

© Skrill 2015

5.6.1 Quick Checkout Payment page 42
5.6.2 Customers with a Skrill account 44
5.6.3 Pending page 44
5.6.4 Skrill transaction status page 46
5.7. Offering Mobile Wallet payments only 47
5.8. Information to provide to your customers 48

6. Account and Integration options 49
6.1. Secure return_url parameter 49
6.2. Merchant refunds 50
6.3. Chargeback notification 50
6.4. Adding a descriptor 50
6.5. Code integration examples 51
6.5.1 Generating the Session Identifier 51
6.5.2 Redirecting the customer to Skrill 51

7. Appendices 53
7.1. ISO 4217 currencies 53
7.2. ISO country codes (3-digit) 54
7.3. MD5 signature 57
7.4. SHA2 signature 58
7.5. Example HTML forms 58
7.6. Payment method codes 60
7.7. Failed reason codes 62

8. Glossary 65

© Skrill 2015

1. ABOUT THIS GUIDE

1.1. Objectives and target audience

This guide provides details on how to connect your website to Skrill Quick Checkout. It is intended for users who have a working knowledge of HTML. The guide covers the steps in the payment process and the information that needs to be passed from your web servers to Skrill, to enable Skrill to process payments.

1.2. Related documentation

You should use this guide together with the additional Skrill documents described below.

Table 1-1: Other Guides

Guide	Description
Automated Payments Interface Guide	Describes how to connect to Skrill using the Automated Payments Interface (API). This supports functionality such as merchant queries against the system, sending money and processing refunds.

1.3. Conventions used in this guide

The table below lists some of the conventions used in this guide.

Table 1-2: List of conventions

Convention	Description
Reference	Indicates a reference to another section in this guide. For example, refer to ***User Administration on page 34.***
`Code example`	Used to illustrate example code, functions and commands.
File path	Used to indicate a file path or folder structure.
Glossary	Glossary term
Menu1 > Menu option2 >	Indicates a menu path.

1.4. Who to contact for queries

For all support queries, contact the Merchant Services department:

Email: merchantservices@skrill.com

Phone: +44 870 383 0762 (Mon-Fri, 9am until 5pm UK time)

© Skrill 2015

2. INTRODUCTION

Skrill Quick Checkout is a secure hosted payment page, where you can redirect customers from your website to make a payment through Skrill. Quick Checkout provides customers with access to a range of payment methods, based on their location and your account and integration settings.

Integration to Quick Checkout is simple and requires collecting customer payment information on your website in a standard HTML form and submitting this to Skrill. Quick Checkout then collects the customer payment details needed to complete the payment, and sends these details to the relevant bank or alternative payment provider for authorisation.

After the payment is complete, the customer is returned to your website and you receive a real-time notification of the payment, which includes details of the transaction.

2.1. Skrill payment flow

A simplified illustration of the Skrill payment flow is shown in the figure below.



Figure 2-1: Skrill transaction flow

1. When the customer is ready to pay for goods or services on your website, they select the Skrill payment option on your website.
2. You request a session identifier (SID) by passing customer and transaction details (e.g., amount, currency and language) to Quick Checkout.
3. Skrill returns the generated SID.
4. Using a light box or iframe you redirect the customer to Quick Checkout and include the session identifier in the redirect URL. Skrill displays the Quick Checkout page.
5. The customer enters their payment information, plus any other details requested, and confirms the transaction.

6. Skrill requests authorisation for the payment from the customer's bank, third party provider or card issuer.
7. The bank/provider approves or rejects the transaction.
8. Skrill displays the Quick Checkout confirmation page, containing the transaction result.
9. Skrill provides you with an asynchronous notification, sent to your status URL or IPN (instant Payment Notification), confirming the transaction details and status.

2.2. Displaying Skrill as a payment option on your website

When a customer is on the checkout page of your website, there are a number of ways in which you can present the Skrill payment options to them:

- ***Display Pay by Skrill logos***
- ***Display logos of specific payment methods***

2.2.1. Display Pay by Skrill logos

The simplest integration option is to present a generic **Pay by Skrill** logo or button on your website, and then redirect the customer to the Skrill Quick Checkout page, where they can pay using a suitable method or log in to their Skrill account to pay from their account balance. This integration option ensures that your customers always have access to the full range of Skrill payment methods available in their country or region.

If you are also offering your customers the option to pay through their Mobile Wallet via Skrill, you can present the generic **Skrill Mobile Money** logo. For more information about this service, see ***Mobile Wallet Payments, on page 39***.

See the example logos below.

You can download a copy of these logos in different sizes from the Skrill website at: https://www.skrill.com/en/business/brand-centre

2.2.2. Display logos of specific payment methods

An alternative option is to present only the logos of the specific payment methods you want to offer your customers through Skrill. For example:

You can then define, in your HTML code, which payment method to display on the Skrill Quick Checkout page when the customer selects this logo. There are two ways in which this feature can be implemented:

- **Fixed** - only the selected payment method is displayed to the customer on Quick Checkout.
- **Flexible** - the selected payment method is displayed as the default option, but other payment methods are also available to customers. This option is recommended, as it will increase your conversation rates for customers who are not able to complete payment using their preferred method.

For more information, see ***Specifying which payment methods to display, on page 24***.

Co-branded payment method logos for display on your website are available at:

https://www.skrill.com/en/business/brand-centre

Note: The Payment methods you want to support are specified by including the relevant payment method codes in the payment request submitted to Skrill. Alternatively, it is also possible to request that these be hard-coded for your account. For details. please contact ***Skrill Merchant Services***.

2.2.3. Logo restrictions for non-EU merchants

Important: Please read this section carefully ***if your business is located outside of Europe or the US***.

For Skrill merchants based outside of the US and Europe, Visa and MasterCard logos or brand names must not be used in the payment button that links to Skrill.

The Skrill processing agreement does not give you rights to display Visa and MasterCard acceptance marks on your site, and these logos should not be displayed unless you have obtained the rights to do so under a separate processing agreement.

Our compliance team conduct regular checks to ensure that this rule is enforced and failure to comply may result in suspension of your account.

For more information, see ***Quick Checkout for non-EU merchants, on page 20***.

2.3. Redirecting customers to Quick Checkout

You can use a standard HTML form to collect and pass payment and customer details to Quick Checkout. See ***Example HTML forms, on page 58***. When the customer selects the Skrill option, your website should post the HTML form containing their transaction details to:

`https://www.skrill.com/app/payment.pl`.

The HTML form should contain the mandatory hidden input fields listed in ***Table 2-1 on page 9***.

You should use a secure method of obtaining a session ID before redirecting customers to Skrill, as described in ***Secure redirection method, on page 8***.

Tips for improving the customer experience

- Any parameters that you pass through in your HTML form, such as customer ***first name***, ***last name*** and ***email***, will be pre-populated in the relevant fields on the Quick Checkout page, making it easier for the customer to complete the form.
- You can customise the appearance of the Quick Checkout page using the options described in ***Customising the Quick Checkout page, on page 21***.
- To maximise conversion, Skrill recommends that you redirect customers to the Quick Checkout page in the same browser window or embed the Skrill page in an iframe (see ***Embedding the Quick Checkout page, on page 29***).

Note: When using the standard Quick Checkout page, the minimum width of the window or iframe should be at least ***432*** pixels wide and ***746*** pixels long.

2.3.1. Secure redirection method

This method can be used to ensure that details of the payment are communicated securely between your server and Skrill.

Important! We strongly recommend that you use this method when redirecting your customers to Skrill, as it does not require sending any payment parameters to their browser. This prevents customers from being able to view or modify any hidden parameters in your source code.

How to implement

1. Your web server makes a standard POST request with the payment parameters, using the '***prepare_only=1***' parameter (see ***Table 2-1*** below).
2. The Skrill server prepares a session for the payment and returns a standard HTTP(S) response.
3. Your web server takes the ***SESSION_ID*** cookie from the appropriate Set-Cookie HTTP header of the response.
4. Using this SESSION_ID value the customer can be redirected to: https://www.skrill.com/app?sid=<SESSION_ID>

The normal flow of events continues. This redirect must happen within 15 minutes of the original request or the session will expire.

For code examples of how to implement this, see ***Redirecting the customer to Skrill, on page 51***.

2.3.2. Parameters to be posted to Quick Checkout

Please review the table below for details of the required and optional parameters that need to be included in your form. For implementation examples, see ***Example HTML forms, on page 58***.

Table 2-1: Skrill Quick Checkout parameters

Field name	Description	Re-quired	Max length	Example value
Merchant details				
pay_to_email	Email address of your Skrill account.	Yes	50	info@merchant.com
recipient_description	A description to be shown on Quick Checkout. If no value is submitted, the ***pay_to_email*** value is shown as the recipient of the payment. (Max 30 characters)	No	30	Your Company Name
transaction_id	Your unique reference or identification number for the transaction. (Must be unique for each payment)	No	100	A205220
return_url	URL to which the customer is returned once the payment is made. If this field is not filled, the Skrill Quick Checkout page closes automatically at the end of the transaction and the customer is returned to the page on your website from where they were redirected to Skrill. A secure return URL option is available. (See ***Secure return_url parameter, on page 49***.)	No	240	http:// www.merchant.com/ payment.htm
return_url_text	The text on the button when the customer finishes their payment.	No	35	Return to main website
return_url_target	Specifies a target in which the ***return_url*** value is displayed upon successful payment from the customer. Default value is 1. 1 = '_top' 2 = '_parent' 3 = '_self' 4= '_blank'	No	1	3
cancel_url	URL to which the customer is returned if the payment is cancelled. If this field is not filled, Quick Checkout closes automatically when the **Cancel** button is selected, and customer is returned to the page on your website from where they were redirected to Skrill.	No	240	https://merchant. com /payment_ cancelled.htm

Table 2-1: Skrill Quick Checkout parameters

Field name	Description	Re-quired	Max length	Example value
cancel_url_target	Specifies a target in which the ***cancel_url*** value is displayed upon cancellation of payment by the customer. Default value is 1. 1 = '_top' 2 = '_parent' 3 = '_self' 4= '_blank'	No	1	1
status_url	URL to which the transaction details are posted after the payment process is complete. Alternatively, you may specify an email address where the results are sent. If the ***status_url*** is omitted, no transaction details are sent.	No	400	https://merchant.com/process_payment.cqi OR mailto: info@merchant.com
status_url2	Second URL to which the transaction details are posted after the payment process is complete. Alternatively, you may specify an email address where the results are sent.	No	400	https://merchant.com/process_payment 2.cqi OR mailto: info2@merchant.com
new_window_redirect	You can redirect customers a new window instead of in the same browser window (e.g., for online bank transfer payment methods, such as Sofortueberweisung). The accepted values are 0 (default) and 1 (new window).	No	1	1
language	2-letter code of the language used for Skrill's pages. Can be any of EN, DE, ES, FR, IT, PL, GR RO, RU, TR, CN, CZ, NL, DA, SV or FI.	Yes	2	EN
confirmation_note	This enables you to display a confirmation message or other details at the end of the payment process. Line breaks *** *** can be used for longer messages.	No	240	Sample merchant wishes you pleasure reading your new book!
logo_url	The URL of the logo which you would like to appear at the top right of the Skrill page. The logo must be accessible via HTTPS or it will not be shown. For best results use logos with dimensions up to 200px in width and 50px in height.	No	240	https://www.merchant.com/logo.jpeg

Table 2-1: Skrill Quick Checkout parameters

Field name	Description	Re-quired	Max length	Example value
prepare_only	Forces only the SID to be returned without the actual page. Useful when using the secure method to redirect the customer to Quick Checkout. For details, see ***Secure redirection method, on page 8***. Accepted values are ***0*** (default) and ***1*** (prepare only).	No	1	1
rid	You can pass a unique referral ID or email of an affiliate from which the customer is referred. The rid value must be included within the actual payment request.	No	100	123456
ext_ref_id	You can pass additional identifier in this field in order to track your affiliates. You must inform your account manager about the exact value that will be submitted so that affiliates can be tracked.	No	100	Affiliate Name
merchant_fields	A comma-separated list of field names that are passed back to your web server when the payment is confirmed (maximum 5 fields).	No	240	Field1, Field2
field 1	An example merchant field	No	240	Value 1
field 2	An example merchant field	No	240	Value 2
Customer details				
pay_from_email	Email address of the customer who is making the payment. If provided, this field is hidden on the payment form. If left empty, the customer has to enter their email address.	No	100	payer@skrill.com
title	Customer's title. Accepted values: ***Mr***, ***Mrs*** or ***Ms***	No	3	Mr
firstname	Customer's first name	No	20	John
lastname	Customer's last name	No	50	Payer
date_of_birth	Date of birth of the customer. The format is ***ddmmyyyy***. Only numeric values are accepted.	No	8	01121980
address	Customer's address (e.g. street)	No	100	Payer street
address2	Customer's address (e.g. town)	No	100	Payer town
phone_number	Customer's phone number. Only numeric values are accepted	No	20	0207123456

Table 2-1: Skrill Quick Checkout parameters

Field name	Description	Re-quired	Max length	Example value
postal_code	Customer's postal code/ZIP Code. Only alphanumeric values are accepted (e.g., no punctuation marks or dashes)	No	9	EC45MQ
city	Customer's city	No	50	London
state	Customer's state or region.	No	50	Central London
country	Customer's country in the 3-digit ISO Code (see ***ISO country codes (3-digit), on page 54***).	No	3	GBR
Payment details				
amount	The total amount payable. **Note**: do not include the trailing zeroes if the amount is a natural number. For example: "***23***" (not "***23.00***").	Yes	19	39.68 OR 39.6 OR 39
currency	3-letter code of the currency of the amount according to ISO 4217 (see ***ISO 4217 currencies, on page 53***).	Yes	3	EUR
amount2_description	You can include a calculation for the total amount payable, which is displayed in the ***More information*** section in the header of the Skrill page. Note that Skrill does not check the validity of this data.	No	240	Product price:
amount2	This amount in the currency defined in the field ***'currency'*** will be shown next to ***amount2_description***.	No	19	29.90
amount3_description	See above	No	240	Handing fees & charges:
amount3	See above	No	19	3.10
amount4_description	See above	No	240	VAT (20%):
amount4	See above	No	19	6.60
detail1_description	You can show up to five additional details about the product in the ***More information*** section in the header of Quick Checkout.	No	240	Product ID:
detail1_text	The ***detail1_text*** is shown next to the ***detail1_description***. The detail1_text is also shown to registered customers in their Skrill Digital Wallet account history.	No	240	4509334
detail2_description	See above	No	240	Description:

Table 2-1: Skrill Quick Checkout parameters

Field name	Description	Re-quired	Max length	Example value
detail2_text	See above	No	240	Romeo and Juliet (W. Shakespeare)
detail3_description	See above	No	240	Special Conditions:
detail3_text	See above	No	240	5-6 days for delivery
detail4_description	See above	No	240	
detail4_text	See above	No	240	
detail5_description	See above	No	240	
detail5_text	See above	No	240	

2.3.3. Requesting a test account

You may need a test account to test your integration to Quick Checkout. Test accounts work in a live environment, however funds cannot be sent from a test account to a live account.

To set up a test account:

1. Open an additional Skrill Digital Wallet account online via the Skrill website.
2. Inform Skrill of the email address of the new account and request that this be enabled as a test account.

2.4. The Quick Checkout page

The Skrill Quick Checkout page displays the payment details submitted to Skrill, as shown in the example below.



Figure 2-2: Example of Skrill Payment Page

The customer enters their credit card details and email address, and selects **Pay Now** to confirm the payment.

At any time before the ***Pay Now*** button is selected, the customer can ***cancel*** the payment process and return to your website (to the URL provided in the ***'cancel_url'*** field; see ***Table 2-1 on page 9***).

Notes

- The Quick Checkout payment page can be customised, as described in ***Customising the Quick Checkout page, on page 21***.
- Customers who have an existing Skrill account can log in to their account to make payment, as described in ***Customer access to the Skrill Digital Wallet, on page 33***.
- Credit and debit card brands are not displayed on Quick Checkout for merchants who are based outside of Skrill's standard region (USA and Europe). For more information, see ***Quick Checkout for non-EU merchants, on page 20***.

2.4.1. Skrill transaction status

When the payment process is completed the '***Successful payment***' message is displayed:



Figure 2-3: Transaction Status

2.5. Skrill status response

When the payment process is complete Skrill sends the details of the transaction to the '***status_url***' page you provided in your payment request (see ***Table 2-1 on page 9***). This is done with a standard HTTP POST. The Skrill server continues to post the status until a response of HTTP OK (200) is received from your server or the number of posts exceeds 10.

The table below shows the parameters sent to your ***status_url*** page:

Table 2-2: Status URL parameters

Field Name	Description	Required	Example value
pay_to_email	Your email address.	Yes	info@merchant. com
pay_from_email	Email address of the customer who is making the payment.	Yes	payer@skrill.com
merchant_id	Unique ID of your Skrill account. ONLY needed for the calculation of the MD5 signature (see ***MD5 signature, on page 57***).	Yes	100005
customer_id	Unique ID of the customer's Skrill account.	No (1)	200005
transaction_id	A unique reference or identification number provided by you in your HTML form.	No (2)	A205220
mb_amount	The total amount of the payment in the currency of your Skrill Digital Wallet account.	Yes	25.46 / 25.4 / 25
mb_currency	Currency of ***mb_amount***. Will always be the same as the currency of your Skrill Digital Wallet account.	Yes	GBP
status	Status of the transaction: ***-2*** failed / ***2*** processed / ***0*** pending / ***-1*** cancelled (see detailed explanation below)	Yes	2
failed_reason_code	If the transaction is with status ***-2*** (failed), this field will contain a code detailing the reason for the failure.	No (3)	06
md5sig	MD5 signature (see ***MD5 signature, on page 57***).	Yes	327638C253A4637199CEBA6642371F20
sha2sig	SHA2 signature (see ***SHA2 signature, on page 58***).	No (4)	dbb7101322257a311f08d1c527053058fc7e464e30bcfb4613f09053c22dd1f8
amount	Amount of the payment as posted in your HTML form.	Yes	39.60 / 39.6 / 39
currency	Currency of the payment as posted in your HTML form.	Yes	EUR

Table 2-2: Status URL parameters

Field Name	Description	Required	Example value
payment_type	The payment method the customer used. You can choose to receive either: • Consolidated values (only the method type, e.g. MBD – Skrill Direct or WLT - e-wallet) • Detailed values (the specific instrument used, e.g. VSA - Visa card, GIR – GiroPay)	No (5)	WLT
merchant_fields	If you submitted a list of values in the ***merchant_fields*** parameter, they will be passed back with the status report.	No	field1=value1

Notes

- (1) ***The customer_id*** parameter is enabled upon activation. If you don't receive it in the response status, please contact merchant services.
- (2) If no ***transaction_id*** is submitted, the ***mb_transaction_id*** value will be posted in the report.
- (3) The ***failed_reason_code*** parameter is enabled upon activation and is part of the response status. For a description of all failed reason codes, see ***Failed reason codes, on page 62***.
- (4) To enable the ***sha2sig*** parameter, contact merchant services. For more information, see ***SHA2 signature, on page 58***.
- (5) The ***payment_type*** parameter is enabled upon activation. If you don't receive it in the response status, please contact merchant services.

Validating the status response

We recommend that you validate the transaction details in the status response. This can be done as follows:

1. Create a pending transaction or order for a fixed amount on your website.
2. Redirect the customer to the Quick Checkout page, where they complete the transaction.
3. Skrill will post the transaction confirmation to your '***status_url***' page. This will include the ***'mb_amount'*** (amount) parameter.
4. Your website should validate the parameters received by calculating the md5 signature (see ***MD5 signature, on page 57***). If successful, it should compare the value in the confirmation post (amount parameter) to the one from the pending transaction or order on your website. You can also compare other parameters such as '***transaction id***' and '***pay_from_email***'.

Once you have validated the transaction data you can process the transaction, for example, by dispatching the goods ordered.

Note: If you want to restrict the receipt of status response based on the posting IP address, you should use the full Skrill IP range. Skrill may from time to time change the IP address from which we post the status response.

Using the Merchant Query Interface

You can use the Merchant Query Interface to repost a status report or automatically check the status of a transaction. For details, see the ***Automated Payments Interface Guide***.

2.5.1. Detailed status description

Table 2-3: Transaction status

#	Status	Description
'2'	Processed	Sent when the transaction is processed and the funds have been received in your Skrill account.
'0'	Pending	Sent when the customers pays via an offline bank transfer option. Such transactions will auto-process if the bank transfer is received by Skrill. **Note**: We strongly recommend that you do not process the order or transaction in your system upon receipt of this status from Skrill.
'-1'	Cancelled	Pending transactions can either be cancelled manually by the sender in their online Skrill Digital Wallet account history or they will auto-cancel after 14 days if still pending.
'-2'	Failed	Sent when the customer tries to pay via Credit Card or Direct Debit but our provider declines the transaction. If you do not accept Credit Card or Direct Debit payments via Skrill, then you will never receive the failed status.
'-3'	Chargeback	Whenever a chargeback is received by Skrill, a '***-3'*** status is posted in the ***status_url*** and Skrill automatically reverses the transaction.

2.6. Process for customers who are registered with Skrill

Customers who have already registered for a Skrill Digital Wallet account can log in to their account and pay from the available balance in their account. They can also pay using one of the payment methods linked to their account, or access additional Skrill payment methods and options.

- To log in to their account the customer selects the **Pay by Skrill** tab. The following page is displayed:



Figure 2-4: Pay by Skrill tab

The customer selects the **Proceed to Skrill Login** button and is redirected to the Skrill Digital Wallet Login page.

For more information on how customers can access their Skrill Digital Wallet account, and the options available through the Skrill Digital Wallet, see ***Skrill Digital Wallet Payments, on page 33***.

2.7. Quick Checkout for non-EU merchants

Please read this note carefully if your business is based outside of USA and Europe (Skrill's standard payment processing region). The Skrill processing agreement does not give you the rights to display Visa and MasterCard acceptance marks on your website.

To comply with card scheme regulations, Skrill has removed the credit card brands displayed to customers on Quick Checkout. However, customers are still able to enter their credit or debit card details and pay. The Quick Checkout page features an additional text description above the **PAY NOW** button, which links to the ***Skrill Guest*** and ***Skrill Privacy policy***. See the example below.



Figure 2-5: Quick Checkout for Non-EU merchants

3. CUSTOMISING THE QUICK CHECKOUT PAGE

You can customise the Skrill Quick Checkout page using the following options:

- ***Pre-populating payment fields***
- ***Displaying payment and order details***
- ***Specifying which payment methods to display***
- ***Displaying credit/debit card brands***
- ***Displaying your company logo or brand***
- ***Embedding the Quick Checkout page***
- ***Removing the header and reducing the footer***

Each of these options is described in further detail below.

3.1. Pre-populating payment fields

To speed up the payment process for the customer, you can supply the following parameters with each transaction:

Table 3-1: Parameters to pre-populate payment fields

Field Name	Description	Max length	Example value
pay_from_email	Email address of the customer who is making the payment. If provided, this field is hidden on the payment form. If left empty, the customer has to enter their email address.	100	payer@skrill.com
firstname	First name of the customer. This value will be pre-filled if the Merchant submits it via the `firstname' parameter	20	John
lastname	Last name of the customer. This value will be pre-filled if the Merchant submits it via the `lastname' parameter	50	Payer

If you include the **country** and **language** parameters, these will be presented as the default options on the Quick Checkout page.

Figure 3-1 below shows an example of the Quick Checkout page.

Note: You can include additional parameters, such as the customer's **address**, **city**, **country**, **postal code** and **date of birth**. If the customer selects the sign-up link to open a new Skrill Digital Wallet account, then these fields will be pre-filled on the registration form.



Figure 3-1: Skrill Page with pre-populated fields

3.2. Displaying payment and order details

Your payment request can include your own itemised payment details, such as an order description and amount breakdown. The customer can view these payment details by selecting the **information** icon displayed next to the amount and currency. See the example below.

Figure 3-2: Top of payment form shows total amount

The Payment details overlay screen is displayed.



Figure 3-3: Payment Details screen

You can include up to five additional description fields and three amount fields (see ***Payment Details*** in ***Table 2-1 on page 9***). For an example of HTML form, which implements these fields, see ***Example HTML forms on page 58***.

3.3. Specifying which payment methods to display

This option allows you to specify the payment methods to display to the customer on Quick Checkout. For example, you can display only ***Paysafecard***, ***Sofort*** and ***Skrill Direct*** as the payment methods on your checkout page instead of the generic Skrill options. These methods will appear in the ***Payment method*** tabs where their logos will be displayed. For a list of currently supported alternative payment methods and their codes, see ***Payment method codes on page 60***.



Figure 3-4: Payment method tabs

To select individual payment methods to be presented to the customer, the following parameter must be included in your payment request:

Table 3-2: Parameters to include when specifying the payment method

Parameter	Description	Max length	Example value
payment_methods	A comma-separated list of payment method codes, indicating the payment methods to be presented to the customer. For a list of codes, see ***Payment method codes on page 60***.	100	DID

If the '***payment_methods***' parameter is included, the customer is presented with the defined payment methods, displayed in tabs.The order in which these payment methods are displayed is based on the popularity of usage and not on the order in which they are passed in your payment request.

If there is a discrepancy in the availability of the payment method, for example if a country-specific option like iDEAL was chosen, but the customer is not a Dutch resident, then the full list of available payment methods will be presented to the customer.

Note: Before implementing this option, you should confirm which payment methods are available for your account. Restrictions apply for merchants who are based outside of Skrill's standard region (USA and Europe). For details, see ***Quick Checkout for non-EU merchants on page 20***.

There are two versions in which payment methods can be passed: Fixed or Flexible. This feature is set up for your account by Skrill. For details, please contact ***Skrill Merchant Services***.

3.4. Fixed payment methods

When you submit a payment method using the ***payment_methods*** parameter, *only this payment method is shown to the customer on the payment page*. If the payment method is not supported by the country of the customer, then the page shows all other available payment methods for their country.

```
<input type="hidden" name="payment_methods" value="ACC">
```



Figure 3-5: Fixed payment methods: Cards only

3.4.1. Flexible payment methods

When you submit a payment method using the ***payment_methods*** parameter, *this method is pre-selected for the customer*.

All other payment methods enabled for your account and for the customers' country are available. If the payment method is not supported by the country of the customer, then the tabs shows all other available payment methods for their country, listed in the order or popularity of usage.

See the example below.

```
<input type="hidden" name="payment_methods" value="OBT">
```



Figure 3-6: Flexible payment methods

3.4.2. Displaying credit/debit card brands

By default all card brands are displayed on Quick Checkout if either no card payment methods or *all* methods are specified. You can override the default behaviour, by specifying the card brands you want to display on the payment page. See the example below.

```
<input type="hidden" name="payment_methods" value="VSA,">
```



Figure 3-7: Visa-only brand

Note: Restrictions apply for merchants who are based outside of Skrill's standard region (USA and Europe). For details, see ***Quick Checkout for non-EU merchants on page 20***.

When the customer selects the ***Credit/Debit card*** payment tab, and enters their card number in the ***Card number*** field, the card type is automatically detected and the card logo is displayed, as shown in the example below.



Figure 3-8: Card logo displayed next to the *Card number*

3.5. Integrating Quick Checkout into your website

These options enable you to customise the appearance of the Skrill Quick Checkout page, by either adding your own logo/brand or embedding the page in your website.

3.5.1. Displaying your company logo or brand

This option enables you to display your company logo on Quick Checkout. To do this your payment request should include the ***logo*** parameter, with a secure HTTPS link to the logo on your website. See the example below.

```
<input type="hidden" name="logo" value="https://www.acme.com/logo.jpg">
```



YOUR LOGO APPEARS HERE AND IS AUTOMATICALLY RESIZED TO FIT

Figure 3-9: Skrill Quick Checkout with merchant logo

3.5.2. Embedding the Quick Checkout page

This option enables you to display the Quick Checkout page embedded on your website, using an iframe. You can define in which frameset the ***return_url*** and ***cancel_url*** pages should be opened upon a successful payment or cancellation by the customer.

Note: If you are embedding Quick Checkout in your website, you can request a version of Quick Checkout which has the header removed and the footer reduced in size, enabling a more seamless and integrated appearance on your website. For details, see ***Removing the header and reducing the footer on page 31***.

Below is an example of the Quick Checkout page displayed in an iframe.



Figure 3-10: Display the Quick Checkout page in an Iframe

To avoid the appearance of Scroll bars, the minimum size of the iframe should be **432px wide and 746px long** (including the header and footer).

The iframe option is implemented by submitting two additional parameters in your HTML form:

Table 3-3: Parameters submitted when using an iframe

Field Name	Description	Values	Max length	Default	Example
return_url_target	Specifies a target in which the return_url value will be called upon successful payment from customer.	1 = '_top' 2 = '_parent' 3 = '_self' 4= '_blank'	1	1	3
cancel_url_target	Specifies a target in which the cancel_url value will be called upon cancellation of payment from customer.	1 = '_top' 2 = '_parent' 3 = '_self' 4= '_blank'	1	1	3

According to the W3C HTML specification submitting these values has the following result:

Table 3-4: iframe targets

Value	Equivalent	Description
1	'_top'	Loads the linked document in the topmost frame - the new page fills the entire window.
2	'_parent'	"_parent" is used in the situation where a frameset file is nested inside another frameset file. A link in one of the inner frameset documents which uses "_parent" will load the new document in the place of the inner frameset.
3	'_self'	Loads the new document in the same window and frame as the current document. Using "_self" has the same effect as not using iframe target at all.
4	'_blank'	Opens the new document in a new window.

Note: The iframe option works well with card and ELV payments. However, it may not be suitable if you are offering any alternative payments methods through Skrill, which typically redirect to third party websites of varying sizes.

3.5.3. Removing the header and reducing the footer

You can request a version of the Quick Checkout page without the Skrill header and amount fields. The security logo is also removed from the footer, to reduce its size. To enable this option, please contact Skrill Merchant Services.

See the example below.



Figure 3-11: White-labelled Quick Checkout page, embedded on the merchant's website

4. SKRILL DIGITAL WALLET PAYMENTS

Additional payment options are available to customers who choose to register for or pay with their existing Skrill Digital Wallet account.

4.1. Customer access to the Skrill Digital Wallet

4.1.1. Existing customers accessing their Skrill Wallet account

A registered customer can click the **Pay by Skrill** button and select the **sign in to my account** link (see ***Pay by Skrill tab on page 19)***.

The following screen is displayed:



Figure 4-1: Login to Skrill Digital Wallet

The customer enters their password and clicks **Login**.

If the balance in their Skrill account is sufficient to make the payment, the following page is displayed:



Figure 4-2: Figure 19: Customer click Pay

The customer reviews their payment details and clicks **Pay**. Alternatively, they can select the link '**Choose another payment option**' to open a screen with other available payment methods.

If they do not have sufficient funds in their Skrill account, the following page is displayed:



Figure 4-3: Customer selects a payment method and clicks Pay

The customer selects a payment method and clicks **Pay**. Alternatively, the customer can add a new payment method by selecting the link '**Pay with new payment option**' at the bottom of the page. The following screen is displayed:



Figure 4-4: Customer selects a new payment method

The customer selects the new payment method and clicks **Continue**.

4.1.2. Customers who want to register for a Skrill account

New customers do not need to register for a Skrill account, however, those that choose to can click the **Pay by Skrill** tab or button and select the **sign up for an account** link (see ***Pay by Skrill tab on page 19***). Customer login and sign up is mandatory for certain Skrill payment options, such as Skrill 1-Tap and Recurring Billing.

The steps for creating an account are shown below.

Step 1 – Payment type selection and entry of personal details:



Figure 4-5: Customer enters payment and personal details

Step 2 – Password submission and acceptance of Terms and Conditions and Privacy Policy:



Figure 4-6: Customer creates a Skrill Account

5. MOBILE WALLET PAYMENTS

The mobile wallet payment service enables you to offer your customers a way to pay for online services using the available funds in their mobile wallet account with their Mobile Network Operator (MNO).

When paying online via Quick Checkout, the customer selects their mobile operator and authenticates using the PIN or password provided by their mobile operator. The mobile operator then authorises the payment of funds from the customer's prepaid mobile wallet balance to Skrill. Since the mobile wallet service is a prepaid service, the funds are immediately available and guaranteed by the mobile network operator, so there is no risk of chargeback.

5.1. Who should use this service?

This service is ideal for online payments in emerging markets (Latin America, Africa, Middle East and Asia), where mobile phone usage is prevalent and mobile wallet services for sending money and paying for goods and services are popular.

Mobile Wallet payments are suitable for delivery of intangible services such as music, gaming, mobile apps, Internet phone calls, eBooks and other downloads, which can be delivered immediately to the customer upon payment via their mobile network. Due to the unreliability of postal delivery services in emerging markets, it is not recommended for the delivery of physical goods, unless you have a means of guaranteeing delivery.

5.2. Mobile Wallet payment options and availability

The mobile wallet payment service is currently available with the following Mobile Network Operators:

Table 5-1: MNO availability

MNO	Description	Availability*
MTN	Based in South Africa and operating in over 20 African and Middle Eastern countries.	Ivory Coast and Rwanda
etisalat	The largest mobile operator in the United Arab Emirates and Middle East, operating in 20 emerging markets, including Pakistan, Tanzania and Kenya. etisalat's Mobile Wallet is called ***Flous***.	Ivory Coast, Benin and Togo

* For phase 1 launch in Q4 2014. Other markets will follow shortly after.

5.3. Enabling mobile wallet payments

If mobile wallets have not yet been enabled for your account or you would like further information about this service, please contact ***Skrill Merchant Services***.

5.3.1. Transaction charges

Mobile wallet payments are charged at a different rate to the standard eCommerce payment processing fee. For details, contact your account manager or ***Skrill Merchant Services***.

5.3.2. Currency conversion

For merchants

Skrill converts the currency in which the merchant is trading, such as USD or EUR, to the local Mobile Wallet currency of the customer. Skrill settle to the merchant in their Skrill Wallet currency, such as ESD or EUR.

For end-customers

For Mobile Wallet payments, Skrill always debits the customer in their local country currency. If the online purchase is in a different currency to the local currency, Skrill will convert the amount to the local currency and send this to the mobile network operator for authorisation. Any currency conversation costs will be passed on to the customer.

5.4. Displaying Mobile Wallet logos on your website

We recommend that you display the Mobile Money logo on your website. Logos of specific Mobile Wallet payment methods are also available. See the example below.

You can download a copy of this logo in different sizes from the Skrill website at:
https://www.skrill.com/en/business/brand-centre

5.5. integration steps

When your customer selects **Mobile Money with Skrill** option on your website, you should ensure that they are redirected to Quick Checkout. The integration process is the same as for a standard Quick Checkout payment. See ***Redirecting customers to Quick Checkout on page 8***. The following additional steps are recommended for optimising the mobile wallet service:

- Display the Skrill Mobile Wallet payment method logo or logos of individual mobile wallet payment methods, and make your customers aware of this service.
- If you are ***Specifying which payment methods to display*** on Quick Checkout, the code to pass for mobile payment methods is: ***MNO*** (for Mobile Network Operator). This will display the

relevant mobile payment methods, based on the customer's country of residence. You can also pass the payment method code for specific mobile wallet payment methods: ***MTN*** and ***ETISALAT*** (etisalat Flous).
You should also pass the appropriate ***country*** code, to ensure that the mobile Wallet methods are displayed to the customer.

5.6. The mobile wallet payment process

The mobile wallet payment process is similar to other alternative payments made on Quick Checkout. A simplified illustration of the mobile wallet transaction flow is shown in below.



Figure 5-1: Skrill Mobile Wallet transaction flow

1. When the customer is ready to pay for goods or services on your website, they select the **Mobile Money with Skrill** option on your website.
2. You request a session identifier (SID) by passing customer and transaction details (e.g., amount, currency and language) to Quick Checkout.
3. Using a light box or iframe you redirect the customer to Quick Checkout and include the session identifier in the redirect URL. Skrill displays the relevant payment page. For customers in a region supporting mobile wallet payments, the relevant mobile wallet payment methods are displayed.
4. The customer selects an available mobile wallet payment method, then enters their ***mobile phone number*** and clicks **Pay**.
5. Skrill requests authorisation for the payment from the mobile wallet. A message is displayed on the customer's mobile phone device. The customer accepts the payment request and enters their mobile PIN or password to authorise the payment. The Mobile Network Operator

(MNO) approves the transaction if the customer has sufficient balance in their mobile Wallet account.

6. Skrill displays the confirmation page, containing the transaction result, on Quick Checkout. Skrill also provides you with a notification, sent to your status URL or IPN (instant Payment Notification), confirming the transaction details and status.

Further details of the customer experience are provided below.

5.6.1. Quick Checkout Payment page

This page is displayed to the customer when they are redirected from your website to Quick Checkout.



Figure 5-2: Customer selects the Mobile Money tab

The logos of available Mobile Network Operators are displayed.



Figure 5-3: Customer selects their MNO and enters their mobile phone number

The customer selects their Mobile Network Operator, enters their mobile number and email address, and click **Continue**.

5.6.2. Customers with a Skrill account

Registration for a Skrill Digital Wallet account is not required for mobile wallet payment methods. All the customer needs to use this method is a valid mobile number, which is registered to their mobile account with mobile operator, and an email address.

Customers with an existing Skrill account are asked to log in at this stage and then select their payment method.

Note: The customer does not have to open a Skrill Wallet account to pay with their mobile wallet. If, however, they choose to do so, the mobile wallet will be listed as a payment option for Skrill wallet accounts registered in the enabled countries.

5.6.3. Pending page

This pending page is displayed to the customer until they have authorised the payment on their mobile phone device.



Figure 5-4: Example of the MNO Pending Payment Page

If the customer does not complete authorisation within the allowed time the transaction fails and the following message is displayed:



Figure 5-5: Message displayed if the MNO payment is not completed

The customer can repeat the payment attempt up to ten times, after which a final notification is displayed and the customer will need to start the payment process again.

5.6.4. Skrill transaction status page

When the payment process is completed the '***Successful payment***' message appears and the customer is redirected to your website.



Figure 5-6: Transaction Status page

5.7. Offering Mobile Wallet payments only

You can use the fixed payment method option to display only the **Mobile Money** tab on the Quick Checkout page, as shown in the example below. For implementation details, see ***Fixed payment methods on page 25***.



Figure 5-7: Mobile Wallet only option

5.8. Information to provide to your customers

Below is information that Skrill recommends you provide to your customers about the Mobile Payment Service.

How do I register for mobile wallet payments?

```
If you do not yet have an m-wallet account, you can register for one with your mobile
network operator.
```

How much does it cost?

```
There is no additional cost or charge to ‘Mobile Money with Skrill’. If your online
purchase is in a different currency such as US Dollars, a currency conversion may
apply.
```

What currencies are supported?

```
‘Mobile Money with Skrill’ will always request to debit the amount in your local
currency. If your online purchase is in a different currency, a currency conversion
may apply. You will always see the exact amount in local currency that will be
debited from your mobile wallet account.
```

Payment instructions to customers

```
Select the ‘Mobile Money with Skrill’ option.
Choose to pay with your mobile wallet, enter your mobile number and click on ‘Pay’.
You will receive an acceptance request on your mobile phone illustrating the value
of the transaction in your local currency. Simply enter your secret code or PIN to
confirm the payment.
```

6. ACCOUNT AND INTEGRATION OPTIONS

6.1. Secure return_url parameter

This option allows you to be certain that the customer has arrived at your ***return_url*** page by completing the payment process – and not by looking up the ***return_url*** value in the page source code and entering it into their browser. However, this function only guarantees that the customer has completed the payment process and not that the payment had been processed.

If this feature is not activated, please contact ***Skrill Merchant Services***.

You must submit the following parameters with each transaction:

- return_url
- transaction_id
- secret word (this will be automatically submitted if entered in the **Settings > Developer Settings** section in your Skrill account).

Skrill will then add the following parameters to the return_url:

Table 6-1: Parameters returned with the return URL

Parameter	Description	Example value
transaction_id	The ***transaction_id*** you submitted.	A205220
msid	The MD5 signature, with the following values: merchant_id e.g. 123456 transaction_id e.g. A205220 uppercase MD5 value of the ASCII equivalent of your secret word, e.g. F76538E261E8009140AF89E001341F17	730743ed4ef7ec631155f5e15d2f4fa0

Below are two examples of the secure return_url, using the values above:

Example 1

Merchant submits ***return_url*** without additional parameters. For example:

https://merchant.com/return_url.cgi

In this case Skrill will redirect the customer to:

https://merchant.com/return_url.cgi?transaction_id=A205220&msid=730743ed4ef7ec631155f5e15d2f4fa0

Example 2

Merchant submits the ***return_url*** with additional parameters. For example:

https://merchant.com/return_url.cgi?par1=val1&par2=val2

In this case Skrill will redirect the customer to:

https://merchant.com/return_url.cgi?par1=val1&par2=val2&transaction_id=A205220&msid=730743ed4ef7ec631155f5e15d2f4fa0

6.2. Merchant refunds

This option enables you to refund a payment back to the customer's Skrill account, credit/debit card or bank account (depending on the original payment method used). If this feature is not activated, please contact merchantservices@skrill.com.

Note: If your account is configured to allow refunds you will have an additional action link in the transaction history next to each entry that will trigger a refund to the customer.

You can also make refunds through Skrill's Automated Payments Interface (API). For details, see the ***Automated Payments Interface Guide***.

6.3. Chargeback notification

When Skrill receives a chargeback request from our provider, we will send a chargeback notification to your ***status_url*** page. This is indicated by a status of ***-3***. (For a description of transaction status values, see ***Transaction status on page 18***.)

6.4. Adding a descriptor

When a customer pays through Skrill, Skrill submits a descriptor with the transaction, containing your business trading name/brand name. The descriptor is typically displayed on the bank or credit card statement of the customer. If you want to change this descriptor, please contact merchantservices@skrill.com. This functionality is only available for the following payment methods:

- Visa
- MasterCard
- Online Bank Transfer (OBT)
- Sofortueberweisung
- Direct Debit

For Sofortuberweisung and Direct Debit, you can also submit an additional parameter which will override the default value stored by Skrill.

6.5. Code integration examples

You can use the examples below to generate your session ID from Skrill, which is the recommended method for connecting to Quick Checkout, as described in ***Secure redirection method on page 8***.

6.5.1 Generating the Session Identifier

Below are examples of how to generate a SID using different programming methods.

cURL

```
curl -X POST https://www.skrill.com/app/payment.pl
    -d "pay_to_email=merchant_email@mail.com"
    -d "amount=10.99"
    -d "currency=EUR"
    -d "language=EN"
    -d "prepare_only=1"
```

Ruby

```
require 'net/http'
require 'net/https'
require 'uri'

uri = URI('https://www.skrill.com/app/payment.pl')
http = Net::HTTP.new(uri.host, uri.port)
http.use_ssl = true
req = Net::HTTP::Post.new(uri.path)
req.set_form_data({
 'pay_to_email'=>'merchant_email@mail.com',
 'amount'=>'10.99',
 'currency'=>'EUR',
 'language'=>'EN',
 'prepare_only'=>'1'

})
res = http.request(req)
puts res.body
```

6.5.2 Redirecting the customer to Skrill

Once you have the session identifier (SID), you then have to redirect the customer to Skrill, including the session identifier.

https://www.skrill.com/app?sid=<generated_sid>

Where ***<generated_sid>*** is the SID returned by Skrill.

You can open the URL with the SID as a light box or in an iframe.

7. APPENDICES

7.1. ISO 4217 currencies

Table 7-2: ISO 4217 Currencies accepted by Skrill

EUR	Euro	**TWD**	Taiwan Dollar
USD	U.S. Dollar	**THB**	Thailand Baht
GBP	British Pound	**CZK**	Czech Koruna
HKD	Hong Kong Dollar	**HUF**	Hungarian Forint
SGD	Singapore Dollar	**BGN**	Bulgarian Leva
JPY	Japanese Yen	**PLN**	Polish Zloty
CAD	Canadian Dollar	**ISK**	Iceland Krona
AUD	Australian Dollar	**INR**	Indian Rupee
CHF	Swiss Franc	**KRW**	South-Korean Won
DKK	Danish Krone	**ZAR**	South-African Rand
SEK	Swedish Krona	**RON**	Romanian Leu New
NOK	Norwegian Krone	**HRK**	Croatian Kuna
ILS	Israeli Shekel	**JOD**	Jordanian Dinar
MYR	Malaysian Ringgit	**OMR**	Omani Rial
NZD	New Zealand Dollar	**RSD**	Serbian dinar
TRY	New Turkish Lira	**TND**	Tunisian Dinar
AED	Utd. Arab Emir. Dirham		
MAD	Moroccan Dirham		
QAR	Qatari Rial		
SAR	Saudi Riyal		

© Skrill 2015

7.2. ISO country codes (3-digit)

Skrill does not accept customers from the following countries: Afghanistan, Cuba, Myanmar, Nigeria, North Korea, Sudan, Syria, Somalia, and Yemen.

Aland Islands	**ALA**	Christmas Island	**CXR**	Guernsey	**GGY**
Albania	**ALB**	Cocos (Keeling) Islands	**CCK**	Guinea	**HTI**
Algeria	**DZA**	Congo, the Democratic Republic	**COD**	Guinea-Bissau	**HMD**
American Samoa	**ASM**	Cook Islands	**COK**	Guyana	**VAT**
Andorra	**AND**	Costa Rica	**CRI**	Haiti	**GIN**
Angola	**AGO**	Colombia	**COL**	Heard Island and McDonald Islands	**GNB**
Anguilla	**AIA**	Comoros	**COM**	Holy See (Vatican City State)	**GUY**
Antarctica	**ATA**	Congo, Republic of	**COG**	Honduras	**HND**
Antigua and Barbuda	**ATG**	Cot'e d'Ivoire (Ivory Coast)	**CIV**	Hong Kong	**HKG**
Argentina	**ARG**	Croatia	**HRV**	Hungary	**HUN**
Armenia	**ARM**	Cyprus	**CYP**	Iceland	**ISL**
Aruba	**ABW**	Czech Republic	**CZE**	India	**IND**
Australia	**AUS**	Denmark	**DNK**	Indonesia	**IDN**
Austria	**AUT**	Djibouti	**DJI**	Iran, Islamic Republic of	**IRN**
Azerbaijan	**AZE**	Dominica	**DMA**	Iraq	**IRQ**
Bahamas	**BHS**	Dominican Republic	**DOM**	Ireland	**IRL**
Bahrain	**BHR**	Ecuador	**ECU**	Isle of Man	**IMN**
Bangladesh	**BGD**	Egypt	**EGY**	Israel	**ISR**
Barbados	**BRB**	El Salvador	**SLV**	Italy	**ITA**
Belarus	**BLR**	Equatorial Guinea	**GNQ**	Jamaica	**JAM**
Belgium	**BEL**	Eritrea	**ERI**	Japan	**JPN**
Belize	**BLZ**	Estonia	**EST**	Jersey	**JEY**
Benin	**BEN**	Ethiopia	**ETH**	Jordan	**JOR**
Bermuda	**BMU**	Falkland Islands (Malvinas)	**FLK**	Kazakhstan	**KAZ**
Bhutan	**BTN**	Faroe Islands	**FRO**	Kenya	**KEN**
Bolivia	**BOL**	Fiji	**FJI**	Kiribati	**KIR**

Bosnia and Herzegovina	**BIH**	Finland	**FIN**	Korea, Republic of	**KOR**
Botswana	**BWA**	France	**FRA**	Kuwait	**KWT**
Bouvet Island	**BVT**	French Guiana	**GUF**	Kyrgyzstan	**KGZ**
Brazil	**BRA**	French Polynesia	**PYF**	Lao People's Democratic Republic	**LAO**
Brunei Darussalam	**BRN**	French Southern Territories	**ATF**	Latvia	**LVA**
Bulgaria	**BGR**	Gabon	**GAB**	Lebanon	**LBN**
Burkina Faso	**BFA**	Gambia	**GMB**	Lesotho	**LSO**
Burundi	**BDI**	Georgia	**GEO**	Liberia	**LBR**
Cambodia	**KHM**	Germany	**DEU**	Libyan Arab Jamahiriya	**LBY**
Cameroon	**CMR**	Ghana	**GHA**	Liechtenstein	**LIE**
Canada	**CAN**	Gibraltar	**GIB**	Lithuania	**LTU**
Cape Verde	**CPV**	Greece	**GRC**	Luxembourg	**LUX**
Cayman Islands	**CYM**	Greenland	**GRL**	Macao	**MAC**
Central African Republic	**CAF**	Grenada	**GRD**	Macedonia	**MKD**
Chad	**TCD**	Guadeloupe	**GLP**	Madagascar	**MDG**
Chile	**CHL**	Guam	**GUM**	Malawi	**MWI**
China	**CHN**	Guatemala	**GTM**	Malaysia	**MYS**
Maldives	**MDV**	Peru	**PER**	Sweden	**SWE**
Mali	**MLI**	Philippines	**PHL**	Switzerland	**CHE**
Malta	**MLT**	Pitcairn	**PCN**	Taiwan, Province of China	**TWN**
Marshall Islands	**MHL**	Poland	**POL**	Tajikistan	**TJK**
Martinique	**MTQ**	Portugal	**PRT**	Tanzania, United Republic of	**TZA**
Mauritania	**MRT**	Puerto Rico	**PRI**	Thailand	**THA**
Mauritius	**MUS**	Qatar	**QAT**	Timor-Leste	**TLS**
Mayotte	**MYT**	R,union	**REU**	Togo	**TGO**
Mexico	**MEX**	Romania	**ROU**	Tokelau	**TKL**
Micronesia, Federated States of	**FSM**	Russian Federation	**RUS**	Tonga	**TON**
Moldova	**MDA**	Rwanda	**RWA**	Trinidad and Tobago	**TTO**
Monaco	**MCO**	Saint Helena	**SHN**	Tunisia	**TUN**

Mongolia	**MNG**	Saint Kitts and Nevis	**KNA**	Turkey	**TUR**
Montenegro	**MNE**	Saint Lucia	**LCA**	Turkmenistan	**TKM**
Montserrat	**MSR**	Saint Martin (French part)	**MAF**	Turks and Caicos Islands	**TCA**
Morocco	**MAR**	Saint Pierre and Miquelon	**SPM**	Tuvalu	**TUV**
Mozambique	**MOZ**	Saint Vincent and the Grenadines	**VCT**	Uganda	**UGA**
Namibia	**NAM**	Samoa	**WSM**	Ukraine	**UKR**
Nepal	**NPL**	San Marino	**SMR**	United Arab Emirates	**ARE**
Netherlands	**NLD**	Sao Tome and Principe	**STP**	United Kingdom	**GBR**
Netherlands Antilles	**ANT**	Saudi Arabia	**SAU**	United States	**USA**
New Caledonia	**NCL**	Senegal	**SEN**	United States Minor Outlying Islands	**UMI**
New Zealand	**NZL**	Serbia	**SRB**	Uruguay	**URY**
Nicaragua	**NIC**	Seychelles	**SYC**	Uzbekistan	**UZB**
Niger	**NER**	Sierra Leone	**SLE**	Vanuatu	**VUT**
Niue	**NIU**	Singapore	**SGP**	Venezuela	**VEN**
Norfolk Island	**NFK**	Slovakia	**SVK**	Viet Nam	**VNM**
Northern Mariana Islands	**MNP**	Slovenia	**SVN**	Virgin Islands, British	**VGB**
Norway	**NOR**	Solomon Islands	**SLB**	Virgin Islands, U.S.	**VIR**
Oman	**OMN**	South Africa	**ZAF**	Wallis and Futuna	**WLF**
Pakistan	**PAK**	South Georgia and the South Sandwich Islands	**SGS**	Western Sahara	**ESH**
Palau	**PLW**	Spain	**ESP**	Zambia	**ZMB**
Palestinian Territory, Occupied	**PSE**	Sri Lanka	**LKA**	Zimbabwe	**ZWE**
Panama	**PAN**	Suriname	**SUR**		
Papua New Guinea	**PNG**	Svalbard and JanMayen	**SJM**		
Paraguay	**PRY**	Swaziland	**SWZ**		

7.3. MD5 signature

A hidden text field called ***md5sig*** is included in the form submitted to your server. The value of this field is a 128-bit message digest, expressed as a string of thirty-two hexadecimal digits in UPPERCASE. The ***md5sig*** is constructed by performing an MD5 calculation on a string built up by concatenating the fields returned to your ***status_url*** page. This includes:

- merchant_id
- transaction_id
- the uppercase MD5 value of the ASCII equivalent of the secret word submitted in the **Settings > Developer Settings** section of your online Skrill account.
- mb_amount
- mb_currency
- status

The purpose of the ***md5sig*** field is to ensure the integrity of the data posted back to your server. You should always compare the ***md5sig*** field's value posted by Skrill's servers with the one you calculated.

To calculate the ***md5sig***, you need to take the values of the fields listed above exactly as they were posted back to you, concatenate them and perform a MD5 calculation on this string.

Cancelled payment

The MD5 hash posted on the '***ondemand_status_url***' when a Skrill 1-Tap payment has been cancelled is a concatenation of the following fields:

- MERCHANT_ID = merchant_id
- MERCHANT_TRN_ID = transaction_id
- The uppercase MD5 value of the ASCII equivalent of the secret word submitted in the
- **Settings > Developer Settings** section of the Merchant's online Skrill account
- REC_PMT_STATUS = status
- TRN_ID = rec_payment_id

The MD5 hash for 1-Tap payments, posted on the 'status_url' is calculated in the same way as for normal payments/refunds.

Secret word

The secret word must be submitted in the **Settings > Developer Settings** section of your Skrill Digital Wallet account before the md5sig can be used. The following restrictions apply when submitting your secret word:

- All characters must be in lowercase
- The length should not exceed 10 characters
- Special characters are not permitted (e.g. @, %, $, etc.)

Note: if the **Settings > Developer Settings** section is not displayed in your account, contact merchantservices@skrill.com.

7.4. SHA2 signature

To improve the security of the status reports, Skrill post an additional parameter with the report called ***'sha2sig'***. This is constructed in the same way as the md5 signature, but with a different hashing algorithm.

This new parameter is not available by default. To enable this option, send a request to merchantservices@skrill.com.

7.5. Example HTML forms

Below are two examples of HTML forms that can be submitted to Skrill. The first one is a basic example. The second example uses several additional features currently available with Quick Checkout.

You can use these forms, ensuring that the values are replaced with your own values.

Note: To request a test account and test data, contact merchantservices@skrill.com.

Simple HTML form

```
<form action="https://www.skrill.com/app/payment.pl"
method="post" target="_blank">
  <input type="hidden" name="pay_to_email"
value="contact@merchant.com">
  <input type="hidden" name="status_url"
value="contact@merchant.com">
  <input type="hidden" name="language" value="EN">
  <input type="hidden" name="amount" value="39.60">
  <input type="hidden" name="currency" value="GBP">
  <input type="hidden" name="detail1_description"
value="Description:">
  <input type="hidden" name="detail1_text" value="Romeo and
Juliet (W. Shakespeare)">
  <input type="hidden" name="confirmation_note"
value="Samplemerchant wishes you pleasure reading your new
book!">
  <input type="submit" value="Pay!">
</form>
```

Advanced HTML form

```
<form action="https://www.skrill.com/app/payment.pl"
method="post" target="_blank">
  <input type="hidden" name="pay_to_email"
value="merchant@skrill.com">
  <input type="hidden" name="transaction_id" value="A10005">
  <input type="hidden" name="return_url" value="https://
pay.skrill.com/payment_made.html">
  <input type="hidden" name="cancel_url" value=" https://
pay.skrill.com /payment_cancelled.html">
  <input type="hidden" name="status_url" value=" https://
pay.skrill.com /process_payment.cgi">
  <input type="hidden" name="language" value="EN">
  <input type="hidden" name="merchant_fields"
value="customer_number, session_id">
  <input type="hidden" name="customer_number" value="C1234">
  <input type="hidden" name="session_ID" value="A3DFA2234">
  <input type="hidden" name="pay_from_email"
value="payer@skrill.com">
  <input type="hidden" name="amount2_description" value="Product
Price:">
  <input type="hidden" name="amount2" value="29.90">
  <input type="hidden" name="amount3_description" value="Handling
Fees & Charges:">
  <input type="hidden" name="amount3" value="3.10">
  <input type="hidden" name="amount4_description" value="VAT
(20%):">
  <input type="hidden" name="amount4" value="6.60">
  <input type="hidden" name="amount" value="39.60">
  <input type="hidden" name="currency" value="GBP">
  <input type="hidden" name="firstname" value="John">
  <input type="hidden" name="lastname" value="Payer">
  <input type="hidden" name="address" value="Payerstreet">
  <input type="hidden" name="postal_code" value="EC45MQ">
  <input type="hidden" name="city" value="Payertown">
  <input type="hidden" name="country" value="GBR">
  <input type="hidden" name="detail1_description" value="Product
ID:">
  <input type="hidden" name="detail1_text" value="4509334">
  <input type="hidden" name="detail2_description"
value="Description:">
  <input type="hidden" name="detail2_text" value="Romeo and
Juliet (W. Shakespeare)">
  <input type="hidden" name="detail3_description" value="Special
Conditions:">
  <input type="hidden" name="detail3_text" value="5-6 days for
delivery">
  <input type="hidden" name="confirmation_note" value="Sample
merchant wishes you pleasure reading your new book!">
  <input type="submit" value="Pay!">
</form>
```

7.6. Payment method codes

The table below describes the codes required for each payment method if passing specific payment methods in your payment request.

Table 7-3: Payment method codes

Payment Method	Value	Supported Countries
Skrill Digital Wallet	WLT	ALL
Paysafecard	PSC	American Samoa, Austria, Belgium, Canada, Croatia, Cyprus, Czech Republic, Denmark, Finland, France, Germany, Greece, Guam, Hungary, Ireland, Italy, Latvia, Luxembourg, Malta, Mexico, Netherlands, Northern Mariana Islands, Norway, Poland, Portugal, Puerto Rico, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey, United Kingdom, United States Of America and US Virgin Islands
Credit/Debit Cards		
All Card Types	ACC	ALL
Visa	VSA	ALL
MasterCard	MSC	ALL
Visa Delta/Debit	VSD	United Kingdom
Visa Electron	VSE	ALL (excluding US)
Maestro	MAE	United Kingdom, Spain, Ireland and Austria
American Express	AMX	ALL (excluding US). Additional restrictions may apply.
Diners	DIN	ALL (excluding US)
JCB	JCB	ALL (excluding US)
Carte Bleue	GCB	France
Dankort	DNK	Denmark
PostePay	PSP	Italy
CartaSi	CSI	Italy
Instant Banking Options		
Skrill Direct (Online Bank Transfer)	OBT	Germany, United Kingdom, France, Italy, Spain, Hungary and Austria
Giropay	GIR	Germany
Direct Debit / ELV	DID	Germany
Sofortueberweisung	SFT	Germany, Austria, Belgium, Netherlands, Italy, France, Poland and United Kingdom

Table 7-3: Payment method codes

Payment Method	Value	Supported Countries
eNETS	ENT	Singapore
Nordea Solo	EBT	Sweden
iDEAL	IDL	Netherlands
EPS (Netpay)	NPY	Austria
POLi	PLI	Australia
All Polish Banks	PWY	Poland
ePay.bg	EPY	Bulgaria
Trustly	GLU	Sweden, Finland, Estonia, Denmark, Spain and Poland
Mobile Wallet options		
Generic Pay by Mobile	MNO	Ivory Coast, Rwanda, Benin and Togo
MTN	MTN	Ivory Coast and Rwanda
Etisalat Flous/Flooz	ETISALAT	Ivory Coast, Benin and Togo

7.7. Failed reason codes

The table below contains all possible values of the ***'failed_reason_code'*** parameter and their corresponding meanings. Failed reason codes are mapping of both codes Skrill receives from external processors and failures due to internal procedures.

Table 7-4: Failed reason codes

Code	Description
01	Referred
02	Invalid merchant number
03	Pick-up card
04	Authorisation declined
05	Other error
06	CVV is mandatory, but not set or invalid
07	Approved authorisation, honour with identification
08	Delayed processing
09	Invalid transaction
10	Invalid currency
11	Invalid amount / available limit exceeded / amount too high
12	Invalid credit card or bank account
13	Invalid card Issuer
14	Annulation by client
15	Duplicate transaction
16	Acquirer error
17	Reversal not processed, matching authorisation not found
18	File transfer not available/unsuccessful
19	Reference number error
20	Access denied
21	File transfer failed
22	Format error
23	Unknown acquirer
24	Card expired
25	Fraud suspicion
26	Security code expired
27	Requested function not available

© Skrill 2015

Table 7-4: Failed reason codes

Code	Description
28	Lost/stolen card
29	Stolen card, pick up
30	Duplicate authorisation
31	Limit exceeded
32	Invalid Security Code
33	Unknown or Invalid Card/Bank account
34	Illegal Transaction
35	Transaction Not Permitted
36	Card blocked in local blacklist
37	Restricted card/bank account
38	Security rules violation
39	The transaction amount of the referencing transaction is higher than the transaction amount of the original transaction
40	Transaction frequency limit exceeded, override is possible
41	Incorrect usage count in the Authorisation System exceeded
42	Card blocked
43	Rejected by Credit Card Issuer
44	Card Issuing Bank or Network is not available
45	The card type is not processed by the authorisation centre / Authorisation System has determined incorrect routing
47	Processing temporarily not possible
48	Security Breach
49	Date / time not plausible, trace-no. not increasing
50	Error in PAC encryption detected
51	System error
52	MB denied - potential fraud
53	Mobile verification failed
54	Failed due to internal security restrictions
55	Communication or verification problem
56	3D verification failed
57	AVS check failed
58	Invalid bank code

Table 7-4: Failed reason codes

Code	Description
59	Invalid account code
60	Card not authorised
61	No credit worthiness
62	Communication error
63	Transaction not allowed for cardholder
64	Invalid data in request
65	Blocked bank code
66	CVV2/CVC2 failure
99	General error

8. GLOSSARY

This section provides a description of key terms used in this guide.

Term	Explanation
Acquirer	An acquiring bank (or acquirer) is the bank or financial institution that processes credit and or debit card payments for a merchant. Example: Barclays Merchant Service and European Merchant Services.
Address Verification Service (AVS)	This service validates the billing address provided by the customer on the payment against the billing address registered with the customer's bank or credit card. Typically, only the numbers in the first line of the address and postcode are verified and the result is returned to the merchant. (only available in the US, Canada and UK)
Alternative payment	Local payment method specific to a country or region, or method that is not a traditional international credit or debit card type of payment.
API	Generic term for Application Programme Interface. API's provide a means for developers to communicate with the Skrill Payment Platform.
Authentication	Security checks performed to verify the identity of a customer, merchant, website or entity. For example: Cardholder authentication checks such as 3D Secure and website authentication via SSL certificates.
Authorisation	Also known as Pre-authorisation. Process where the merchant can send a request to the banking network via Skrill to verify that the card is valid and that the funds requested can be taken from the card.
Back-end system	As opposed to a front-end system, a back-end system used internally by Skrill or within the merchant's business. Skrill merchants can also use payment information returned from the Skrill Payment Platform on their own back-end systems, such their customer order management system.
Batch	A group of approved credit card transactions, accumulated during one business day (weekends and official/bank holidays excluded).
Batch Processing	The authorisation of transactions offline when immediate approval is not required. Transactions are collected in a batch and sent as one transmission for Authorisation and/or Settlement.
BIN	Bank Identification Number. A unique series of numbers which identifies an institution in transaction processing. The BIN comprises the first six digits of a standard debit or credit card number.
Browser	Application that enables a customer or merchant to access web pages. Examples include: Internet Explorer, Google Chrome and Mozilla Firefox.
Cancel	Request to cancels a transaction. This is only possible before you have captured the payment or until the preauthorisation expires. It can be for a partial amount.

Term	Explanation
Capture	Process of requesting payment from the customer's account. Only preauthorised transactions can be captured. For some merchants, there may be a delay between the initial authorisation of the transaction and when capture is made. See Delayed capture.
Cardholder	The customer or online shopper whose card is used during an online purchase.
Cardholder authentication	In online transactions, where the customer is not physically present, certain payment methods, such as Visa, MasterCard and Amex, provide an alternative means for verifying the customer's identity. Typically, the customer is asked to provide a unique password or other identifying information during the online transaction. See also 3D Secure and Authentication.
Card Issuer	Bank or card scheme that issues the customer's payment card.
Cardholder Funds Transfer (CFT)	Also called Credit Funds Transfer, is a method of transferring funds which can be up to or more than the original transaction amount. Currently only a VISA card used for a successful gaming deposit is available for CFT payment. See also Credit.
Card scheme	Card association such as Visa, MasterCard, Discover, American Express, Diners Club and JCB.
Card Verification Value (CVV)	CVV is a three digit code printed on the back of Visa, MasterCard and Discover cards and a four digit code printed on the front for American Express. Also known as CVV2, CV2 and CSC (Card Security Code).
Cardholder Funds Transfer (CFT)	Also called Credit Funds Transfer, is a method of transferring funds which can be up to or more than the original transaction amount. Skrill merchants or customers can arrange a CFT by transferring funds from their digital wallet account to a credit card. There are some restrictions. Currently only a VISA card used for a successful gaming deposit is available for CFT payment. See also Credit.
Channel	Channels enable merchants to process payments in different ways. For example, a merchant may be set up with two channels, one which has 3D Secure enabled and the other which has 3D Secure disabled. Some channel options may require a separate merchant account.
Chargeback	The return of funds, previously authorised in a transaction, to a customer, which is initiated by the issuing bank. Also refers to the reversal of a prior outbound transfer. A chargeback applies when customer contacts their Card Issuer to dispute a transaction. In this case, the card issuer or bank may request that the money be paid back directly by Skrill. The merchant may incur an administration cost for Skrill processing the dispute, in addition to any amount eventually credited back to the customer.

© Skrill 2015

Term	Explanation
Credit	Credit can be used by merchants to transfer money to the customer. Also known as Payouts / Payout of Winnings (PoW) and Cardholder Funds Transfer (CFT). The difference to a Refund is that more than the original transaction amount can be transferred back to the customer. Mostly common in the gambling industry. A credit is only allowed on a credit card which has been subject to a charge before.
Credit card	A type of payment card that allows customers to pay for goods and services using funds that are loaned. The loan must be paid back within a specified period. Interest is typically charged on the balance after a grace period (typically 20-55 days). Examples: Visa, MasterCard, Diners and Amex. See also Debit card.
Customer ID	On the Skrill Payment Platform, a merchant may be configured with multiple customer IDs set up for different channels. (Not to be confused with the *customerid* field.)
Customer services team	Skrill team responsible for end-customer support queries. Also referred to as the Merchant Services team.
Debit	Process in which the merchant can send a request to the banking network via Skrill for authority to take payment for an online transaction. Debit combines Authorisation and Capture in a single request.
Debit card	A type of payment card that provides customers with instant access to funds in their bank account. In contrast to a Credit card payment, payments using a debit card are immediately taken from the customer's account, instead of being paid back at a later date. So, the customer must have sufficient funds in their account or an agreed overdraft limit to cover the payment. Delayed capture is typically not available for debit cards.
Decline	A response from the Card Issuer denying the use of the card for the attempted transaction. If a request for approval is declined, the merchant must ask the cardholder for another form of payment.

© Skrill 2015

Term	Explanation
Delayed capture	Option that enables the merchant to delay the capture of a payment that has been authorised. Often referred to as Authorisation and Capture. Typically, merchants request authorisation for a payment to ensure that the customer has sufficient funds in their account. The funds are then reserved and cannot be used by the customer for a certain period. Once the goods or services have been delivered, the full amount is taken from the customer's card. Car hire purchases are a good example of delayed capture. The merchant typically requests a Pre-authorisation on the card, but full authorisation and capture only occurs once the vehicle has been returned.
Descriptor	A field descriptor, used in different contexts on the Skrill Payment Platform to enable merchants to pass descriptive information to the system.
Digital Wallet	Provides the electronic equivalent of a physical wallet that can hold a number of cards and payment methods, which are linked to the wallet. Typically, customers log in to their wallet account during an online transaction and authorise the payment using one of the payment methods linked to their wallet account.
Financial Conduct Authority (FCA)	Organisation that took over the role of the Financial Services Authority (FSA) in regulating the activities of financial organisations operating in the UK.
Hosted payment page	Also known as Skrill Quick Checkout. This option provides a secure payment page hosted by Skrill, where customers can enter card and other payment details. It is suitable for merchants who want a simple integration and/or who are not PCI compliant.
HTML POST	Integration method where the merchant sends details to the Skrill Payment Platform using a standard HTML form that posts this information in the HTML header.
In-store	Refers to payment made by a customer who is physically present at the merchant's store. Often referred to as *brick-and-mortar* or customer present payments.
International Bank Account Number (IBAN)	Originally adopted by the European Committee for Banking Standards (ECBS), and later adopted as an international standard under ISO 13616:1997. The current standard is ISO 13616:2007, which indicates SWIFT as the formal registrar. Initially developed to facilitate payments within the European Union, it has now also been implemented by most European countries and many other countries, especially in the Middle East and in the Caribbean.
Integration	Process undertaken by merchants to ensure that their website or shopping cart can connect to and communicate with Skrill's payment processing systems.

© Skrill 2015

Term	Explanation
Integration methods	The connection options provided to enable a merchant to integrate with the Skrill Payment Platform. For example, POST method.
ISO country codes	3-digit country code of the International Standards organisation (ISO) that identifies the country. For example, GBR for United Kingdom. ISO country codes also exist in a 2-digit format.
ISO currency codes	3-digit currency code of the International Standards Organisation (ISO) that identifies the currency. For example, GBP for British Pound.
JavaScript	JavaScript is a dynamic scripting language used primarily in client-side web browser applications.
KYC	Acronym for Know your Customer. Refers to due diligence procedure in the financial services industry to verify the identity of the customer, and is conducted by Skrill for merchants and Skrill digital wallet customers who reach over 2,500 Euro in processed transactions.
Liability Shift	For transactions where the customer is authenticated via 3D Secure, the merchant may be protected from Chargeback involving identity fraud.
Mail Order Telephone Order (MOTO)	Solution for enabling the merchant's customer services team to take payments over the telephone or from mail order.
MasterCard SecureCode®	Cardholder authentication method used by MasterCard to verify the identity of a customer during an online transaction. See also 3D Secure.
MD5	A widely used hash algorithm, which can be used for securely encrypting information sent over the internet. MD5 produces a 128-bit (16-byte) hash value. The purpose of the field is to ensure the integrity of the data posted back to the merchants' server.
Merchant	Skrill customer (legal or natural person) using their Skrill solution to receive payments for products or services they provide.
Merchant Agreement	The Skrill Merchant Agreement is the agreement governing the legal relationship between Skrill and a merchant using the Skrill payment processing services for commercial purposes. It consists of the Skrill Merchant Terms and Conditions, plus cover pages, schedules and the Skrill Account Terms of Use.
Merchant ID (MID)	A merchant identifier, provided by the Acquirer, used to uniquely identify a merchant within the banking network when a transaction is processed.
Merchant Portal	Online portal used for account administration and viewing transactions by merchants.
Merchant Services team	Skrill team responsible for providing technical and service support to merchants.
My Account	Customer account administration portal that enables viewing of transactions and transferring funds.

© Skrill 2015

Term	Explanation
On-boarding process	Process of signing up and verifying a merchant. This involves a number of teams in Skrill, including sales and risk and compliance. On the payment processing side, this process is coordinated by a dedicated on-boarding team.
Online Bank Transfer	A payment method enabling customers to transfer funds from their bank accounts to their Skrill account in real-time. See also Skrill Direct.
Payment option or method	The payment method used by the customer, such as debit card, credit card and bank transfer. Note that in the payments industry, the terms payment method, payment option and payment type are often used interchangeably. See also Alternative payments.
Payment brand	Term used on the Merchant Portal to describe the payment brand connected to a payment method. For example, Visa and MasterCard are payment brands available for credit and debit cards payment methods.
Payment token	Token returned from the Skrill Payment Platform. The token enables repeat transactions on a card, without requiring the customer to re-enter their card details again.
Payment type	The type of payment service that was carried out against the payment method used. For example, Pre-authorisation and Capture.
Payouts / Payout of Winnings (PoW)	Payouts refer to payments made by merchants to customers, typically used in the online gambling industry. Skrill offers a payout product that enables merchants to make automated payments from their digital wallet account to their customers' digital wallet account. This can be used for paying employees or payment of winnings to customers. See also Cardholder Funds Transfer (CFT) which provides an alternative means of making payouts.
Payment	Unique financial record on the system. A payment may consist of multiple Transactions.
Payment page	Page used to collected payment method details from the customer during an online transaction. This page can be provided by the merchant or hosted by Skrill. See also Hosted payment page.
Payment processing platform	System used for the processing of eCommerce transactions.
Payment Service Provider (PSP)	Service provider enabling merchants to accept eCommerce payments.
PCI Compliance	The Payment Card Industry Data Security Standard (PCI DSS) is a security standard for organisations that handle cardholder information. Merchants who collect and store cardholder information must be PCI compliant.

© Skrill 2015

Term	Explanation
PCI compliant	Merchants who collect and store cardholder information must comply with minimum standards to ensure that sensitive customer financial information is stored securely. The standard covers both systems and business processes in place within an organisation.
PCI Level 1 certified	Merchants fall under four categories of PCI compliant, depending on the number of transactions they process each year, and whether those transactions are performed from an In-store location or over the Internet. Level 1 is the highest level of compliance, typically demonstrated by large financial organisations and payment service providers such as Skrill.
Pending transaction	A transaction in which the payment system is waiting for a confirmation, an input or customer action. For example, 3D Secure, redirect payment method or manual bank transfer.
POST method	A request method supported by the HTTP protocol, which enables data to be sent to a web server. It is often used when uploading a file or submitting a completed web form. As part of a POST request, data of any type can be sent to the server in a message body. A header field in the POST request usually indicates the message body's Internet media type.
Pre-authorisation	A request made by Skrill to the Card Issuer to confirm that the customer has sufficient funds in their account for a credit card transaction. The funds are typically reserved, so that they will be available when the Debit or Capture request is made.
Primary account number (PAN)	Payment card number of 14 or 16 digits embossed on a bank or credit card and encoded in the card's magnetic strip. The PAN identifies the issuer of the card and the account, and includes a check digit as an authentication device.
Refund	Option to pay money back to a customer, which can be done using the API or Merchant Portal. The refund has to be referenced to the original payment and can only be up to that amount. See also Credit. Skrill enables partial or full amount refunds.
Register	Type of API call, where a request is made for a payment token from the Skrill payment platform. Skrill registers the card details and returns a payment token, which can be used for subsequent transactions with this card.
Real-time	An event that occurs instantly or within a short period, such as seconds or minutes. For a real-time transaction, the customer, merchant or Skrill receive a response to the transaction request while the customer is still online.

© Skrill 2015

Term	Explanation
Reason code	Every transaction has a reason code, which indicates the status of the transaction. Skrill receives a variety of reason codes from the Card Issuer, bank or scheme authorising the transaction and consolidates these before providing them to merchants.
Reserve	A portion of the merchant's transaction funds or balance temporarily held in their account and which cannot be withdrawn. The reserve functions to protect Skrill from costs and charges such as unpaid transactions, Chargebacks or inaccurately executed transactions.
Settlement	When funds authorised by the Card Issuer or customer's bank are transferred to the Skrill account. Depending on the type of payment method used, settlement may be between one to fourteen days or more after the transaction. Once funds are settled into the merchant's wallet, merchants can transfer the balance (minus any Reserve) from their Skrill account to their local bank account.
Transaction	Each financial interaction with the Skrill Payment Platform is referred to as a transaction. A transaction is linked to a Payment.
3D Secure	Term for cardholder authentication, offered by schemes such as Visa, MasterCard and Amex to verify the identity of a customer during an online transaction.
Skrill Digital Wallet	Skrill's Digital Wallet, enabling customers to link cards and pay directly from their wallet account using cards or bank transfer. Up to 4 payment cards and 10 bank accounts can be linked to a wallet account.
Skrill Direct	Skrill's Online Bank Transfer product, which can be used with local bank in the UK, France, Germany, Italy, Spain and Austria.
Skrill Quick Checkout	Skrill product, related to the Skrill Digital Wallet, which enables customers to bypass the Skrill registration details page and simply confirm and pay. Quick Checkout uses the eCommerce platform for processing payments.
Skrill Payment Platform	Skrill's system for the processing of eCommerce payments.
SSL	Secure socket layer. An industry standard encryption method that allows for secure transmission of data between customers and merchant sites.
Tokenization	Feature that enables repeat payments without requiring the customer to provide their card details again for subsequent payments. When the merchant submits the register request, the Skrill Payment Platform stores the customer's card details securely and generates a Payment token, which is then sent to the merchant. The merchant can use the token to take repeat payments in the future, without needing to submit the credit card or bank account details again.
Transaction	Each financial interaction with the Skrill Payment Platform is referred to as a transaction. Transactions are linked to payments.
Transaction ID	Unique ID assigned to a transaction by the Skrill Payment Platform.

© Skrill 2015

Term	Explanation
Transaction status	Each transaction on the Skrill Payment Platform is given a status. This includes: *processed, pending, temporary, scheduled, cancelled, failed, chargeback* and *successful*.
Uptime	Measure of the time a computer or service has been working and available. Uptime is the opposite of downtime. It is often used as a measure of reliability or stability.
Verified by Visa® (VbV)	Cardholder authentication method used by Visa to verify the identity of a customer during an online transaction. See also 3D Secure.
Viewpoint	Internal Skrill system used for setting up merchants on the Skrill Payment Platform. Viewpoint also provides a conduit for transaction and settlement data.
Web Payment Front-end (WPF)	The Web Payment Front-end enables merchants to connect to Skrill using a Hosted payment page where customers can enter their payment details.

Index

A
Advanced HTML form 59

C
Chargeback notification 50
Connect to Quick Checkout 5
Contact for queries 3
Currency conversion 40
Customer completes details 14
Customers who want to register for a Skrill account 37
Customers with a Skrill account 44

D
Display credit/debit card brands 27
Displaying your company logo or brand 28

E
Example HTML forms 58

F
Fixed payment methods 25
Flexible payment methods 26

I
Iframe target 29
Improving the customer experience 8
ISO country codes (3-digit) 54

M
MD5 signature 57
Merchant Query Interface 18
Merchant refunds 50
Mobile integration steps 40
Mobile Wallet logos 40
Mobile Wallet payment options and availability 39
Mobile wallet payment process 41

P
Payment page 42
Payment process steps
    Redirect to Skrill 8
    Status page 46
Pending page 44
Process for customers who are registered with Skrill 19

R
Removing the header and reducing the footer 31

S
Secure redirection method 8
Session Identifier 51
Simple HTML form 58
Skrill Quick Checkout parameters 9
Skrill status response 16

T
Test account 13
Transaction charges 40

V
Validating the status report 17