



**ISTQB®**



**Certified Tester  
Foundation Level**

# Contact Information

## Facebook

[fb.com/tarekroshdyabas](https://fb.com/tarekroshdyabas)

## Linkedin

[www.linkedin.com/in/tarekroshdy](https://www.linkedin.com/in/tarekroshdy)

## Youtube


Nezam نظام

## Facebook Group

Software Testing & Quality Assurance

## Course Reservation

01011813015



# Question 1

- Which of the following is the best example of a defect that causes harm?
  - A. A usability defect that results in user dissatisfaction
  - B. A defect that causes slow response time when running reports
  - C. A defect that causes raw sewage to be dumped into the ocean
  - D. A regression defect that causes the desktop window to display in green

# Question 1

- Which of the following is the best example of a defect that causes harm?
  - A. A usability defect that results in user dissatisfaction
  - B. A defect that causes slow response time when running reports
  - C. A defect that causes raw sewage to be dumped into the ocean
  - D. A regression defect that causes the desktop window to display in green

## **Question 2**

- **Which of the following will help prevent defects from reoccurring?**
  - A. Rotating developers to keep them motivated**
  - B. Determining the environmental conditions that caused the failure**
  - C. Improving processes based on root cause analysis**
  - D. Prioritizing reoccurring defects higher than new defects**



## Question 2

- Which of the following will help prevent defects from reoccurring?
  - A. Rotating developers to keep them motivated
  - B. Determining the environmental conditions that caused the failure
  - C. Improving processes based on root cause analysis
  - D. Prioritizing reoccurring defects higher than new defects

## Question 3

- Which testing level is primarily focused on building confidence rather than finding defects?
  - A. Unit Testing
  - B. Integration Testing
  - C. System Testing
  - D. Acceptance Testing

## Question 3

- Which testing level is primarily focused on building confidence rather than finding defects?
  - A. Unit Testing
  - B. Integration Testing
  - C. System Testing
  - D. Acceptance Testing



## **Question 4**

- **Which characteristic must a tester possess in order to be successful when working with a project team?**
  - A. Constructive Communication Skills**
  - B. Authoritarian leadership style**
  - C. Extroverted Personality**
  - D. Extensive Organizational Network**

## Question 4

- Which characteristic must a tester possess in order to be successful when working with a project team?
  - A. **Constructive Communication Skills**
  - B. Authoritarian leadership style
  - C. Extroverted Personality
  - D. Extensive Organizational Network

## **Question 5**

- **If you need to add system integration testing as a test level for a particular project, what testing level should it directly follow?**
  - A. Component**
  - B. Component Integration**
  - C. System**
  - D. Acceptance**

## Question 5

- If you need to add system integration testing as a test level for a particular project, what testing level should it directly follow?
  - A. Component
  - B. Component Integration
  - C. System
  - D. Acceptance

## **Question 6**

- **In which testing level are the developers most heavily involved?**
  - A. Compatibility**
  - B. Acceptance**
  - C. Component**
  - D. Conversion**



## Question 6

- In which testing level are the developers most heavily involved?
  - A. Compatibility
  - B. Acceptance
  - C. Component
  - D. Conversion

# Question 7

- If you are testing to ensure that the software will be easy to analyze and change, what type of non-functional testing are you conducting?
  - A. Portability
  - B. Functional
  - C. Usability
  - D. Maintainability

# Question 7

- If you are testing to ensure that the software will be easy to analyze and change, what type of non-functional testing are you conducting?
  - A. Portability
  - B. Functional
  - C. Usability
  - D. Maintainability

## Question 8

- Which of the following is an important characteristic of tests used for regression testing?
  - A. They focus on testing the intricate and difficult-to-test aspects of the software
  - B. They require significant maintenance effort for each release
  - C. They are used for one release and are then discarded to keep the test set fresh
  - D. They are reusable for multiple releases with little maintenance

## Question 8

- Which of the following is an important characteristic of tests used for regression testing?
  - A. They focus on testing the intricate and difficult-to-test aspects of the software
  - B. They require significant maintenance effort for each release
  - C. They are used for one release and are then discarded to keep the test set fresh
  - D. They are reusable for multiple releases with little maintenance



## **Question 9**

- **Which of the following is a trigger for maintenance testing?**
  - A. A new software product is being developed and defects have been found in unit testing**
  - B. A new software product is being developed and will work across multiple platforms**
  - C. A component of an existing production software product has been removed**
  - D. A component of an existing production software product has received high usage**

## Question 9

- Which of the following is a trigger for maintenance testing?
  - A. A new software product is being developed and defects have been found in unit testing
  - B. A new software product is being developed and will work across multiple platforms
  - C. A component of an existing production software product has been removed
  - D. A component of an existing production software product has received high usage

## **Question 10**

- **Which of the following is an effective method for finding defects early in the software lifecycle?**
  - A. Static Analysis**
  - B. System Testing**
  - C. User Acceptance Testing**
  - D. Implementation Validation Testing**

## Question 10

- Which of the following is an effective method for finding defects early in the software lifecycle?
  - A. Static Analysis
  - B. System Testing
  - C. User Acceptance Testing
  - D. Implementation Validation Testing

# Question 11

- If a review is being led by the author of the document, what type of review is it?
  - A. Inspection
  - B. Technical Review
  - C. Walkthrough
  - D. Informal



# Question 11

- If a review is being led by the author of the document, what type of review is it?
  - A. Inspection
  - B. Technical Review
  - C. Walkthrough
  - D. Informal

## **Question 12**

- **Which of the following is a key factor in the success of a work product review?**
  - A. Limit the number of defects found**
  - B. Define the objectives**
  - C. Couple it to performance reviews**
  - D. Open invitation**

## Question 12

- Which of the following is a key factor in the success of a work product review?
  - A. Limit the number of defects found
  - B. Define the objectives**
  - C. Couple it to performance reviews
  - D. Open invitation

## **Question 13**

- **When should the expected results of a test case be defined?**
  - A. When the test case is written, prior to execution**
  - B. When the test case is executed**
  - C. When the risk is assessed**
  - D. When the test condition is identified**

## Question 13

- When should the expected results of a test case be defined?
  - A. When the test case is written, prior to execution
  - B. When the test case is executed
  - C. When the risk is assessed
  - D. When the test condition is identified



## Question 14

- Which of the following black-box testing techniques focuses on covering all combinations of triggering conditions?
  - A. State transition testing
  - B. Equivalence partitioning
  - C. Boundary value analysis
  - D. Decision table testing

## Question 14

- Which of the following black-box testing techniques focuses on covering all combinations of triggering conditions?
  - A. State transition testing
  - B. Equivalence partitioning
  - C. Boundary value analysis
  - D. Decision table testing

# Question 15

- What do use cases describe?

- A. Process flows

- B. Data flows

- C. Control flows

- D. Code flows

# Question 15

- What do use cases describe?

**A. Process flows**

B. Data flows

C. Control flows

D. Code flows

## Question 16

- If you are using a testing technique to identify test cases that were missed when you applied formal testing techniques, what type of test design are you doing?
  - A. Experience-based
  - B. Informal
  - C. Defect-based
  - D. Ad hoc



## Question 16

- If you are using a testing technique to identify test cases that were missed when you applied formal testing techniques, what type of test design are you doing?
  - A. Experience-based
  - B. Informal
  - C. Defect-based
  - D. Ad hoc

## Question 17

- If you need to attain a certain level of code coverage for a particular software product your team is testing, what type of testing should you use?
  - A. Specification-based
  - B. Structure-based
  - C. Experience-based
  - D. Defect-based

## Question 17

- If you need to attain a certain level of code coverage for a particular software product your team is testing, what type of testing should you use?
  - A. Specification-based
  - B. Structure-based**
  - C. Experience-based
  - D. Defect-based

## **Question 18**

- **Which of the following tasks is most typical for a tester ?**
  - A. Coordinate the testing strategy with project managers**
  - B. Determine what tests should be automated**
  - C. Acquire and prepare data to be used for testing**
  - D. Use test results to guide future planning**

## Question 18

- Which of the following tasks is most typical for a tester ?
  - A. Coordinate the testing strategy with project managers
  - B. Determine what tests should be automated
  - C. Acquire and prepare data to be used for testing
  - D. Use test results to guide future planning



## **Question 19**

- **At what point in the project should the test execution be scheduled?**
  - A. During test planning**
  - B. During test analysis and design**
  - C. During test implementation**
  - D. During test execution**

## Question 19

- At what point in the project should the test execution be scheduled?
  - A. During test planning
  - B. During test analysis and design
  - C. During test implementation
  - D. During test execution

## **Question 20**

- Which of the following should include the scheduling of test analysis?
  - A. Test Approach
  - B. Test Strategy
  - C. Test Planning
  - D. Test Estimation

## Question 20

- Which of the following should include the scheduling of test analysis?

A. Test Approach

B. Test Strategy

C. Test Planning

D. Test Estimation

## **Question 21**

- If the project is using highly skilled and experienced developers, what is affected by this factor?
  - A. The test strategy
  - B. The test estimate
  - C. The test reporting
  - D. The test automation



## Question 21

- If the project is using highly skilled and experienced developers, what is affected by this factor?

A. The test strategy

**B. The test estimate**

C. The test reporting

D. The test automation

## Question 22

- Which of the following test estimation approaches is based on typical values?
  - A. Risk-based
  - B. Value-based
  - C. Expert-based
  - D. Metrics-based

## Question 22

- Which of the following test estimation approaches is based on typical values?
  - A. Risk-based
  - B. Value-based
  - C. Expert-based
  - D. Metrics-based

## **Question 23**

- **For what level of testing is the following criterion appropriate? No priority 1, 2, or 3 defects are open and all priority 4 defects must have a documented workaround and are accepted by the business.**
  - A. Exit from unit criteria**
  - B. Entrance to integration testing**
  - C. Exit from integration testing**
  - D. Exit from system testing**

## Question 23

- For what level of testing is the following criterion appropriate? No priority 1, 2, or 3 defects are open and all priority 4 defects must have a documented workaround and are accepted by the business.
  - A. Exit from unit criteria
  - B. Entrance to integration testing
  - C. Exit from integration testing
  - D. Exit from system testing



## **Question 24**

- **If you want to track all changes to versions of your testware, what should you implement?**
  - A. Tracker control**
  - B. Configuration management**
  - C. Test control**
  - D. Test reporting**

## Question 24

- If you want to track all changes to versions of your testware, what should you implement?
  - A. Tracker control
  - B. Configuration management**
  - C. Test control
  - D. Test reporting

## **Question 25**

- **Which of the following is a risk that could threaten the project's objectives?**
  - A. The software fails to detect the selection of an invalid workflow path by a user with restricted rights**
  - B. A data conversion is failing because of an unexpected data format**
  - C. The test environment is not ready**
  - D. There are several usability issues in the software**

## Question 25

- Which of the following is a risk that could threaten the project's objectives?
  - A. The software fails to detect the selection of an invalid workflow path by a user with restricted rights
  - B. A data conversion is failing because of an unexpected data format
  - C. The test environment is not ready
  - D. There are several usability issues in the software

## **Question 26**

- **What can a risk-based approach to testing help identify?**
  - A. Levels of system access to provide to testers**
  - B. Appropriate testing techniques to use on the system**
  - C. Role of the test lead for the project**
  - D. Responsibility for failures that occur in production**



## Question 26

- What can a risk-based approach to testing help identify?
  - A. Levels of system access to provide to testers
  - B. Appropriate testing techniques to use on the system**
  - C. Role of the test lead for the project
  - D. Responsibility for failures that occur in production

## **Question 27**

- In an incident report, what is another attribute that can be used to indicate the priority of the incident?
  - A. Severity
  - B. Risk
  - C. Urgency
  - D. Impact

## Question 27

- In an incident report, what is another attribute that can be used to indicate the priority of the incident?
  - A. Severity
  - B. Risk
  - C. Urgency
  - D. Impact

## **Question 28**

- **Which of the following tools would be most appropriate for managing defects throughout the software lifecycle?**
- 
- A. Configuration management tools**
  - B. Requirements management tools**
  - C. Failure management tools**
  - D. Incident management tools**

## Question 28

- Which of the following tools would be most appropriate for managing defects throughout the software lifecycle?
  - A. Configuration management tools
  - B. Requirements management tools
  - C. Failure management tools
  - D. Incident management tools