UI SPECIFICATION & DESIGN SYSTEM MANUAL

Bauhaus Profile

The complete visual and interaction system for **ahmadrashad1/AhmadRashad-profile** — replacing the clay build end to end, component for component.

AHMAD RASHAD / REVISION 01 / 25 PAGES

CONTENTS

What's in here

PART A — FOUNDATIONS

03	Intent & what it replaces
04	Principles
05	Color — the triad
06	Color application rules
07	Typography — the scale
08	Typography rules
09	Grid & spacing
10	Shape vocabulary
11	Rule weight & offset depth

PART B — COMPONENTS

12	Buttons
13	Cards
14	Chips, labels & stats
15	Dialogs & bottom sheets
16	Header & navigation
17	Slideshow & media
18	Characters
19	Motion

PART C — APPLICATION

20	Layout — home
21	Layout — work
22	Responsive
23	Accessibility
24	Migration map
25	Do & don't

> Every page in this document is rendered in the system it describes. If a rule here can't be seen on these pages, it isn't a rule yet.

01 — INTENT

Why this replaces the clay

The current site is claymorphic: pillowy, rounded, warm-lit, every surface raised off a sage tabletop. It is well built and it is not wrong. It is simply a different argument than the one this system makes.

THE ARGUMENT

Claymorphism says **touch this**. Bauhaus says **this was constructed**. For a developer portfolio read by recruiters in seconds, the second claim is the stronger one: it reads as engineering rather than decoration, and it survives being screenshotted, scaled down, and skimmed.

The inversion is total and deliberate. Soft becomes hard. Raised becomes flat. Implied light becomes printed ink. Floating becomes gridded. Nothing is kept because it was expensive to build.

WHAT SURVIVES

Three things carry over, because they are identity rather than styling: the **bird**, the **floating field** behind the hero, and the **avatar**. Each is rebuilt from the shape vocabulary on page 10 rather than redrawn soft. See page 18.


INVERSION TABLE

CLAY	BAUHAUS
32px radii	0, or one 100% arc
Dual soft shadow	Hard offset block
Sage + terracotta	Cream + R/B/Y
Baloo 2 rounded	Jost geometric
Blobs drift free	Tiles lock to grid
Tinted shadows	Black rules

Anti-goal. A Bauhaus skin bolted onto clay geometry — square corners with the soft shadows left in — is worse than either system alone. If the shadows survive, the work failed.

02 — PRINCIPLES

Five rules that settle arguments



Six tiles, one grid, three colors, no gradients. The whole system is visible in this square.

01 — STRUCTURE IS THE DECORATION

Ornament is never applied on top. A page is decorated by making its grid, its rules and its blocks visible. If you are adding a shape to fill a gap, the layout is wrong.

02 — COLOR CARRIES MEANING, NEVER MOOD

Red is action. Blue is information and links. Yellow is attention and warning. A shape is colored because of what it does, not because the corner looked empty.

03 — DEPTH COMES FROM OFFSET, NOT BLUR

There are no soft shadows in this system. Where something must sit above something else, it is offset by a hard black block. See page 11.

04 — GEOMETRY IS PRIMITIVE, NEVER CUSTOM

Square, circle, half-circle, quarter-circle, right triangle. Every illustration in the product is assembled from these five. No bespoke curves.

05 — ONE SCREEN, ONE ACTION


Carried over unchanged from the current product: every view has exactly one primary next step, and only that step wears red.


03 — COLOR

The triad on paper

Three saturated colors, one near-black, one warm paper. Nothing else. No tints, no 50-step ramps, no opacity variants — if a value is not in this table it is not in the system.









	TOKEN	HEX	ROLE	TEXT ON IT	CONTRAST
	`--bq-red`	`#CE4435`	Primary action, the one CTA per view, live/error state	`#FFFFFF`	`4.6:1`
	`--bq-blue`	`#1E4FA1`	Links, informational fills, section-break block, focus ring	`#FFFFFF`	`8.1:1`
	`--bq-yellow`	`#E9A92F`	Attention, highlight bar, warning. Never carries white text	`#15161A`	`9.4:1`
	`--bq-ink`	`#15161A`	All body text, every rule, every border	`#EFE7D7`	`15.6:1`
	`--bq-ink-soft`	`#5A564E`	Secondary text, metadata, running heads. Body copy never uses it	—	`6.2:1`
	`--bq-paper`	`#EFE7D7`	The page. The one environmental surface	`#15161A`	`15.6:1`
	`--bq-paper-lift`	`#F7F2E7`	Card interiors and demo wells — lighter, never shadowed	`#15161A`	`17.1:1`
	`--bq-paper-deep`	`#E2D7C2`	Inset fields, code spans, table zebra if ever needed	`#15161A`	`13.4:1`

Contrast figures are against the stated text color and all clear WCAG AA for body text. Red on paper as *text* is `3.4:1` — large text and headings only, never a paragraph.

03.1 — APPLICATION

Where each color is allowed

RED — ACTION

Exactly one red element per viewport. It is the thing you want pressed.

- Primary button fill
- The live/online dot
- Destructive confirm
- Section kickers (type only)

Never: two red buttons on one screen; red body copy; red as a large background field.

BLUE — INFORMATION

Blue is the reading color. It never competes with red for the click.

- Every text link
- Focus ring (3px, offset 2px)
- Section-break blocks
- Icon chips and secondary fills

Never: blue on a primary CTA; blue and red touching edge to edge without a black rule between.

YELLOW — ATTENTION

The smallest-area color. Yellow is a highlighter, not a surface.

- Callout left bar
- Current-slide dot
- Warning / rate-limit state
- One accent tile per motif band

Never: white text on yellow; yellow as a page background; yellow for a link.

DO

Separate two color fields with a black rule of at least 4px.

Let paper be the dominant area — color is roughly 15% of any screen.

Use ink for every border, regardless of the fill it surrounds.

DON'T

Tint, shade or fade any triad color — there is no `red-400`.

Use color to indicate elevation; that is what offset is for.

Introduce a fourth hue for "just this one chart".

04 — TYPOGRAPHY

Jost, and one monospace

Jost is a Futura derivative — the geometric sans drawn in 1927, contemporary with the Bauhaus itself. One family does display and body; IBM Plex Mono carries anything that is a value rather than a sentence.

Ahmad Rashad

display / 800 / -0.04em — hero name only

Selected work.

h1 / 700 / -0.025em

In production

h2 / 600 / -0.015em

Body copy sets at 400. Long passages stay light enough to read at a glance on a phone without the geometric face turning into a wall.

body / 400 / 1.5

ENGINES IT DRIVES

label / mono 600 / +0.14em / uppercase

SCALE

STEP	SIZE	WT
display	clamp(2.5,5vw,4.5rem)	800
h1	2.25rem	700
h2	1.5rem	600
h3	1.125rem	600
body	1rem	400
small	0.875rem	400
label	0.75rem	600
value	0.8125rem	400

label and **value** are IBM Plex Mono. Everything else is Jost.

04.1 — TYPE RULES

How the two faces divide the work

THE DIVISION

Jost writes sentences. **IBM Plex Mono** writes values: domains, token names, stack chips, stat counts, credentials, dates, page numbers, every uppercase label.

The test: if you would read it aloud as a phrase, it is Jost. If you would spell it out character by character, it is mono.

MEASURE & RHYTHM

- Body measure caps at `68ch`.
- Body line-height `1.5`; headings `1.05`.
- `text-wrap: balance` on every heading — carried over from the clay build.
- Paragraph spacing is one `--s3` step, never a blank line.

TRACKING

CONTEXT	TRACKING
Display & h1	`-0.035em to -0.025em`
h2 / h3	`-0.015em`
Body	`0`
Mono labels (caps)	`+0.14em to +0.22em`

Geometric faces get loose at display size and crowded in caps — negative tracking above, positive in caps, nothing in between.

DO

Set section labels in mono caps, as on page 06.

Let headings run long and wrap — balance handles it.

DON'T

Set a heading in mono because it "looks technical".


Use italics. This system has none.

Center body copy. Headings may center; paragraphs never.

05 — GRID & SPACING


Twelve columns, eight points

THE COLUMN GRID



12 columns, 24px gutter, container `min(1100px, 100%)` — the container value carries over from the clay build unchanged. Content spans 12 / 8 / 6 / 4 / 3. No arbitrary widths.

EVERYTHING SITS ON AN 8PT STEP



SPACING TOKENS

TOKEN	PX	USED FOR
--bq-1	8	Icon gap
--bq-2	16	Inside chips
--bq-3	24	Card padding, gutter
--bq-4	32	Between cards
--bq-5	48	Inside sections
--bq-6	64	Heading to content
--bq-7	96	Between sections

The clay build already runs a 4pt base with the same ceiling. Token names change; the rhythm does not, so the migration does not reflow the page.

06 — SHAPE VOCABULARY

Five primitives, nothing else

Every illustration, icon, avatar and decorative tile in the product is assembled from these five forms at a single tile size. There are no bespoke paths and no imported icon sets with their own geometry.



ROTATION IS THE ONLY TRANSFORM


Each primitive exists in four rotations — `0` / `90` / `180` / `270`. Nothing is scaled non-uniformly, skewed, or rotated off a right angle. A quarter-circle is always a true quarter of a true circle.

In CSS they are pure `border-radius` and `clip-path` on a square box — no SVG required for any of the five.

COMPOSITION

Tiles combine on a square lattice at one of three sizes: `64` / `96` / `128px`. Adjacent tiles may share a color; adjacent tiles may *not* form an accidental third shape that reads as a letter or a face — check every band at thumbnail size.

TILE LATTICE



Roughly one in four cells stays paper. A fully packed band reads as noise at mobile width.

07 — RULE WEIGHT & DEPTH

Offset replaces shadow

The clay build carries a dual soft shadow on every surface, hue-matched to the background. All of it is deleted. Depth in this system is a hard black block offset behind the element — printable, scalable, and honest about being flat.

RULE WEIGHTS

TOKEN	PX	WHERE
`--bq-rule-hair`	1	Table row divider only
`--bq-rule-thin`	2	Chips, inputs, small blocks
`--bq-rule-mid`	4	Cards, buttons, the default
`--bq-rule-bold`	8	Section rules, callout bars

Every rule is `--bq-ink`. A colored border does not exist in this system; color goes in the fill.

OFFSET DEPTH

Two levels, and only two. Resting elements sit flat on the page. Elements that can be pressed carry `4px` of offset. Elements floating above the page — dialogs, sheets — carry `8px`. Pressing animates the element *into* its own offset.

THE THREE STATES

Flat — resting

`box-shadow: none`

Raised — pressable

`box-shadow: 4px 4px 0 ink`


Floating — dialog

`box-shadow: 8px 8px 0 ink`

The one-line test for a correct migration: search the stylesheet for `blur` and for any `box-shadow` whose third value is not `0`. Both searches must return nothing.

08 — BUTTONS

Three variants, four states



STATES

STATE	CHANGE	DURATION
Rest	`4px 4px 0 ink`	—
Hover	`6px 6px 0 ink, translate(-2px,-2px)`	`120ms`
Active	`0 0 0 ink, translate(4px,4px)`	`60ms`
Focus	`outline 3px blue, offset 2px`	instant
Disabled	`opacity .4, no offset, no pointer`	—

Active moves the button exactly as far as its own offset, so it lands flush with the page — the Bauhaus equivalent of the clay build's inset press.

GEOMETRY


PROPERTY	VALUE
Radius	`0`
Border	`4px solid ink`
Padding	`12px 28px`
Min height	`48px`
Font	`Jost 600 / 1rem`
Icon gap	`8px`
Icon size	`1.1em`

Primary = red fill, white label. **Secondary** = paper fill, ink label. **Icon** = 44×44 square, blue fill, white glyph.

The pill shape is gone. `--radius-pill` has no counterpart here and should be deleted rather than mapped.

09 — CARDS

One card, three fills



Frontend tile

GROGGYBEANS.COM ↗

ACRM

CONTROL PLANE

Multi-tenant product. Console, Floor and Exchange seats.

NESTJS ECS

weZero Dialer

ENGINE — RECESSED

Subordinate card. Deeper paper, no offset.

ELIXIR

THE THREE FILLS

FILL	MEANS
paper	Default card
paper-deep	Subordinate — replaces .clay-sunken
blue / red	Feature card, white text, media only

Hierarchy is carried by fill and offset, never by size or radius.

ANATOMY

PART	SPEC
Border	4px solid ink, radius 0
Media	aspect-ratio 8/5, object-fit cover, 4px bottom rule
Padding	24px
Title	Jost 600 / 1.125rem
Meta	Plex Mono 400 / 0.8125rem / ink-soft
Hover	offset 4px → 6px, translate(−2px,−2px)

The whole card surface is the link, as in the current build. The media sits flush to the border — no inset, no rounded photo corners, no padding between image and rule.

10 — CHIPS, LABELS & STATS

The small type

NESTJS REACT ROUTER V7 STARRED LIVE

CHIP

PROPERTY	VALUE
Shape	`rectangle, radius 0`
Border	`2px solid ink`
Padding	`4px 10px`
Font	`Plex Mono 600 / 0.75rem / +0.1em / caps`
Fills	`paper · yellow · blue(white text)`

Inside a `paper-deep` card, a chip takes `paper-lift` so it stays legible — the same contrast problem the clay build hit with sunken cards, solved the same way.

SECTION LABEL

MERIDIAN & CO — PLATFORM

Mono 600, caps, `+0.18em`, `ink-soft`. Sits `16px` above the block it names. This replaces `.prod-label` one-for-one.

STAT & LANGUAGE DOT

★ 128 ⑂ 14 TypeScript

The language dot becomes a **square**. It is the one place GitHub's own colors are allowed into the palette, because they carry external meaning — they are data, not decoration.


> Chips never wrap mid-token and never truncate with an ellipsis. If a stack list is too long for the card, drop chips from the end rather than shrinking them.

11 — DIALOGS & BOTTOM SHEETS

Two sheets, kept as built

The contact sheet and the mobile project sheet keep their entire mechanism — native `<dialog>`, top-layer rendering, focus trap, drag-to-dismiss, `allow-discrete` on both `display` and `overlay`. Only the skin changes.

SHEET — RESTYLED



WHAT CHANGES


PART	CLAY	BAUHAUS
Panel corners	44px top radius	0
Panel edge	soft shadow	4px ink + 8px offset
Backdrop	dimmed blur	ink @ 55%, no blur
Drag handle	rounded pill	64×6px ink bar, radius 0
Close	circular icon btn	44px square, red fill

Do not touch the JS. The bird's landing offset is driven by `--sheet-panel-height`, measured from `sheetPanel.offsetHeight` after `showModal()`, because the CSS `max-height` is a ceiling rather than the real height. Squaring the corners changes the panel's height slightly — re-check the bird's overlap at every breakpoint listed on page 22 after the restyle, by measured rect, not by eye.

Entrance choreography, the two-phase rise, the 110px dismiss threshold and the `close`-event transform reset all carry over untouched.

12 — HEADER & NAVIGATION

A rule, not a floating bar



The header is a flat band terminated by an 8px ink rule. It does not float, does not blur its backdrop, and gains no shadow on scroll — the rule alone separates it from the page.

SPEC

PROPERTY	VALUE
Height	72px desktop / 60px mobile
Position	sticky, top 0
Background	paper-lift, opaque
Bottom rule	8px solid ink
Back arrow	triangle primitive, red, 16px
Scroll change	none

The back arrow is the triangle primitive rotated, not an icon-font glyph or an imported chevron. Same for the external-link mark: a square with a triangle notched out.

DON'T

Add a shadow or blur when the page scrolls.

Shrink the header on scroll — height is fixed.

Use a hamburger. Two items do not need a menu.

13 — SLIDESHOW & MEDIA

Screenshots in a frame



The frame is a 4px ink border with no radius and no inset. The "View Live" badge is a red rectangle flush into the top-right corner — it does not float with a margin, and it does not round.

CARRIED OVER

- Crossfade on `opacity`, `--dur-slow`
- Dots generated from slide count in JS, never hardcoded
- `data-autoplay` on the container, 2000ms
- Pause on hover, focus, and out-of-view
- `prefers-reduced-motion` disables autoplay; dots still work
- Track is an `<a>`; dots are a sibling, never a descendant

CHANGED

PART	NEW
Dot — idle	`8×8 paper square`
Dot — active	`16×8 yellow bar`
Hover zoom	`removed`
Badge radius	`0`


Image treatment. Product screenshots stay in full color — they are evidence. Decorative or portrait photography is duotoned to ink + one triad color, following reference board 1, so photography never introduces a fourth hue.

14 — CHARACTERS

The bird, the field, the avatar

These three survive the rewrite because they are the only parts of the site a visitor remembers. Each is rebuilt from the five primitives — constructed, not redrawn soft.


THE BIRD



Circle body, half-circle wing, triangle beak, quarter-circle tail. The wing is the only animated part: it rotates about its flat edge between `0°` and `−38°`.

Scroll-velocity flap mapping is unchanged: `420ms` idle down to `90ms` at speed, easing back `200ms` after scrolling stops.


THE FLOATING FIELD



The three drifting clay blobs and four icon chips become one field of primitives in the hero margins.

Critical change: tiles do not drift freely. They translate along one axis only, by at most `8px`, on an `8s` loop — they must still read as locked to the grid.

THE AVATAR



A square portrait field, not a blob. Hair is a half-circle, eyes are circles, shoulders are a half-circle.

Removed: the pointer-driven `rotateX/rotateY` tilt and the moving highlight. A flat system cannot fake dimension and should not try.

15 — MOTION

Mechanical, not springy

Clay motion overshoots and settles, because clay is soft. Constructed things slide and stop. Every easing in the system is linear or a sharp ease-out — nothing bounces, nothing wobbles.

MOTION	PROPERTY	DURATION	EASING
Button hover	`translate + shadow`	`120ms`	`ease-out`
Button press	`translate`	`60ms`	`linear`
Card hover	`translate + shadow`	`140ms`	`ease-out`
Card reveal	`opacity + translate 24px`	`400ms`	`cubic-bezier(.2,0,0,1)`
Reveal stagger	`per card index`	`60ms`	—
Sheet rise	`translateY`	`320ms`	`cubic-bezier(.2,0,0,1)`
Slide crossfade	`opacity`	`420ms`	`ease`
Wing flap	`rotate 0 → -38°`	`90–420ms`	`ease-in-out`
Field drift	`translate ≤8px, one axis`	`8s`	`ease-in-out`

Card reveal keeps the current build's trick of animating `translate` rather than `transform`, so the finished animation's `forwards` fill does not swallow the hover lift.


BANNED

- Spring and bounce easings
- Scale on hover
- Blur transitions
- Parallax
- Rotation off a right angle
- Anything over `450ms` except the drift loop

`prefers-reduced-motion`: drift and flap stop entirely, reveals become instant, the sheet appears without rising. The bird is `display:none`, exactly as today — skipped outright rather than left to flash past a 0.01ms override.

16 — LAYOUT

index.html — one locked screen



UNCHANGED

Still a locked single viewport — `body.single-screen { height:100dvh; overflow:hidden }`. No page scroll at any tested size. The `max-height: 760px` fallback still compacts sizes and drops the tagline.


CHANGED

ELEMENT	BECOMES
Photo blob	Square portrait, 4px ink border
Blob field	Two tile columns, page edges
Icon chips	Absorbed into the tile columns
Eyebrow role	Mono caps, red, `+0.18em`
Pill CTAs	Square, 4px border, 4px offset

> The tile columns replace the `1440px` / `760px` visibility cutoffs with a simpler rule: they narrow to one column under `1024px` and disappear under `640px`, where the hero needs the full width.

16.1 — LAYOUT

work.html — the scrolling page



SECTION ORDER — UNCHANGED

#	SECTION	TREATMENT
1	Selected work. (intro)	h1, no bottom pad
2	In production	Frontend grid leads, then divider, then platform
3	Featured projects ×3	Zigzag at ≥860px
4	Starred on GitHub	`auto-fit minmax(280px,1fr)`

SECTION SEPARATORS

Sections are divided by an `8px` ink rule spanning the container, not by whitespace alone. The `.frontend-divider` hairline becomes a `4px` rule.

> The featured-project zigzag keeps its DOM order `[media, info]` so the mobile stack stays consistent, with `order` doing the desktop flip — scoped to ≥`860px` only, exactly as now.

17 — RESPONSIVE

The breakpoints that already exist

The clay build runs eight breakpoints, several of them keyed to viewport *height* rather than width. They are load-bearing and they stay — restyling must not quietly collapse them into a tidy three-tier set.

QUERY	GOVERNS	BAUHAUS CHANGE
`min-width: 860px`	Featured-project zigzag becomes 2-col	None
`max-width: 1439px`	Scroll bird hidden — no left margin	None
`max-width: 1439px, max-height: 760px`	Hero icon field hidden	Tile columns narrow to one, then hide at 640px
`max-width: 640px`	Project sheets become modal; section padding drops	Offset depth drops 4px → 2px below 640
`max-width: 600px and min-height: 600px`	Tall phones get a 2-icon hero layout	Two tiles instead of two icons
`max-height: 760px`	Hero compacts, tagline drops, sheet padding shrinks	None
`pointer: coarse`	Hover affordances suppressed	Offset stays at rest value; no hover lift
`prefers-reduced-motion`	All motion fallbacks	See page 19

Height queries are not decoration. The hero is a locked viewport; a laptop at `1440×720` clips without the `max-height` rules. Test landscape phones explicitly — they have side margin and no vertical slack, the opposite shape from portrait, and are deliberately excluded from the tall-phone tier.

Rule weights scale down. Below `640px`, `--bq-rule-bold` drops 8px → 6px and `--bq-rule-mid` 4px → 3px. At phone width an 8px border eats the content area; the grid should look the same weight relative to the screen, not absolutely.

18 — ACCESSIBILITY

What flat buys, and what it costs

WHAT IT BUYS

- Every border is ink on paper — 15.6:1. Component edges are unmissable.
- No shadow means no low-contrast surface boundary, the usual neumorphism failure.
- Hard offsets survive Windows High Contrast Mode, which strips box-shadow blur.

WHAT IT COSTS

- Red on paper is 3.4:1 — large text only, never a paragraph, never a caption.
- Red and blue at equal weight are hard for deuteranopia: never pair them as the sole difference between two states. Shape or label must also differ.
- Flat removes the depth cue for "pressable". The 4px offset is doing that job alone, so it may never be dropped for aesthetics.

REQUIREMENTS

AREA	REQUIREMENT
Focus	3px blue outline, 2px offset, radius 0, on every interactive element
Target size	≥44×44px
Motion	Full prefers-reduced-motion path
Decoration	Every tile and character aria-hidden="true"
Dialogs	Native <dialog> — focus trap, Escape, focus return
Images	Alt text describes the screen, not "screenshot"
Contrast	WCAG AA minimum, verified per combination

Focus rings are **square**. The clay build sets a border-radius on :focus-visible to match rounded components — that declaration must be removed, or every focus ring in the new system renders with soft corners against hard ones.

19 — MIGRATION MAP

Every existing class, accounted for

CURRENT	BECOMES
`.clay`	Border + optional 4px offset
`.clay-sunken`	`paper-deep` fill, no offset
`.btn-primary`	Red fill, square, 4px offset
`.btn-secondary`	Paper fill, square, 4px offset
`.icon-btn`	44px blue square
`.photo-blob-frame`	Square portrait frame
`.photo-glow`	**Delete**
`.blob-field / .blob-1..3`	Tile columns (page 18)
`.icon-field / .floating-icon`	Absorbed into tile columns
`.repo-card`	Card, paper fill
`.lang-dot`	Square, GitHub color retained
`.live-card / .frontend-card`	Card with media
`.engine-card`	Card, `paper-deep`

CURRENT	BECOMES
`.live-chip / .project-tag`	Chip (page 14)
`.prod-label`	Section label, mono caps
`.starred-tag`	Yellow-fill chip
`.sheet-panel`	Square panel, 8px offset
`.sheet-drag-handle`	64×6px ink bar
`.project-sheet`	Same mechanism, square skin
`.slideshow-visit-hint`	Red corner rectangle
`.slideshow-dots`	Squares; active = yellow bar
`.contact-bird / .work-bird`	Constructed bird (page 18)
`.email-pill`	Square field, mono value
`.demo-credentials`	`paper-deep` inset field
`--radius-sm..xl, --radius-pill`	**Delete all**
`--clay-dark / -soft / -light`	**Delete all**

Order of work. Tokens first — swapping the custom properties alone will make the site look broken but structurally correct, which is the point. Then primitives (`.clay`, buttons, chips), then components, then the characters, and the hero last, because it is the only locked-viewport layout and the most sensitive to every preceding change.

20 — DO & DON'T

The page to re-read before shipping

DO

Let the grid show. Visible structure is the decoration; a rule is never apologised for.

Keep paper dominant. Color covers roughly 15% of any screen.

Build illustrations from the five primitives, at right angles only.

Use offset for depth, at exactly 4px or 8px.

Set values in mono, sentences in Jost.

Keep one red element per viewport, and make it the thing you want pressed.

Preserve every dialog mechanism — only the skin was in scope.

Re-measure the bird's sheet overlap after restyling, by rect, at each breakpoint.

DON'T

Don't leave a blurred shadow anywhere. One survivor undoes the system.

Don't round a corner — not on a focus ring, a badge, an avatar, or a dot.

Don't tint a triad color. There is no lighter red.

Don't add a fourth hue for a chart, a tag, or a state.

Don't fill a gap with a shape. If the corner looks empty, fix the layout.

Don't bounce. Constructed things slide and stop.

Don't collapse the height-based breakpoints into a tidy width-only set.

Don't centre body copy. Headings may; paragraphs never.