This guide walks through each connected service, one at a time:

1. What it does in your roofing CRM
2. How to create the account
3. Where to find the keys
4. What to copy and send to your developer

You do not paste keys into the CRM screens. After you collect them, your developer puts them on the server. Then you click Connect in the CRM where this guide says so.

Contents

1. Google Calendar (#1-google-calendar)
2. Email (Mailgun + inbound) (#2-email-mailgun--inbound-parse)
3. QuickBooks Online (UK) (#3-quickbooks-online-uk)
4. WhatsApp Business (#4-whatsapp-business-meta-cloud-api)
5. Facebook Page (#5-facebook-page-messenger--lead-ads)
6. AI scheduling assistant (#6-ai--scheduling-assistant)
7. Phone & SMS (Twilio) (#7-phone--sms-capture-twilio--optional)
8. After keys are saved (#after-your-developer-has-saved-the-keys)
9. Copy-and-send checklist (#copy-and-send-checklist)

Please read before starting

Please create or sign in to the company accounts, copy the details listed below, and complete the Connect steps when your developer asks you to. They will place the keys on the server.

Important:

- Some services need paid plans, business verification, or provider approval before they work with real customers. A test setup is not automatically live.
- Please do not switch a test integration (sandbox / Testing mode) to production until your developer confirms it is ready.
- Please never send passwords, API keys or access tokens in WhatsApp, SMS, or ordinary email, and never send a screenshot that shows a secret. A password manager (1Password, Bitwarden, or similar) is the safest way to share them. Please send only the credentials they asked for.
- If a screen does not match these instructions, please pause and ask your developer — provider menus change often.
- Before using an integration with customers, please ask your developer to complete a test and confirm it is working.

Until a service is fully connected, the CRM still runs. Email, calendar, QuickBooks, Facebook and phone capture stay in Simulated mode (they log what would have been sent, but do not send for real). WhatsApp is different: sending a quote on WhatsApp shows an error until the token, phone ID and (usually) templates are in place. The rest of the CRM is unaffected.

Need help? Google, Meta and Mailgun update their dashboards regularly. If you would like a hand with any step, please ask your developer or IT contact to join a short screen-share.

Before you start, ask your developer for:

- Your live CRM website address with HTTPS, for example https://crm.yourcompany.co.uk

In this guide that is written as YOUR_CRM_URL. Production Google, Meta, Mailgun and Twilio cannot use localhost.

- How they want secrets delivered (password manager is best).

Two phases

1. Account setup and approval (you): create accounts, verify the business where asked, copy Client IDs and similar non-secret labels, and send secrets only through the agreed secure method.
2. Technical setup and testing (developer, then you): they save credentials on the server, register webhook and callback URLs, handle OAuth, and confirm production access. You then click Connect only where they say so.

The callback and webhook addresses in this guide match this CRM (/api/integrations/... and /api/webhooks/...). Your developer still registers the exact HTTPS URLs in each provider dashboard. Please use only the URLs they confirm.

If a screen name at Google, Intuit, Meta, Mailgun or Twilio has changed slightly, look for the same words (API keys, Redirect URI, Webhooks, Phone numbers). At Google, that may now sit under Google Auth Platform instead of APIs & Services — the Client ID and Client Secret fields are still the same.

---

1. Google Calendar

What it does: Site visits, jobs, holidays and tasks from the CRM appear on a Paul Douglas Roofing calendar inside each office user's Google account. Each person connects their own Google account from Profile after the company keys are on the server. Create and edit in the CRM; nothing is sent until that person has connected.

What you need: a Google account (Workspace or personal Gmail).

Google's console changes often. You may see the classic path APIs & Services, or the newer Google Auth Platform (sometimes Google Auth Platform !' Clients). Either is fine. Look for Client ID and Client Secret — those names stay the same. If the menus differ, please ask your developer to join a short screen-share.

A. Create a Google Cloud project

1. Open https://console.cloud.google.com and sign in.
2. At the top, open the project picker (it may say "Select a project").
3. Click New project.
4. Name it something clear, for example Paul Douglas Roofing CRM.
5. Click Create, then select that project.

B. Turn on the Calendar API

1. In the left menu open APIs & Services !' Library.
2. Search for Google Calendar API.
3. Open it and click Enable.

C. Fill in the OAuth consent screen (the "this app wants Calendar" page)

1. Go to APIs & Services !' OAuth consent screen (or Google Auth Platform !' Branding / Audience / Data access — same job: the page customers see when they allow Calendar).
2. Choose External (unless you only use Google Workspace users in your company domain, in which case Internal is fine).
3. App name: your company name.
4. User support email: your office email.
5. Developer contact: the same email.
6. Save.

7. On Scopes, click Add or remove scopes. Add:

```
- `https://www.googleapis.com/auth/calendar
```

```
(or the Calendar scopes Google lists for “See, edit, share, and permanently delete all the calendars you can access”).
```

8. Save.
9. If the app is in Testing, under Test users add every office Gmail that will click Connect (including yours).

D. Create the Client ID and Client Secret

1. Go to APIs & Services !’ Credentials, or Google Auth Platform !’ Clients.
2. Click Create credentials !’ OAuth client ID (or Create client).
3. Application type: Web application.
4. Name: CRM Google Calendar.
5. Under Authorised redirect URIs, click Add URI and enter exactly:

```
YOUR_CRM_URL/api/integrations/google/callback
```

```
Example: `https://crm.yourcompany.co.uk/api/integrations/google/callback
```

```
No extra slash at the end. It must match what your developer puts on the server. Google does not create this address for you — the CRM already implements it. Production YOUR_CRM_URL must start with https://.
```

6. Click Create.
7. Copy:

Name to send your developer	Where it is
GOOGLE_CLIENT_ID	“Client ID”
GOOGLE_CLIENT_SECRET	“Client secret” (click to reveal)
GOOGLE_REDIRECT_URI	The same redirect URI you just added

E. After keys are on the server

1. In the CRM, Google Calendar should show keys present (not missing) on Settings !’ Integrations.
2. Each office user opens Profile (your name / photo) !’ Google Calendar !’ Connect. Settings !’ Integrations also has Connect for the person who is signed in.
3. Sign in with Google and allow Calendar access.
4. Look in Google Calendar for a calendar named Paul Douglas Roofing. Nothing is pushed until that person has connected. Test each office user who needs a calendar, not only the owner.

While the Google app is in Testing, only listed Test users can Connect, and Google may expire those connections about weekly. That is normal until the app is published / verified.

F. Production (all staff, not only testers) — developer handles this

A testing-mode app is not automatically ready for every office Gmail. For real company-wide use, Google may require:

- Publishing the OAuth consent screen (or Internal if you use Google Workspace only)
- A public homepage and a privacy policy URL
- Verified domains
- OAuth verification if Google asks for it (calendar access is sensitive)

This CRM writes visits, jobs, holidays and tasks onto each connected calendar, so it requests full Calendar access (https://www.googleapis.com/auth/calendar). Your developer confirms the scopes, verification paperwork, and HTTPS redirect. Do not try to complete Google's verification questionnaire yourself unless they ask you to upload a privacy page.

Until they confirm production is ready, keep using Test users and treat calendar sync as a trial.

---

2. Email (Mailgun + inbound parse)

What it does: Sends real emails from the CRM (quotes, follow-ups, login emails). Optional inbound parse puts emails that customers send back into the CRM.

What you need: a Mailgun account and a domain you control (for example pauldouglasroofing.co.uk or a subdomain like mg.pauldouglasroofing.co.uk).

A. Create a Mailgun account

1. Open https://www.mailgun.com !' Sign up.
2. Use the office email and a strong password.
3. Confirm the email Mailgun sends you.
4. Choose a plan. A trial is usually enough to test. Ongoing sending to real customers typically needs a paid plan and a verified domain — ask Mailgun or your developer which plan you are on. Plans and sending limits differ; do not assume every account behaves the same.

B. Add and verify your sending domain

1. In Mailgun open Sending !' Domains !' Add new domain.
2. Enter the domain. Please ask your IT person or developer first whether to use the main website domain or a subdomain such as mg.….
3. Mailgun shows DNS records (usually SPF, DKIM, and sometimes CNAME / tracking).
4. Please copy Mailgun's table (or a screenshot) and send it to whoever manages the domain (IT, your developer, or the registrar such as GoDaddy, Cloudflare or 123-Reg). They should add the records exactly as Mailgun lists them. Incorrect DNS can affect company email, not only CRM sending.
5. When they confirm the records are saved, go back to Mailgun and click Verify DNS settings. Wait until the domain is Active / verified. This can take from minutes to a few hours.

Please complete DNS as Mailgun shows it, rather than writing SPF or DKIM values from memory. An unverified domain often cannot send reliably to real inboxes — your developer can confirm deliverability for your plan and region.

C. Copy the sending keys (you)

1. API key: Mailgun !' Settings (or your profile) !' API keys !' Private API key (sometimes labelled "Mailgun API key"). Copy it once; it may not be shown again.
2. Domain: the verified domain name, for example mg.pauldouglasroofing.co.uk.
3. From address: the name customers will see, for example

```
Paul Douglas Roofing <office@pauldouglasroofing.co.uk>
```

```
The email part should be allowed on that Mailgun domain.
```

4. Region: if you signed up on Mailgun EU (app.eu.mailgun.com), this is eu. The US dashboard is us. Your developer must use the same region as the dashboard.

Name to send your developer	What to copy
MAILGUN_API_KEY	Private API key (Mailgun !' Settings !' API keys)

MAILGUN_DOMAIN	Verified domain
MAILGUN_FROM	Display name + from address
MAILGUN_REGION	us or eu

D. Inbound email (optional) — developer configures this

This lets replies and inbound messages hit the CRM. Do not invent a secret or paste a webhook URL yourself unless your developer asks.

Your developer will:

1. Generate EMAIL_INBOUND_SECRET on the server (this CRM currently checks that secret on the inbound URL).
2. Register an HTTPS POST route at:

```
YOUR_CRM_URL/api/webhooks/email?secret=…
```

3. Paste that URL into Mailgun Receiving !’ Create route (or Inbound).
4. Confirm receiving MX records (inbound is separate from sending SPF/DKIM) with whoever manages DNS.
5. Also turn on Mailgun’s signed webhook check (signature + timestamp) on the server. Do not send the inbound URL or its secret in WhatsApp or ordinary email.

You only need to tell them which mailbox should become leads (for example quotes@… or a catch-all on the Mailgun domain). They may also ask you to forward existing office mailboxes to that parse address so customers keep writing to the same address.

Until Mailgun sending is live, the CRM still records “email sent” in simulated mode; customers do not receive it.

---

3. QuickBooks Online (UK)

What it does: Pushes quotes/estimates and invoices into QuickBooks, and can bring payment status back. Only the owner / admin clicks Connect in Settings !’ Integrations.

What you need: a QuickBooks Online UK company, plus a free Intuit Developer account (same Intuit login is fine).

A. Create or log in to QuickBooks Online UK

1. Open https://quickbooks.intuit.com/uk and sign in (or create the company).
2. For testing, Intuit also gives a sandbox company from the developer site. Use sandbox first so live accounts are not filled with test invoices.

B. Create an app at Intuit Developer

1. Open https://developer.intuit.com and sign in with the same Intuit account.
2. Go to My Hub / Dashboard !’ Create an app.
3. Choose QuickBooks Online and Payments.
4. Name the app, for example Paul Douglas Roofing CRM.
5. Under scopes / APIs, select Accounting (com.intuit.quickbooks.accounting). You do not need Payments unless you later add card checkout.

C. Where the keys are (sandbox first)

1. Open your app.

2. Open the Keys & credentials (or Keys) tab.
3. There are two sets: Development (sandbox) and Production.
4. Start with Development:

Name to send your developer	Where it is
QBO_CLIENT_ID	Client ID
QBO_CLIENT_SECRET	Client secret
QBO_REDIRECT_URI	See next step
QBO_ENVIRONMENT	Type sandbox for testing. Leave production until your developer says so. Keep sandbox and production Client IDs separate.

D. Redirect URI (must match exactly)

1. In the same Keys screen, find Redirect URIs.
2. Add:

```
YOUR_CRM_URL/api/integrations/quickbooks/callback
```

```
Example: `https://crm.yourcompany.co.uk/api/integrations/quickbooks/callback
```

3. Save. Copy that exact URI as QBO_REDIRECT_URI.

E. Connect in the CRM (sandbox first)

1. After the developer has saved the Development keys, open Settings !' Integrations.
2. On QuickBooks Online (UK) click Connect.
3. Sign in to Intuit and allow access to the sandbox company while QBO_ENVIRONMENT=sandbox.
4. The CRM handles sign-in, token refresh, disconnect and reconnect. If Connect fails, do not keep retrying with production keys — tell your developer.

Sandbox invoices go to Intuit's test company, not your real accounts.

F. Going live (production) — wait for the developer

Production Client ID and Secret alone are not enough. Intuit usually requires the app to meet production requirements (questionnaire / review) before live UK books can be used.

Do not change QBO_ENVIRONMENT from sandbox to production yourself. Ask your developer to confirm:

- Production keys and the same redirect URI on the Production tab
- App production status / approval
- Accounting scope
- A successful Connect to the live company (they will ask you to Disconnect, then Connect and pick the real company)

Switching too early can fail, or keep talking to the sandbox by mistake.

---

4. WhatsApp Business (Meta Cloud API)

What it does: Sends quotes and follow-ups on WhatsApp, and can receive WhatsApp messages into the CRM.

What you need: a Facebook/Meta account, a Meta Business account, and a phone number you can use for WhatsApp Business (not your personal WhatsApp on the same number).

Meta's screens change often. Look for WhatsApp !' API Setup inside a developer app.

Business verification and App Review: Meta usually asks you to verify the business (Companies House details, address, sometimes a director's ID). Messages to real customers (anyone who is not a listed tester) also need App Review. Template approval is often hours to two days; App Review for public traffic can take days to a few weeks. Do not panic if day-one tests only work for numbers you added as testers. Until Meta approves public traffic, send only to test phones — do not message customers yet. Your developer can submit App Review with you. Quote PDFs on WhatsApp also need the live CRM address to be public HTTPS (not localhost).

A. Create a Meta developer app

1. Open https://developers.facebook.com and log in.
2. My Apps !' Create App.
3. Use type Business.
4. App name: your company.
5. Attach / create a Business portfolio if asked.

B. Add WhatsApp

1. In the app dashboard, Add product !' WhatsApp !' Set up.
2. Open WhatsApp !' API Setup.
3. Meta gives a test number first. You can send to numbers you add as testers. For customers you later add a real business number.

C. Copy these IDs and tokens

On API Setup you will see:

Name to send your developer	Where it is
WHATSAPP_PHONE_NUMBER_ID	"Phone number ID" (a long number, not the +44 display number)
WHATSAPP_BUSINESS_ACCOUNT_ID	"WhatsApp Business Account ID" (WABA ID)
WHATSAPP_ACCESS_TOKEN	Prefer a System user token (below). The short "temporary access token" on API Setup expires quickly.

System user token (recommended):

1. Open https://business.facebook.com !' Business settings.
2. Users !' System users !' Add.
3. Generate a token: assign the WhatsApp app, permissions such as whatsapp_business_messaging and whatsapp_business_management.
4. Copy the token once. That is WHATSAPP_ACCESS_TOKEN.

A system-user token is the right long-term choice, but it is not guaranteed forever — Meta can expire or revoke it, and permissions depend on the app. Your developer must confirm token expiry, assigned WhatsApp number / WABA, permissions, app mode (Development vs Live), webhook subscription, and production approval. Do not assume public customer messaging works the same day you copy the keys.

D. App secret and verify token (shared with Facebook)

Name	How to get it
META_APP_SECRET	Developers app !' App settings !' Basic !' App secret (Show)

META_VERIFY_TOKEN	Your developer invents this (Meta does not generate it). You type the same string in Meta's webhook settings if they ask you to paste it.

E. Webhook (so incoming WhatsApp reaches the CRM)

Ask your developer for the exact URL and verify token, then (or they do this on a screen-share):

1. WhatsApp !' Configuration !' Webhook.
2. Callback URL (HTTPS, no extra slash):

```
YOUR_CRM_URL/api/webhooks/whatsapp
```

3. Verify token: the same META_VERIFY_TOKEN.
4. Verify and save.
5. Subscribe to messages.

F. Message templates (quotes and follow-ups)

WhatsApp only allows free-form messages inside a short customer-service window (typically 24 hours after the customer last messaged you). Approved templates are generally required when your business starts the conversation or writes after that window — not only for "marketing-style" texts.

1. In Meta Business Suite or WhatsApp Manager !' Message templates.
2. Create templates whose names match this CRM unless your developer maps different names:

```
- quote_sent — body with one variable {{1}} (first name). Example:
```

```
Hi {{1}}, thanks for having us out. Your quotation from Paul Douglas Roofing is attached. Any questions, just reply here.
```

```
- quote_followup — two variables {{1}} (first name) and {{2}} (job / quote title). Example:
```

```
Hi {{1}}, just checking you received our quotation for {{2}}. How are you getting on with it? Happy to answer any questions.
```

3. Language: English (UK) or English (US). This CRM tries both (en_GB and en_US).
4. Wait for Approved. Approval in Meta does not by itself mean the CRM can send it — the name and number of variables must match.
5. Tell your developer the exact names (WHATSAPP_TEMPLATE_QUOTE, WHATSAPP_TEMPLATE_FOLLOWUP) if they differ from quote_sent / quote_followup.
6. The Cloud API number must be the one whose Phone number ID you copied.
7. Test with a staff phone first. Never use a customer number until that test succeeds.

Until WhatsApp is connected and templates (or a 24-hour customer reply) are in place, sending a quote on WhatsApp from the CRM will fail.

---

5. Facebook Page (Messenger + Lead Ads)

What it does: Facebook Page messages and Lead Ad form submissions can land in the CRM inbox.

What you need: a Facebook Page for the company (you must be a Page admin), and usually the same Meta app as WhatsApp.

Messenger and Lead Ads are separate features. A Page access token alone does not mean every public message or every Lead Ad will appear in the CRM. Your developer confirms Page access, webhook subscription on the Page, and the extra permissions / App Review for each feature.

A. Page ID

1. Open your Facebook Page.
2. About / Page transparency / Settings — copy Page ID.

```
Or: Page Settings !’ Page info !’ Page ID.
```

That is FB_PAGE_ID.

B. Page access token

1. In https://developers.facebook.com open your app.
2. Add products Messenger and (for forms) Webhooks / Lead Ads if not already added.
3. Messenger !’ Settings !’ Access Tokens !’ generate a token for your Page.
4. For a longer-lived token, create a System user in Business settings, assign the Page, and generate a token. Typical permissions: pages_messaging (and related Page metadata) for Messenger; extra lead permissions such as leads_retrieval / pages_manage_ads only if you use Lead Ads. Your developer confirms the current Meta list — do not grant extra permissions “just in case”. Tokens can still expire or be revoked.

That token is FB_PAGE_ACCESS_TOKEN.

META_APP_SECRET and META_VERIFY_TOKEN are the same values as WhatsApp (one app, two products).

C. Facebook webhook

Ask your developer for the URL and verify token (same META_VERIFY_TOKEN as WhatsApp), then:

1. App !’ Webhooks.
2. Callback URL:

```
YOUR_CRM_URL/api/webhooks/facebook
```

3. Verify token: same META_VERIFY_TOKEN.
4. Subscribe the Page (not only the app) to messages, messaging_postbacks, and leadgen if you use Lead Ads.

D. Business verification and App Review

Test users and Page admins can use this immediately. For the public (any customer messaging the Page or submitting a Lead Ad), Meta requires business verification (company documents) and App Review. Your developer or an agency usually submits that.

Approval is not instant. It can take from a few days to a few weeks. That is normal — do not assume the CRM is broken. Until Meta approves public traffic, testers and Page admins can try it; real customer messages and Lead Ads may not appear yet.

---

6. AI — scheduling assistant

What it does: Lets office type or speak a schedule instruction in Schedule & AI. Without a key, the CRM still proposes a schedule using its built-in rules (skills, drivers, holidays). A key gives fuller natural-language understanding.

Pick one provider (Claude or the OpenAI API) unless your developer asked for both. You do not need two keys.

Cost: An API key is billed separately from a ChatGPT website plan. ChatGPT Plus does not pay for OPENAI_API_KEY. Add a small usage limit / credit with the provider you choose. Without a key, the CRM still builds a schedule from its own rules.

An API key does not turn on every extra. Voice transcription uses OpenAI Whisper only if you add an OpenAI key. Typing and the browser microphone still work without it. Your developer confirms which provider this CRM is set to use.

Option A — Anthropic (Claude)

1. Open https://console.anthropic.com and create an account.
2. Add billing if asked.
3. Go to API keys !’ Create key.
4. Copy it once.

Name	Value
ANTHROPIC_API_KEY	The key
AI_PROVIDER	anthropic (or auto)

Option B — OpenAI (ChatGPT)

1. Open https://platform.openai.com and sign up.
2. Add billing.
3. API keys !’ Create new secret key.
4. Copy it once.

Name	Value
OPENAI_API_KEY	The key
AI_PROVIDER	openai (or auto)

Voice-to-text on the schedule page works better with an OpenAI key (Whisper). Without it, the browser microphone or typing still works.

---

7. Phone & SMS capture (Twilio) — optional

What it does: Calls or SMS to a dedicated number can become leads in the inbox. Until this is connected, staff use Log enquiry instead.

A. Create a Twilio account

1. Open https://www.twilio.com !’ Sign up.
2. Verify your email and mobile.
3. Complete the console welcome questions.

B. Copy account keys

1. Open the Twilio Console home.
2. The first panel shows:

Name	Where it is
TWILIO_ACCOUNT_SID	Account SID (starts with AC)
TWILIO_AUTH_TOKEN	Auth Token (click to show)

C. Buy a UK number (regulatory checks may apply)

Choosing United Kingdom and clicking Buy is not always enough. Twilio often asks for identity, address or business documents before a UK number can send or receive. Complete every verification Twilio shows. Allow about a day. Some number types may be unavailable on your account until that bundle is approved.

1. Console !’ Phone Numbers !’ Buy a number.
2. Country: United Kingdom.
3. Tick Voice and SMS if you want both.
4. Finish any Regulatory / Trust Hub forms Twilio requests.
5. Copy the number in international form, for example +441234567890. That is TWILIO_NUMBER.

D. Point the number at the CRM

Ask your developer to confirm these URLs, then:

1. Open the number !’ Configure.
2. A call comes in (webhook / HTTP POST):

```
YOUR_CRM_URL/api/webhooks/twilio/voice
```

3. A message comes in:

```
YOUR_CRM_URL/api/webhooks/twilio/sms
```

4. Save.

Trial accounts can only call or SMS verified test numbers until you upgrade.

Ask your developer to test inbound voice and inbound SMS as two separate checks. This CRM is set up to capture inbound calls and texts as enquiries. If you later send outbound SMS to customers, confirm consent and UK messaging rules with your developer first.

After your developer has saved the keys

1. Restart / redeploy the CRM (they will do this).
2. Open Settings !’ Integrations.
3. Each card should move from Simulated toward Live or “keys present”. Connect buttons appear only when the required keys are on the server.
4. Click Connect only where the card has a Connect button:

```
- Google Calendar: each user, on Profile
```

```
- QuickBooks: owner, on Settings !’ Integrations
```

5. Ask the developer to confirm a test, then you: send a test quote email, Connect one Google Calendar from Profile, and (if WhatsApp is live) send an approved template to a staff phone. Quote PDFs on WhatsApp only attach when YOUR_CRM_URL is public HTTPS. Do not use customer numbers or live QuickBooks until they say the test passed.

Copy-and-send checklist

Send this list through a password manager (not WhatsApp or ordinary email). Leave a line blank if you are not using that service yet. Names below match this CRM’s server settings.

```
CRM public URL (YOUR_CRM_URL must be https:// for live webhooks):

Google Calendar
GOOGLE_CLIENT_ID=
GOOGLE_CLIENT_SECRET=
GOOGLE_REDIRECT_URI=     (https://…/api/integrations/google/callback)

Email / Mailgun
MAILGUN_API_KEY=
MAILGUN_DOMAIN=
MAILGUN_FROM=
MAILGUN_REGION=          (us or eu — must match the Mailgun dashboard)
EMAIL_INBOUND_SECRET=    (developer generates this; do not invent or paste in chat)

QuickBooks Online UK     (sandbox keys first; production keys are a separate set)
QBO_CLIENT_ID=
QBO_CLIENT_SECRET=
QBO_REDIRECT_URI=        (https://…/api/integrations/quickbooks/callback)
QBO_ENVIRONMENT=         (sandbox until the developer confirms production)

WhatsApp
WHATSAPP_ACCESS_TOKEN=   (system-user token; can still expire or be revoked)
WHATSAPP_PHONE_NUMBER_ID=
WHATSAPP_BUSINESS_ACCOUNT_ID=
WHATSAPP_TEMPLATE_QUOTE=     (default quote_sent — exact Meta name)
WHATSAPP_TEMPLATE_FOLLOWUP=  (default quote_followup — exact Meta name)

Meta (shared by WhatsApp + Facebook)
META_APP_SECRET=
META_VERIFY_TOKEN=       (developer invents this; Meta does not generate it)

Facebook Page
FB_PAGE_ID=
FB_PAGE_ACCESS_TOKEN=

AI (fill one provider unless the developer asked for both)
ANTHROPIC_API_KEY=
OPENAI_API_KEY=          (API billing is not ChatGPT Plus)
AI_PROVIDER=             (auto, anthropic, or openai)

Twilio (optional)
TWILIO_ACCOUNT_SID=
TWILIO_AUTH_TOKEN=
TWILIO_NUMBER=
```

Treat every value like a password. Store production credentials only on the server (environment variables or a secrets manager) — never in the CRM screens, a public folder, or frontend code. If a key is leaked, revoke it in that provider's dashboard and create a new one immediately.