## Computer Networks Fall 2017 Project 2: Part 1 Simulation of a Single Server Finite Buffer Queue

## 1 Project Overview

This is the first part of a 2-part project. The first part is the simulation of a simple queueing system with a finite buffer to study the packet loss probability as a function of the buffer size and the traffic intensity. The second part is the simulation of the random access LAN MAC protocol. This will be described in a separate document. We will implement both project in Python using SimPy. You will find the required documentation at the following site https://simpy.readthedocs.org/en/latest/contents.html#. The site contains instructions to install SimPy and many examples.

## 2 Part 1

Figure 1 shows a simple queueing system model of output port of a router.




Figure 1: A finite buffer queue

Packets arrive following a Poisson process with rate  $\lambda$  packets per seconds (pkts/sec). Packets are of variable length and transmitted on the link of rate R bps. We will assume that the effective service time of a packet is negative exponentially distributed with rate parameter  $\mu$  pkts/sec. To keep things simple we will assume that  $\mu=1$  pkts/sec. The buffer size if B packets.

You are required to write a Python code using SimPy to simulate the above system. To help you along this process, we have given you the Python code that simulates a infinite buffer queue that we had studied in class. Here are the following steps:

- 1. Run the given code for different values of  $\lambda = 0.2, 0.4, 0.6, 0.8, 0.9, 0.99$  pkts/sec and obtain the mean delay. Make a table the compares the simulated value with the theoretical value using the formula that we had derived in class.
- 2. Using the Markov Chain method derive the packet loss probability  $P_d$  as a function of buffer size B packet, arrival rate  $\lambda$  pkts/sec, and service rate  $\mu$  pkts/sec.
- 3. Modify the given simulation code to simulate a finite buffer system with buffer size B. For  $\lambda = 0.2, 0.4, 0.6, 0.8, 0.9, 0.99$  and B = 10, 50, using the simulation, determine the packet loss probability  $P_d$ .
- 4. Compare the above results using the theoretical formula derived in Step 2.

## 2.1 Deliverables for Part 1

- 1. Group size: 2. One submission per group.
- 2. Due date for Part 1: 12/8/2017 by 4 PM.
- 3. Report should include 1) the derivation of the theoretical formula to calculate  $P_d$ , 2) the simulation code, and 3) tables (or plots) of the results.
- 4. Submit online.