
Tahlilyar Zabbix Report

for

Zabbix server

generated on

Tuesday 7th of January 2020 at 08:05

Tahlilyar



Report start : 2020.01.06 04:34
Report end : 2020.01.07 04:34

Contents

Introduction	1
System Status for Zabbix server	2
Trends and metrics for Zabbix server	2
Graphs for Zabbix server	3
CPU utilization	3
CPU usage	3
Memory usage	3
Swap usage	5
/: Disk space usage	5
Item Graphs for Zabbix server	6
Utilization of alerter internal processes, in %	6
Utilization of configuration syncer internal processes, in %	6
Utilization of discoverer data collector processes, in %	6
Utilization of escalator internal processes, in %	6
Utilization of history syncer internal processes, in %	7
Utilization of housekeeper internal processes, in %	7
Utilization of http poller data collector processes, in %	7
Utilization of icmp pinger data collector processes, in %	8
Utilization of ipmi poller data collector processes, in %	8
Utilization of java poller data collector processes, in %	8
Utilization of poller data collector processes, in %	9
Utilization of proxy poller data collector processes, in %	9
Utilization of self-monitoring internal processes, in %	9
Utilization of snmp trapper data collector processes, in %	10
Utilization of timer internal processes, in %	10
Utilization of trapper data collector processes, in %	10
Utilization of unreachable poller data collector processes, in %	11
Utilization of vmware data collector processes, in %	11
Utilization of task manager internal processes, in %	11
Utilization of ipmi manager internal processes, in %	12
Utilization of alert manager internal processes, in %	12
Utilization of preprocessing manager internal processes, in %	12
Utilization of preprocessing worker internal processes, in %	13
Utilization of LLD manager internal processes, in %	13
Utilization of LLD worker internal processes, in %	13
Number of processes	14
Utilization of alert syncer internal processes, in %	14

Introduction

This is an automatically generated PDF file containing data gathered from Zabbix Monitoring System

System Status for Zabbix server


System uptime : 0 days, 1 hours, 25 minutes and 36 seconds
System boot time : 2020-01-07 06:38:49
Total memory : 1.79 GB
Available memory : 1.2 GB
Free swap space in % : 100 %
Interface eth0: Operational status : UP
Interface eth1: Operational status : UP

Trends and metrics for Zabbix server


Utilization of icmp pinger data collector processes, in % : latest value: DOWN
Utilization of icmp pinger data collector processes, in % trend/SLA: 139 %
CPU idle time : latest value: 98.48 %
CPU idle time trend/SLA: 98.71 %
System uptime : latest value: 0 days, 1 hours, 25 minutes and 36 seconds
System uptime trend/SLA: 0 days, 0 hours, 0 minutes and 0 seconds

Graphs for Zabbix server


CPU utilization




CPU usage




Memory usage



Swap usage




/: Disk space usage




Item Graphs for Zabbix server


Utilization of alerter internal processes, in %




Utilization of configuration syncer internal processes, in %




Utilization of discoverer data collector processes, in %




Utilization of escalator internal processes, in %




Utilization of history syncer internal processes, in %




Utilization of housekeeper internal processes, in %




Utilization of http poller data collector processes, in %




Utilization of icmp pinger data collector processes, in %




Utilization of ipmi poller data collector processes, in %




Utilization of java poller data collector processes, in %




Utilization of poller data collector processes, in %




Utilization of proxy poller data collector processes, in %




Utilization of self-monitoring internal processes, in %




Utilization of snmp trapper data collector processes, in %




Utilization of timer internal processes, in %




Utilization of trapper data collector processes, in %




Utilization of unreachable poller data collector processes, in %




Utilization of vmware data collector processes, in %




Utilization of task manager internal processes, in %




Utilization of ipmi manager internal processes, in %




Utilization of alert manager internal processes, in %




Utilization of preprocessing manager internal processes, in %




Utilization of preprocessing worker internal processes, in %




Utilization of LLD manager internal processes, in %



Utilization of LLD worker internal processes, in %



Number of processes



Utilization of alert syncer internal processes, in %

