



Experiment 07


1. Build a complete responsive landing page for 'M-Tech Internship 2026' in Bootstrap: navbar (with hamburger on mobile), hero with call-to-action, 3-card features row, 8-domain grid, and footer.
2. Rebuild the SAME landing page in Tailwind. Submit both files plus a 10-line reflection: which felt better and why?
3. Using only Bootstrap docs, implement: a carousel of 3 images, a form with floating labels, and a toast notification.
4. Create a Tailwind 'profile card' matching a screenshot the instructor provides (pixel-hunting practice).
5. Make a comparison table (your own words) of 10 Bootstrap classes and their nearest Tailwind equivalents.

Build a complete responsive landing page for 'M-Tech Internship 2026' in Bootstrap: navbar (with hamburger on mobile), hero with call-to-action, 3-card features row, 8-domain grid, and footer.







Rebuild the SAME landing page in Tailwind. Submit both files plus a 10-line reflection: which felt better and why?



Using only Bootstrap docs, implement: a carousel of 3 images, a form with floating labels, and a toast notification.



Create a Tailwind 'profile card' matching a screenshot the instructor provides (pixel hunting practice).



Make a comparison table (your own words) of 10 Bootstrap classes and their nearest Tailwind equivalents.

#	Bootstrap Class	Nearest Tailwind Equivalent	Description / Function
1	container	container mx-auto px-4	Centers the content horizontally and sets responsive max-width boundaries.
2	d-flex	flex	Applies to a CSS Flexbox container layout.
3	justify-content-center	justify-center	Aligns flex items along the main horizontal axis to the center.
4	align-items-center	items-center	Aligns flex items along the cross vertical axis to the center.
5	mb-3	mb-3 or mb-4	Applies margin-bottom spacing to an element.
6	btn btn-primary	bg-blue-600 text-white px-4 py-2 rounded	Formats an element into a styled primary action button with background, padding, and rounded corners.
7	row	flex flex-wrap or grid	Creates a multi-column container wrapper for layout positioning.
8	col-md-6	md:w-1/2 or md:col-span-6	Sets an element to occupy 50% width on medium viewports and larger.
9	text-center	text-center	Centers text content horizontally within its parent box.
10	shadow-sm	shadow-sm	Applies a subtle drop-shadow effect around the element container.