

Whether or not a player experiences some effect is calculated based on the block under the center of the player

MC-1133 HITBOXES

Status	Resolved / Fixed
Affected	Minecraft 1.4.1; Minecraft 1.4.2; Minecraft 1.4.6; Minecraft 1.4.7; Minecraft 1.5; Minecraft 1.5.1; Minecraft 1.5.2; Minecraft 1.6.2; Minecraft 1.6.4; Minecraft 13w38a; Minecraft 13w38b; Minecraft 13w38c; Minecraft 1.7.4; Minecraft 14w02c; Minecraft 14w03b; Minecraft 14w04a; Minecraft 14w04b (+more)
Fixed in	23w18a
Reported	2012-10-29
Mojira category	Hitboxes; Player

REPRODUCTION TARGET

Use version: Minecraft 1.4.1

Affected versions (278):

Minecraft 1.4.1

Minecraft 1.4.2

Minecraft 1.4.6

Minecraft 1.4.7

Minecraft 1.5

Minecraft 1.5.1

Minecraft 1.5.2

Minecraft 1.6.2

Minecraft 1.6.4

Minecraft 13w38a

Minecraft 13w38b

Minecraft 13w38c

Minecraft 1.7.4

Minecraft 14w02c

Minecraft 14w03b

Minecraft 14w04a

Minecraft 14w04b

Minecraft 14w08a

Minecraft 1.7.5

Minecraft 14w10b

Minecraft 14w10c

Minecraft 1.7.9

Minecraft 1.7.10

Minecraft 14w27b

Minecraft 14w28a

Minecraft 14w28b

Minecraft 1.8

Minecraft 1.8.1-pre2

Minecraft 1.8.1

Minecraft 1.8.2-pre6

Minecraft 1.8.2

Minecraft 1.8.7

Minecraft 1.8.8

Minecraft 15w33b

Minecraft 15w33c

Minecraft 15w42a

Minecraft 15w44a

Minecraft 15w44b

Minecraft 15w45a

Minecraft 15w46a

Minecraft 1.8.9

Minecraft 15w51b

Minecraft 16w02a

Minecraft 1.9

Minecraft 1.9.1 Pre-Release 1

Minecraft 1.9.1 Pre-Release 2

Minecraft 1.9.1 Pre-Release 3

Minecraft 1.9.2

Minecraft 1.9.3 Pre-Release 3

Minecraft 1.9.4

Minecraft 16w20a

Minecraft 16w21a

Minecraft 16w21b

Minecraft 1.10 Pre-Release 1

Minecraft 1.10 Pre-Release 2

Minecraft 1.10

Minecraft 1.10.1

Minecraft 1.10.2

Minecraft 16w32a

Minecraft 16w32b

Minecraft 16w33a

Minecraft 16w35a

Minecraft 16w39c

Minecraft 16w44a

Minecraft 1.11

Minecraft 1.11.1

Minecraft 1.11.2

Minecraft 17w06a

Minecraft 17w13a

Minecraft 17w14a

Minecraft 17w15a

Minecraft 17w16a

Minecraft 17w17b

Minecraft 1.12 Pre-Release 1

Minecraft 1.12

Minecraft 17w31a

Minecraft 1.12.1 Pre-Release 1

Minecraft 1.12.1

Minecraft 1.12.2

Minecraft 18w01a

Minecraft 18w11a

Minecraft 18w14a

Minecraft 18w14b

Minecraft 18w15a

Minecraft 18w16a

Minecraft 18w19a

Minecraft 18w19b

Minecraft 18w20a

Minecraft 18w20b

Minecraft 18w20c

Minecraft 18w21a

Minecraft 18w22a

Minecraft 18w22b

Minecraft 18w22c

Minecraft 1.13-pre1

Minecraft 1.13-pre2

Minecraft 1.13-pre3

Minecraft 1.13-pre4

Minecraft 1.13-pre5

Minecraft 1.13-pre6

Minecraft 1.13-pre7

Minecraft 1.13-pre8

Minecraft 1.13-pre9

Minecraft 1.13-pre10

Minecraft 1.13

Minecraft 18w30a

Minecraft 18w30b

Minecraft 18w31a

Minecraft 18w32a

Minecraft 18w33a

Minecraft 1.13.1-pre1 Minecraft 1.13.1-pre2 Minecraft 1.13.1 Minecraft 1.13.2-pre1
 Minecraft 1.13.2-pre2 Minecraft 1.13.2 Minecraft 18w43b Minecraft 18w43c Minecraft 18w44a
 Minecraft 18w45a Minecraft 18w46a Minecraft 18w47a Minecraft 18w47b Minecraft 18w48a
 Minecraft 18w48b Minecraft 18w49a Minecraft 18w50a Minecraft 19w02a Minecraft 19w03a
 Minecraft 19w03b Minecraft 19w04a Minecraft 19w06a Minecraft 19w07a Minecraft 19w08a
 Minecraft 19w09a Minecraft 19w11a Minecraft 19w12a Minecraft 19w12b Minecraft 19w13a
 Minecraft 19w13b Minecraft 19w14a Minecraft 19w14b Minecraft 1.14 Pre-Release 1
 Minecraft 1.14 Pre-Release 2 Minecraft 1.14 Pre-Release 5 Minecraft 1.14.2 Pre-Release 2
 Minecraft 1.14.2 Pre-Release 3 Minecraft 1.14.3 Pre-Release 3 Minecraft 1.14.3 Pre-Release 4
 Minecraft 1.14.4 Pre-Release 4 1.14.4 19w35a 19w36a 19w37a 19w38b 19w39a 19w40a
 19w41a 19w42a 19w44a 19w45a 19w46b 1.15 Pre-release 1 1.15 Pre-Release 2
 1.15 Pre-release 3 1.15 Pre-release 4 1.15 Pre-release 5 1.15 Pre-release 6
 1.15 Pre-release 7 1.15 1.15.1 1.15.1 Pre-release 1 1.15.2 Pre-Release 1
 1.15.2 Pre-release 2 1.15.2 20w06a 20w07a 20w08a 20w09a 20w10a 20w11a 20w12a
 20w13a 20w13b 20w14a 20w15a 20w16a 20w17a 20w18a 20w19a 20w20b 20w21a 20w22a
 1.16 Pre-release 1 1.16 Pre-release 2 1.16 Pre-release 3 1.16 Pre-release 4
 1.16 Pre-release 5 1.16 Pre-release 7 1.16 Pre-release 8 1.16 Release Candidate 1 1.16
 1.16.1 20w27a 20w28a 20w29a 20w30a 1.16.2 Pre-release 1 1.16.2 Pre-release 2
 1.16.2 Release Candidate 1 1.16.2 Release Candidate 2 1.16.2 1.16.3 Release Candidate 1
 1.16.3 1.16.4 Pre-release 1 1.16.4 Pre-release 2 1.16.4 Release Candidate 1 1.16.4 20w45a
 20w46a 20w48a 20w49a 20w51a 21w03a 1.16.5 21w05a 21w05b 21w06a 21w07a 21w08b
 21w10a 21w11a 21w13a 21w14a 21w15a 21w16a 21w17a 21w18a 21w19a 21w20a
 1.17 Pre-release 1 1.17 Pre-release 4 1.17 Release Candidate 1 1.17 Release Candidate 2
 1.17 1.17.1 Pre-release 3 1.17.1 21w38a 21w39a 21w42a 1.18 Pre-release 5
 1.18 Pre-release 7 1.18 1.18.1 22w03a 1.18.2 22w11a 22w12a 22w13a 22w15a 22w17a
 1.19 Pre-release 3 1.19 Pre-release 5 1.19 1.19.1 1.19.2 22w42a 22w45a
 1.19.3 Pre-release 2 1.19.3 23w03a 23w04a 23w05a 23w06a 1.19.4 Pre-release 2 1.19.4
 23w14a 23w17a

Environment: Unmodified Minecraft Java Edition client running Minecraft 1.4.1 in a singleplayer Creative-mode world. Use keyboard and mouse controls, with the game and operating-system audio output audible. No seed, coordinates, multiplayer server, commands, resource pack, or special graphics setting is required by the report.

PRECONDITIONS

- Install and select the exact historical version Minecraft 1.4.1; do not use fix version 23w18a or a newer version for this reproduction.
- Disable mods and custom movement modifications that could change player collision, sneaking, or walking behavior.
- Use a Creative-mode world so an elevated test walkway can be constructed deterministically without gathering materials or risking survival damage.
- Ensure the game Sound setting and the computer's audio output are high enough for the observation subsystem to inspect ordinary footstep audio.
- Use an area with enough open space to build a one-block-wide elevated walkway with air beside its long edges.

STEPS TO REPRODUCE

1 **REPORT**

In the Minecraft Launcher, create or select an installation whose version is exactly Minecraft 1.4.1, then start the game with that installation. Do not substitute Minecraft 1.4.2 or any later affected version unless Minecraft 1.4.1 cannot be launched in the available environment.

INPUT Launcher installation version: Minecraft 1.4.1; click Play

SUCCESS CUE The Minecraft title screen is open and identifies the running client as Minecraft 1.4.1.

2 **INFERRED**

Open the singleplayer world list, create a new world, and set its game mode to Creative. The world name, seed, and world type may remain at their defaults because the report supplies no required world generation settings.

INPUT Singleplayer -> Create New World -> Game Mode: Creative -> Create New World

SUCCESS CUE A new world has loaded, the Creative inventory is available, and the player can fly by double-tapping the jump control.

3 **INFERRED**

Pause the game and make footstep audio easy to inspect. Set the game's Sound volume to an audible level, preferably 100%, and reduce Music to 0% so music does not mask short footstep sounds. Resume the world afterward.

INPUT Esc -> Options... -> Sound: 100%; Music: 0% -> Done -> Back to Game

SUCCESS CUE The world is active again, game sound output is enabled, and background music will not mask the test.

4 **INFERRED**

Open the Creative inventory with the inventory control, whose default key is E. Select a full solid block with an easily recognizable footstep sound, such as Wooden Planks, place a stack in the hotbar, and close the inventory. The hotbar is the row of nine item slots at the bottom of the screen.

INPUT E; select Wooden Planks; place the stack in a hotbar slot; E or Esc to close

SUCCESS CUE A stack of Wooden Planks or another full solid block is visible in one of the nine hotbar slots.

5 **INFERRED**

Select the hotbar slot containing the building block. If needed, double-tap the jump control, whose default key is Space, to begin Creative flight. Move to an open area where the test structure will not connect to trees, buildings, or terrain along either long side.

INPUT Press the hotbar number for the block stack; double-tap Space if flight is needed

SUCCESS CUE The building block is shown in the player's hand and there is open space available for an elevated walkway.

6 INFERRED

Using right-click to place blocks, construct a straight walkway that is exactly one full block wide and at least twelve blocks long. Put its top surface at least three blocks above the surrounding ground. A temporary pillar may be used to place the first block. Keep both long sides of the walkway unobstructed so that the block horizontally beyond either edge is air at the player's feet level.

INPUT Right-click to place a 1-block-wide, at-least-12-block-long elevated row of blocks

SUCCESS CUE A straight elevated walkway exists with a continuous level top, at least twelve blocks of usable length, and open air immediately beside both long edges.

7 INFERRED

Land on the top surface near one end of the walkway, leaving at least eight blocks of walkway ahead. Stand near the center of the block width rather than at an edge. If flying, descend using the sneak control, whose default key is Left Shift, until the player is standing rather than flying.

INPUT Move above the walkway; hold Left Shift to descend; release it after landing

SUCCESS CUE The player is standing on the walkway, is not flying, and has at least eight blocks of straight walkway ahead.

8 INFERRED

Turn so the player's forward direction points along the walkway's long axis. The crosshair should point toward the far end, not toward either open side. This orientation allows forward movement to remain parallel to the edge during the trigger.

INPUT Move the mouse until facing directly along the walkway

SUCCESS CUE Pressing W would move the player along the length of the walkway rather than off its side.

9 INFERRED

Switch to a third-person camera so the player's overhang can be inspected. In Minecraft 1.4.1, use the perspective-toggle control, whose default key is F5, until the player model and the relevant side edge of the walkway are visible.

INPUT F5

SUCCESS CUE The player model is visible on screen and its position relative to the walkway edge can be judged.

10 INFERRED

Hold the sneak control, whose default key is Left Shift. While continuing to hold it, use short taps of the sideways movement key that moves toward one open side of the walkway—A for the player's left or D for the player's right. Continue until sneak edge protection prevents any farther outward movement. Do not use W or S during this alignment.

INPUT Hold Left Shift; repeatedly tap A or D toward the selected open edge

SUCCESS CUE The player remains supported by the walkway but is at the maximum sneaking overhang, with most of the player model extending beyond the selected side edge and the player's center visually over the adjacent air.

11 **INFERRED**

Release the sideways movement key first, then release Left Shift without pressing another movement key. Do not turn the camera or move inward. If the player falls, return to the walkway and repeat the previous step using smaller sideways taps; the required starting state is a non-sneaking player still supported at the extreme edge.

INPUT Release A or D; then release Left Shift

SUCCESS CUE The player is no longer sneaking, remains standing on the walkway, and retains the extreme outward offset with the center of the player over the air beside the walkway.

12 **REPORT** **TRIGGER**

Without pressing Left Shift and without steering inward, press and hold the forward movement control, whose default key is W, to begin ordinary walking parallel to the walkway's long edge. Keep the same outward offset and begin the movement before reaching the end of the walkway. This first non-sneaking walking movement while the player's center is over adjacent air is the trigger action.

INPUT Press and hold W

SUCCESS CUE The player has begun moving lengthwise along the walkway while remaining supported at the extreme side edge; the reproduction setup is now ready for immediate footstep-effect observation.

HANDOFF TO OBSERVATION

The player has just started ordinary, non-sneaking forward movement parallel to the elevated walkway while retaining the maximum outward overhang, with the player's center over the air beside the supporting blocks. Hand control to the observation subsystem for the remainder of this edge traversal.

UNCERTAINTIES

- The report contains no formal numbered Steps to Reproduce, so this plan reconstructs the minimum path from the original description's walking-at-the-edge example.
- The first listed affected version, Minecraft 1.4.1, is selected as required. Historical launcher or Java-runtime compatibility may prevent that version from launching in some environments; if so, record the failure rather than silently selecting a later version.
- The report does not specify a world seed, coordinates, game mode, or test block. Creative mode, an elevated walkway, and Wooden Planks are practical choices used to create a deterministic edge with adjacent air and clearly distinguishable footstep audio.
- The report does not supply an exact coordinate for the player-center threshold in Minecraft 1.4.1. The maximum-sneak-overhang procedure is used to establish that position manually.
- The report describes several manifestations introduced in later versions, but blocks such as slime, honey, magma, and sculk sensors are not used because the recommended first affected version predates them.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	