

Players are disconnected from servers when opening command blocks that consist of large numbers of characters within the previous output field

[MC-250918](#) NETWORKING

Status	Resolved / Fixed
Affected	1.18.2; 22w16b; 22w17a; 22w19a; 1.19 Pre-release 1; 1.19 Pre-release 2; 1.19 Pre-release 3
Fixed in	1.19 Pre-release 4
Reported	2022-04-27
Mojira category	Networking

REPRODUCTION TARGET

Use version: 1.18.2

Affected versions (7):

1.18.2

22w16b

22w17a

22w19a

1.19 Pre-release 1

1.19 Pre-release 2

1.19 Pre-release 3

Environment:

Minecraft Java Edition using a vanilla dedicated multiplayer server, not a singleplayer world or integrated LAN server. Run both the dedicated server and test client on 1.18.2. Use one operator test player in Creative mode, with command blocks enabled on the server. Keep the test player close to the generated command block and ensure no other player is closer to it.

PRECONDITIONS

- A vanilla Minecraft Java Edition 1.18.2 dedicated-server directory has been initialized, the EULA has been accepted, and server.properties has been generated.
- The server is stopped before editing server.properties.
- The server and connecting client use exactly the same Minecraft version.
- The test account's exact Java Edition username and the server address are known.
- The test account can be made a server operator.
- Only the test player should be online during reproduction. If additional players must be present, they must remain farther from the repeating command block than the test player because the block's command targets @p.
- Use an ordinary test world in which the test player can stand in a loaded, open area with replaceable space three blocks away in the positive Z direction. No particular seed or coordinates are supplied by the report.
- Do not perform this reproduction in singleplayer; the report explicitly states that the issue does not occur there.

STEPS TO REPRODUCE

1 REPORT

With the dedicated server stopped, open `server.properties` in a text editor. Find `enable-command-block` and set it to `true`. Save the file without changing the property name.

INPUT `enable-command-block=true`

SUCCESS CUE `server.properties` is saved and contains exactly one active `enable-command-block=true` line.

2 VERIFIED

In `server.properties`, ensure the operator permission level is at least 2 so an operator can use and open command blocks. For a deterministic configuration, set it to 2, then save the file.

INPUT `op-permission-level=2`

SUCCESS CUE `server.properties` is saved with `op-permission-level=2` and `enable-command-block=true`.

3 REPORT

Start the vanilla dedicated server using the 1.18.2 server installation. Do not connect until startup is complete.

SUCCESS CUE The server console displays its normal startup-complete message containing "Done", and the console accepts input.

4 INFERRED

In the dedicated-server console, grant operator status to the test account. Enter the console command without a leading slash, replacing `<test-player-username>` with the account's exact username.

INPUT `op <test-player-username>`

SUCCESS CUE The server console confirms that the named test account was made a server operator, or otherwise confirms that it is already an operator.

5 REPORT

Launch Minecraft Java Edition 1.18.2 on the test client. Select Multiplayer, connect to the prepared dedicated server, and wait for the world to finish loading.

SUCCESS CUE The test player is present on the dedicated server, surrounding terrain has rendered, and movement and chat input respond normally.

6 VERIFIED

Put the operator test player into Creative mode, which is required to open a command block interface on a multiplayer server. Press T to open chat, type the command exactly with its leading slash, and press Enter.

INPUT `/gamemode creative @s`

SUCCESS CUE The player is in Creative mode, indicated by unrestricted flight being available after double-tapping Space and by the absence of the normal Survival health and hunger interface.

7 INFERRED

Move the test player to a loaded, open area. Make sure the space at the player's current X and Y coordinates and three blocks in the positive Z direction is available for a command block. Remain in this area for the rest of the reproduction.

SUCCESS CUE The player is standing in a responsive, fully loaded area with room for a block to appear three blocks away horizontally.

8 **REPORT**

Unlock every recipe for the test player. Press T to open in-game chat, enter the report's command exactly with the leading slash, and press Enter.

INPUT `/recipe give @s *`

SUCCESS CUE The command is accepted without a red command error, and chat reports that recipes were granted to the test player.

9 **INFERRED**

Confirm that the test player is the only online player, or at minimum is the player nearest to the location three blocks in the positive Z direction. Do not move far away after this point because the repeating command block will use @p to select the nearest player.

SUCCESS CUE The test player remains within a few blocks of the intended command-block location, with no other player closer to that location.

10 **REPORT**

Create the active repeating command block using the exact command from the report. Press T to open in-game chat, enter the command exactly with the leading slash and unchanged NBT syntax, and press Enter. The relative coordinates place it at the player's current X and Y coordinates and Z plus 3.

INPUT

`/setblock ~ ~ ~3 minecraft:repeating_command_block{auto:1b,Command:"data get entity @p"}`

SUCCESS CUE The command is accepted without a red syntax error, and a purple repeating command block is visible approximately three blocks from the player.

11 **INFERRED**

Do not open the command block yet. Keep the test player near it and wait two seconds so the Always Active repeating command block can execute multiple server ticks and write the result of data get entity @p into its previous-output data.

SUCCESS CUE At least two seconds have elapsed, the command block remains loaded near the player, and normal movement still responds.

12 **INFERRED**

Face the purple repeating command block and position the center crosshair directly over one of its visible faces while remaining within interaction range.

SUCCESS CUE The repeating command block is under the crosshair and close enough to use without moving.

13 **REPORT** **TRIGGER**

Use the targeted repeating command block exactly once by pressing the Use Item/Place Block control, which is right-click by default. Do not repeatedly click, issue another command, or intentionally trigger the setup again.

INPUT `right-click`

SUCCESS CUE A single Use Block input has just been sent to the repeating command block; immediately hand control to the observation subsystem without evaluating the result.

HANDOFF TO OBSERVATION

The operator test player has unlocked all recipes, remained nearest to an active repeating command block running data get entity @p, waited for the block to populate its previous output, and has just right-clicked that command block once on the dedicated server. Begin observation immediately.

UNCERTAINTIES

- The authored Steps to Reproduce explicitly name 22w16b, while the issue's affected-version list begins with 1.18.2. Following the required affected-version selection rule, this plan recommends 1.18.2. The identical report commands can be rerun on 22w16b if strict fidelity to the originally documented server instance is required.
- The report supplies no world seed, coordinates, world type, server address, or test-player username. The plan therefore uses any loaded open area and placeholders for deployment-specific connection information.
- The report does not specify how long the repeating command block must execute before it is opened. A two-second delay is a practical inference intended to ensure that at least one command execution has completed without introducing excessive repetition.
- Creative mode and operator permission are not stated in the formal report steps, but they are operational prerequisites for opening a command block interface on a Java Edition multiplayer server.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	