

# '/locate', explorer maps, and treasure maps can cause extreme TPS lag, even leading to a complete server freeze if structure generation is turned off

MC-126244 TRADING

|                 |                                                                                                                                                                                                                                                                                                                    |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status          | Resolved / Fixed                                                                                                                                                                                                                                                                                                   |
| Affected        | Minecraft 18w08b; Minecraft 18w09a; Minecraft 18w10c; Minecraft 18w10d; Minecraft 18w11a; Minecraft 18w15a; Minecraft 18w16a; Minecraft 18w19b; Minecraft 18w20a; Minecraft 18w22a; Minecraft 18w22b; Minecraft 18w22c; Minecraft 1.13-pre1; Minecraft 1.13-pre2; Minecraft 1.13-pre3; Minecraft 1.13-pre4 (+more) |
| Fixed in        | Minecraft 1.13-pre6; 20w17a                                                                                                                                                                                                                                                                                        |
| Reported        | 2018-02-23                                                                                                                                                                                                                                                                                                         |
| Mojira category | Commands; Performance; Structures; Trading                                                                                                                                                                                                                                                                         |

## REPRODUCTION TARGET

Use version: Minecraft 18w08b

Affected versions (90):

Minecraft 18w08b

Minecraft 18w09a

Minecraft 18w10c

Minecraft 18w10d

Minecraft 18w11a

Minecraft 18w15a

Minecraft 18w16a

Minecraft 18w19b

Minecraft 18w20a

Minecraft 18w22a

Minecraft 18w22b

Minecraft 18w22c

Minecraft 1.13-pre1

Minecraft 1.13-pre2

Minecraft 1.13-pre3

Minecraft 1.13-pre4

Minecraft 1.13-pre5

Minecraft 1.13-pre7

Minecraft 1.13-pre8

Minecraft 1.13-pre9

Minecraft 1.13-pre10

Minecraft 1.13

Minecraft 1.13.1

Minecraft 1.13.2

Minecraft 18w43b

Minecraft 18w43c

Minecraft 18w44a

Minecraft 18w45a

Minecraft 18w47b

Minecraft 18w48a

Minecraft 18w48b

Minecraft 18w49a

Minecraft 18w50a

Minecraft 19w02a

Minecraft 19w03a

Minecraft 19w03b

Minecraft 19w03c

Minecraft 19w08b

Minecraft 19w09a

Minecraft 19w12b

Minecraft 19w13b

Minecraft 19w14a

Minecraft 19w14b

Minecraft 1.14 Pre-Release 2

Minecraft 1.14 Pre-Release 3

Minecraft 1.14 Pre-Release 4

Minecraft 1.14

Minecraft 1.14.2 Pre-Release 2

Minecraft 1.14.3 Pre-Release 2

Minecraft 1.14.3 Pre-Release 3

Minecraft 1.14.3

Minecraft 1.14.4 Pre-Release 3

Minecraft 1.14.4 Pre-Release 4

Minecraft 1.14.4 Pre-Release 5

Minecraft 1.14.4 Pre-Release 6

1.14.4 Pre-Release 7

1.14.4

19w34a

19w35a

19w36a

19w37a

19w38b

19w39a

19w40a

19w41a

19w42a

19w45b

19w46b

1.15 Pre-release 1

1.15 Pre-Release 2

1.15 Pre-release 3

1.15 Pre-release 4

1.15 Pre-release 5

1.15 Pre-release 6

1.15 Pre-release 7

1.15

1.15.1

1.15.1 Pre-release 1

1.15.2 Pre-Release 1

1.15.2 Pre-release 2

1.15.2

20w06a

20w07a

20w08a

20w09a

20w10a

20w11a

20w13a

20w13b

20w15a

Environment: Minecraft Java Edition singleplayer, using the integrated server in snapshot 18w08b. Create a fresh disposable Default world in Creative mode with commands permitted and Generate Structures disabled. No mods, datapacks, external server, other players, supplied seed, or pre-generated world are required.

## PRECONDITIONS

---

- Install or enable the historical Java Edition snapshot 18w08b in the Minecraft Launcher.
- Use an isolated game directory if possible so this old snapshot does not open or modify newer worlds.
- Close unrelated work before testing because the report states that the trigger can make the integrated server unresponsive.
- Use a new disposable test world; do not perform this test in a valued save.
- Do not run the command repeatedly. One command submission is sufficient for the observation subsystem.

## STEPS TO REPRODUCE

### 1 REPORT

In the Minecraft Launcher, select the installation configured for Java Edition snapshot 18w08b and start the game. If creating the installation now, enable historical snapshots in the launcher's installation/version settings and assign a separate game directory before selecting 18w08b.

INPUT `Minecraft 18w08b`

SUCCESS CUE The game reaches its title screen and the displayed version identifies 18w08b.

### 2 INFERRED

From the title screen, select Singleplayer, then select Create New World. Do not open an existing world.

SUCCESS CUE The Create New World configuration screen is open.

### 3 INFERRED

Enter a recognizable disposable world name, then click the Game Mode button until it shows Creative. Creative mode is an execution choice that provides command access without adding unrelated survival setup.

INPUT `MC-126244 no structures`

SUCCESS CUE The world name is entered and the Game Mode button shows Creative.

### 4 REPORT

Select More World Options to open the additional world-generation settings.

SUCCESS CUE The screen displays options including the seed, world type, Generate Structures, and Allow Cheats settings.

### 5 INFERRED

Leave the seed field empty and leave World Type set to Default. This allows a random seed while avoiding an unrelated specialized world generator.

SUCCESS CUE The seed field is empty and World Type shows Default.

### 6 REPORT

Click the Generate Structures button until its displayed value is OFF. Do not create the world while this option says ON.

SUCCESS CUE The button reads Generate Structures: OFF.

### 7 INFERRED

Ensure Allow Cheats is ON so the in-game `/locate` command can be submitted. If Creative mode has already forced this setting on, leave it on.

SUCCESS CUE The button reads Allow Cheats: ON, or the interface otherwise indicates that commands are permitted.

### 8 INFERRED

Select Done to return to the main Create New World screen without changing the configured options.

SUCCESS CUE The main Create New World screen is visible again with the chosen world name and Creative mode retained.

**9** **REPORT**

Select Create New World once. Wait for world creation and the initial loading screen to finish.

**SUCCESS CUE** The player appears in the newly created world.

**10** **INFERRED**

Wait until nearby terrain has rendered and normal look and movement controls respond. Do not explore or intentionally load additional chunks before running the test.

**SUCCESS CUE** The spawn-area terrain is visible and the player can look or move without initial world-loading pauses.

**11** **INFERRED**

Press T, the default Open Chat control, to open the in-game chat input. Use in-game chat rather than a server console because this is a singleplayer integrated-server reproduction.

**SUCCESS CUE** A chat input line with a text cursor is visible at the bottom of the screen.

**12** **REPORT**

Type the report-supplied locate command exactly as shown, including the leading slash and the capital V in Village. Do not press Enter yet.

**INPUT** `/locate Village`

**SUCCESS CUE** The complete text `/locate Village` is visible in the chat input line with no extra characters.

**13** **REPORT** **TRIGGER**

Press Enter once to submit the command. Make no further player inputs or additional command attempts after submission; immediately transfer control to the observation subsystem.

**SUCCESS CUE** The chat input has accepted the command submission, and the single `/locate Village` invocation has just begun processing.

## HANDOFF TO OBSERVATION

---

The player is in a fresh 18w08b Creative singleplayer world created with Generate Structures disabled, and /locate Village has just been submitted once through in-game chat. Begin observing integrated-server responsiveness immediately without issuing another command.

## UNCERTAINTIES

---

- The report's clearest menu-by-menu structures-disabled reproduction was explicitly documented for 1.14.4. The same report-supported world condition and historical `/locate Village` form are applied here to the first listed affected version, Minecraft 18w08b, as required by the version-selection policy.
- The report supplies no world seed. A blank seed is retained because disabling structure generation removes the need to locate a seed-dependent generated village for this reproduction path.
- Minecraft 1.13-pre6 appears in both the raw Affects versions and Fix versions metadata. It was omitted from `affected_versions` because fix versions must not be selected as affected reproduction targets.
- The duration and severity of the resulting performance interruption can vary with hardware. The plan therefore triggers the search exactly once and hands off immediately rather than requiring repeated `/locate` commands.
- Historical snapshot menu wording can vary with language and minor UI changes. If labels differ, preserve the required state: Java Edition 18w08b, a fresh Default world, commands permitted, and structure generation disabled.
- Web lookup was limited to the permitted Mojang/Minecraft domains and did not establish a more authoritative 18w08b-specific menu capture than the reproduction information supplied in the report.

MANUAL RESULT

|                  |                    |
|------------------|--------------------|
| Version used     |                    |
| Reproduced?      | YES / NO / PARTIAL |
| Trigger reached? | YES / NO           |
| Crash file       |                    |
| Notes            |                    |
| Tested by / date |                    |