

The discount for curing a villager is multiplied if the villager is reinfected and cured again

MC-181190 VILLAGE SYSTEM

Status	Resolved / Fixed
Affected	1.15.2; 20w17a; 20w18a; 20w19a; 20w21a; 20w22a; 1.16 Pre-release 1; 1.16 Pre-release 2; 1.16 Pre-release 5; 1.16 Pre-release 8; 1.16 Release Candidate 1; 1.16; 1.16.1; 20w27a; 20w29a; 20w30a; 1.16.2 Pre-release 1; 1.16.2 Release Candidate 1; 1.16.2; 1.16.3; 1.16.4 Release Candidate 1; 1.16.4 (+more)
Fixed in	23w31a
Reported	2020-04-27
Mojira category	Village system

REPRODUCTION TARGET

Use version: 1.15.2

Affected versions (51):

1.15.2

20w17a

20w18a

20w19a

20w21a

20w22a

1.16 Pre-release 1

1.16 Pre-release 2

1.16 Pre-release 5

1.16 Pre-release 8

1.16 Release Candidate 1

1.16

1.16.1

20w27a

20w29a

20w30a

1.16.2 Pre-release 1

1.16.2 Release Candidate 1

1.16.2

1.16.3

1.16.4 Release Candidate 1

1.16.4

20w46a

20w49a

20w51a

1.16.5

21w08b

21w10a

21w15a

21w16a

21w17a

21w18a

21w20a

1.17 Pre-release 3

1.17 Release Candidate 1

1.17

1.17.1

21w38a

21w39a

1.18

1.18.1

1.18.2

22w19a

1.19 Pre-release 2

1.19.1 Release Candidate 2

1.19.2

1.19.3

1.19.4 Release Candidate 2

1.19.4

1.20 Release Candidate 1

1.20

Environment: Unmodified Minecraft Java Edition 1.15.2 in a single-player Creative-mode world with cheats enabled, difficulty set to Hard, and the same player performing both cures. Use a roofed and illuminated enclosure containing one librarian villager and no unrelated villagers, zombies, job-site blocks, or active Hero of the Village effect.

PRECONDITIONS

- Install and launch the exact affected version Minecraft Java Edition 1.15.2, not the fixed version 23w31a or any later version.
- Use one single-player identity for the entire procedure because the curing discount is associated with the player who performs the cure.
- Create the test world in Creative mode with cheats enabled so the required entities, items, and cleanup commands are available without unrelated survival progression.
- Set the difficulty to Hard before allowing a zombie to attack the villager; on Hard difficulty, a villager killed by a zombie converts into a zombie villager instead of being randomly lost.
- Prepare two Splash Potions of Weakness, two ordinary Golden Apples, a Villager Spawn Egg, a Zombie Spawn Egg, one Lectern, at least 64 Paper, building blocks, glass, and light sources.
- Use an enclosed area with a solid roof so zombies and zombie villagers cannot burn in sunlight, and illuminate the interior to prevent unrelated hostile-mob spawning.
- Keep the lectern available to the test villager and complete one trade before the first infection so the villager remains a librarian with the same locked trade throughout both cure cycles.
- Do not trade with the villager after recording the first-cure reference price, hit the villager, start a raid, or obtain Hero of the Village before the second cure.

STEPS TO REPRODUCE

1 REPORT

In the Minecraft Launcher, create or select an installation that uses Java Edition 1.15.2, launch it, and wait for the title screen. Do not use 23w31a or a later fixed version.

INPUT `Minecraft Java Edition 1.15.2`

SUCCESS CUE The lower-left title-screen version label identifies the running game as Minecraft 1.15.2.

2 INFERRED

Select Singleplayer, choose Create New World, set Game Mode to Creative, open More World Options, set Allow Cheats to ON, select the Superflat world type, and disable structure generation if that option is available. Create the world and wait until terrain has rendered and movement responds normally.

INPUT

`Singleplayer -> Create New World -> Game Mode: Creative -> More World Options -> Allow Cheats: ON -> World Type: Superflat -> Generate Structures: OFF -> Create New World`

SUCCESS CUE The player is in a newly generated Creative-mode world on flat terrain, with no village or unrelated villagers nearby.

3 VERIFIED

Open the pause menu with Esc, select Options, repeatedly select the Difficulty button until it reads Hard, then select Done and return to the game.

INPUT `Esc -> Options -> Difficulty: Hard -> Done -> Back to Game`

SUCCESS CUE The Options menu displays Difficulty: Hard.

4 INFERRED

Set the time to the villager work period. Press T to open chat, enter the command including the leading slash, and press Enter.

INPUT `/time set 2000`

SUCCESS CUE The command succeeds and the world is in daytime.

5 INFERRED

Keep the test at the same daytime while assigning the profession. Press T, enter the command including the leading slash, and press Enter.

INPUT `/gamerule doDaylightCycle false`

SUCCESS CUE Chat confirms that the doDaylightCycle game rule is now false.

6 INFERRED

Disable natural mob spawning so only the deliberately spawned zombie participates. Press T, enter the command including the leading slash, and press Enter. Spawn eggs continue to work with this rule disabled.

INPUT `/gamerule doMobSpawning false`

SUCCESS CUE Chat confirms that the doMobSpawning game rule is now false.

7 **INFERRED**

Press E to open the Creative inventory. Use the Search Items tab to obtain building blocks, glass, torches or another light source, one Lectern, one Villager Spawn Egg, one Zombie Spawn Egg, at least 64 Paper, two Splash Potions of Weakness, and two ordinary Golden Apples. Place the spawn eggs, potions, and apples in accessible hotbar slots. Do not select Enchanted Golden Apples.

INPUT

E -> Search Items; obtain: Lectern, Villager Spawn Egg, Zombie Spawn Egg, Paper x64 or more, Splash Potion of Weakness x2, Golden Apple x2, glass, solid blocks, and light sources

SUCCESS CUE All listed materials are present in the player's inventory, including exactly the ordinary Golden Apple item needed for curing.

8 **INFERRED**

Build a small escape-proof chamber with a solid floor, a 3-by-3-block interior, walls at least two blocks high, and a solid roof. Use glass in part of the walls so both entities remain visible. Leave one temporary one-block-high interaction opening in the upper half of a wall while keeping the lower wall block in place. Light the interior and place the lectern on its floor. Ensure there are still at least two unobstructed floor blocks for the villager and zombie.

SUCCESS CUE The chamber is roofed and illuminated, its lower wall is continuous so adult mobs cannot walk out, its interior and lectern are visible, and the player can aim through the upper interaction opening.

9 **INFERRED**

Select the Villager Spawn Egg and right-click an unobstructed floor block inside the chamber exactly once through the interaction opening.

INPUT Default use input: right-click once with Villager Spawn Egg

SUCCESS CUE Exactly one adult villager is alive inside the chamber, and no other villager is present nearby.

10 **VERIFIED**

Wait for the villager to detect the lectern during the frozen work period. Watch for green particles and the villager changing into a librarian. If it remains unemployed after approximately 30 seconds, break and replace the same lectern and continue waiting; do not add another job-site block.

SUCCESS CUE The villager wears the librarian profession appearance and can be interacted with for librarian trades.

11 **VERIFIED**

With paper in the inventory, face the librarian and right-click it to open the trading interface. Locate the novice offer that exchanges a displayed quantity of Paper for one Emerald. Record the displayed paper quantity as the baseline and identify this exact offer as the offer to compare after each cure.

INPUT Default use input: right-click the librarian; reference offer: Paper -> Emerald

SUCCESS CUE The trading interface is open and the baseline paper input quantity for the Paper-to-Emerald offer has been recorded.

12 **VERIFIED**

Complete the Paper-to-Emerald offer exactly once: select that offer, ensure the required paper enters the input slot, and click the Emerald in the output slot. Do not complete any additional trades. Close the trading interface with Esc.

INPUT Click Paper -> Emerald offer -> click the Emerald output once -> Esc

SUCCESS CUE One trade has completed, the villager remains a librarian, and its profession and offers are now locked.

13 **INFERRED**

Select the Zombie Spawn Egg and right-click an unobstructed floor block inside the chamber exactly once. Verify that the spawned entity is an adult regular zombie. If it is a baby zombie or if more than one regular zombie was spawned, stand within 10 blocks, press T, execute the cleanup command, and repeat this step until exactly one adult regular zombie is present.

INPUT

```
Right-click once with Zombie Spawn Egg; conditional cleanup command: /kill @e[type=minercraft:zombie,distance=..10]
```

SUCCESS CUE Exactly one adult regular zombie and the one locked librarian are alive together inside the chamber.

14 **REPORT**

Allow the regular zombie to attack the librarian. Do not hit either entity and do not proceed merely because the villager has taken damage. Wait until the normal librarian disappears and a zombie villager occupies its place.

SUCCESS CUE The chamber contains the original regular zombie plus one zombie villager created from the locked librarian; no normal villager remains.

15 **VERIFIED**

Remove only the attacking regular zombie before starting the cure. Stand within 10 blocks of the chamber, press T, enter the command including the leading slash, and press Enter. The entity-type filter must remain minecraft:zombie so the zombie villager is not selected.

INPUT /kill @e[type=minercraft:zombie,distance=..10]

SUCCESS CUE The regular zombie dies and exactly one zombie villager remains alive in the roofed chamber.

16 **VERIFIED**

Select a Splash Potion of Weakness. Aim through the interaction opening at the zombie villager and right-click once to throw the potion. Avoid throwing it against the outside wall.

INPUT Default use input: right-click once with Splash Potion of Weakness

SUCCESS CUE Gray status-effect particles are visible around the zombie villager, confirming that it has Weakness.

17 **VERIFIED**

Immediately select an ordinary Golden Apple, aim directly at the weakened zombie villager through the opening, and right-click it once. Do not left-click or use an Enchanted Golden Apple.

INPUT Default use input: right-click once with Golden Apple

SUCCESS CUE The zombie villager makes the curing-start sound, begins shaking, and emits red particles.

18 **VERIFIED**

Remain near the loaded chamber and wait for the first cure to finish. Do not attack the entity or leave the world. Continue only when the shaking zombie-villager model has been replaced by the normal librarian model; curing can take approximately three to five minutes.

SUCCESS CUE The entity is once again a normal librarian villager and no regular zombie is present in the chamber.

19 REPORT

Face the cured librarian and right-click to open its trading interface. Locate the same Paper-to-Emerald offer used before infection and record its currently displayed paper input quantity as the first-cure reference value. Do not take the Emerald output or complete any trade.

INPUT

Right-click librarian -> inspect the same Paper -> Emerald offer -> record its displayed paper quantity -> Esc

SUCCESS CUE The paper input quantity shown after exactly one cure has been recorded, the interface is closed, and no post-cure trade was completed.

20 REPORT

Select the Zombie Spawn Egg and right-click an unobstructed floor block inside the same chamber exactly once to begin the reinfection cycle. Confirm it is an adult regular zombie. If it is a baby or an extra regular zombie exists, clean up regular zombies with the specified command and retry until there is exactly one adult regular zombie with the same cured librarian.

INPUT

Right-click once with Zombie Spawn Egg; conditional cleanup command: `/kill @e[type=mincraft:zombie,distance=..10]`

SUCCESS CUE The same librarian that completed the first cure and exactly one adult regular zombie are together in the chamber.

21 REPORT

Allow the second regular zombie to attack the same librarian. Do not hit either entity. Wait until the librarian has been converted into a zombie villager again.

SUCCESS CUE The chamber contains one zombie villager created from the previously cured librarian and the regular zombie that reinfected it; no normal villager remains.

22 VERIFIED

Remove only the regular zombie before the second cure. While standing within 10 blocks, press T, enter the command including the leading slash, and press Enter.

INPUT `/kill @e[type=minercraft:zombie,distance=..10]`

SUCCESS CUE The attacking regular zombie dies and the reinfected zombie villager remains alive alone in the roofed chamber.

23 VERIFIED

Select the second Splash Potion of Weakness, aim through the interaction opening at the reinfected zombie villager, and right-click once to throw it.

INPUT Default use input: right-click once with Splash Potion of Weakness

SUCCESS CUE Gray status-effect particles are visible around the reinfected zombie villager.

24 REPORT

Immediately select the second ordinary Golden Apple, aim directly at the weakened zombie villager, and right-click it once. Do not left-click the entity.

INPUT Default use input: right-click once with Golden Apple

SUCCESS CUE The zombie villager begins shaking and emitting red particles, confirming that the second cure has started.

25 **REPORT** **TRIGGER**

Remain near the loaded chamber and wait for the second curing process to finish. Do not trade, attack the entity, change player identity, reload in another version, or introduce another villager while waiting. Continue only when the entity changes back into a normal librarian.

SUCCESS CUE The same test entity has completed its second cure and is now a normal librarian villager with its locked Paper-to-Emerald offer available for inspection.

HANDOFF TO OBSERVATION

The same locked librarian has just completed its second cure by the same player, no regular zombie remains, and no trade has been performed since recording the first-cure reference quantity. Hand control to the observation subsystem before opening or completing another trade so it can inspect the Paper-to-Emerald price after the second cure.

UNCERTAINTIES

- The report contains no formal Steps to Reproduce, so the minimum sequence was reconstructed from the description: cure a villager, reinfect the same villager, and cure it again.
- The report does not specify game mode, world seed, world type, difficulty, villager profession, or a particular trade. Creative mode, a structure-free Superflat world, Hard difficulty, and a librarian's Paper-to-Emerald trade are practical deterministic choices rather than report requirements.
- The plan first creates a locked librarian and infects it to obtain the zombie villager used for the first cure. The report does not state whether its initial zombie villager was naturally generated or created by infecting an established villager.
- The image attachment is not available in the supplied report text, so it could not be used to identify the reporter's exact villager profession, trade, enclosure, or displayed price.
- The curing duration is variable; proceed based on the entity visibly returning to a normal villager rather than on a fixed timer.
- The cleanup commands are execution aids not supplied by the report. Their type filter intentionally selects regular zombies and not zombie villagers.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	