

# '/locate', explorer maps, and treasure maps can cause extreme TPS lag, even leading to a complete server freeze if structure generation is turned off

[MC-126244](#) TRADING

|                 |                                                                                                                                                                                                                                                                                                                    |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Status          | Resolved / Fixed                                                                                                                                                                                                                                                                                                   |
| Affected        | Minecraft 18w08b; Minecraft 18w09a; Minecraft 18w10c; Minecraft 18w10d; Minecraft 18w11a; Minecraft 18w15a; Minecraft 18w16a; Minecraft 18w19b; Minecraft 18w20a; Minecraft 18w22a; Minecraft 18w22b; Minecraft 18w22c; Minecraft 1.13-pre1; Minecraft 1.13-pre2; Minecraft 1.13-pre3; Minecraft 1.13-pre4 (+more) |
| Fixed in        | Minecraft 1.13-pre6; 20w17a                                                                                                                                                                                                                                                                                        |
| Reported        | 2018-02-23                                                                                                                                                                                                                                                                                                         |
| Mojira category | Commands; Performance; Structures; Trading                                                                                                                                                                                                                                                                         |

## REPRODUCTION TARGET

|                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Version:</b> Minecraft Java Edition 1.14.4                                                                                                                                                                                                                                                                |
| <b>Environment:</b> Unmodified Minecraft Java Edition 1.14.4 in singleplayer, using the integrated server and a newly created world with Generate Structures set to OFF and commands enabled. This version and setup are selected because the report provides a direct singleplayer reproduction for 1.14.4. |

## PRECONDITIONS

---

- Install and launch the unmodified Java Edition 1.14.4 client; do not use OptiFine, mods, plugins, or a third-party server.
- Use a disposable new world. No particular world seed is specified by the report.
- The computer must remain available long enough for the observation subsystem to monitor the game after the command is submitted; the duration and severity of the response may depend on system performance.
- Do not use an existing world whose chunks or structures were generated under different settings.
- Trigger the test only once. Repeated `/locate` commands are unnecessary and may create additional lag or cause a watchdog termination.

## STEPS TO REPRODUCE

### 1 **REPORT**

In the Minecraft Launcher, select the installation that runs Java Edition 1.14.4, then start the game.

**SUCCESS CUE** The Minecraft main menu is visible and identifies the running version as Minecraft 1.14.4.

### 2 **REPORT**

Select the Singleplayer button from the main menu.

**SUCCESS CUE** The Select World screen is open.

### 3 **REPORT**

Select Create New World.

**SUCCESS CUE** The Create New World configuration screen is visible.

### 4 **INFERRED**

Optionally give the disposable test world a recognizable name. Leave the world seed unspecified and leave the game mode and world type at their defaults; the report does not require particular values for them.

**INPUT** MC-126244 reproduction

**SUCCESS CUE** The new-world configuration screen remains open and the test world can be identified by its name.

### 5 **REPORT**

Select More World Options... to expose the structure-generation and command-permission settings.

**SUCCESS CUE** The additional world options are visible, including Generate Structures and Allow Cheats.

### 6 **REPORT**

Select the Generate Structures button until its displayed state is OFF. Do not turn it back on before creating the world.

**SUCCESS CUE** The option visibly reads Generate Structures: OFF.

### 7 **INFERRED**

Select the Allow Cheats button until its displayed state is ON. This is needed so the supplied /locate command can be executed from in-game chat.

**SUCCESS CUE** The option visibly reads Allow Cheats: ON while Generate Structures still reads OFF.

### 8 **REPORT**

Select Create New World to generate and enter the world using the displayed settings.

**SUCCESS CUE** The loading screen completes and the player appears in the newly created world.

### 9 **INFERRED**

Do not run the command during initial world loading. Wait until nearby terrain has rendered, the loading overlay is gone, the HUD is visible, and ordinary movement responds normally.

**SUCCESS CUE** The player can look and move normally in the loaded world before the test command is entered.

**10** **INFERRED**

Press the Open Chat control, which is T by default, to open the in-game chat entry field.

INPUT **T**

**SUCCESS CUE** A chat input field with a text cursor is visible at the bottom of the screen.

**11** **REPORT**

Type the report's command exactly into in-game chat. Include the leading slash and preserve the structure argument shown in the report. Do not submit it yet.

INPUT **/locate Village**

**SUCCESS CUE** The chat input field contains exactly /locate Village.

**12** **REPORT** **TRIGGER**

Press Enter once to submit the command. Do not issue another command, pause the game, open a menu, or attempt to close the world after submission; immediately hand control to the observation subsystem.

INPUT **Enter**

**SUCCESS CUE** The /locate Village command has just been submitted and no additional test action has been initiated.

## HANDOFF TO OBSERVATION

---

The player is in a newly created Minecraft Java Edition 1.14.4 singleplayer world made with Generate Structures set to OFF, and /locate Village has just been submitted once through in-game chat. Begin observing integrated-server responsiveness immediately without performing further player actions.

## UNCERTAINTIES

---

- The report does not provide a required world seed, spawn location, game mode, difficulty, render distance, or hardware specification.
- The time between command submission and any performance effect is hardware-dependent; no fixed wait duration is supported by the report.
- The issue includes other trigger paths involving explorer maps and treasure-map chests, but this plan intentionally uses the simpler deterministic /locate Village path explicitly documented for a structure-disabled 1.14.4 singleplayer world.
- Although the issue lists many affected versions, Minecraft Java Edition 1.14.4 is recommended because the report contains a complete, explicit reproduction sequence for that version.
- The report describes TPS lag and possible complete freezing; the setup does not require a dedicated server because its 1.14.4 reproduction explicitly uses singleplayer, whose world runs on an integrated server.

MANUAL RESULT

|                  |                    |
|------------------|--------------------|
| Version used     |                    |
| Reproduced?      | YES / NO / PARTIAL |
| Trigger reached? | YES / NO           |
| Crash file       |                    |
| Notes            |                    |
| Tested by / date |                    |