

# Debug key binds text is improperly capitalized

[MC-302719](#) TEXT

|                 |                  |
|-----------------|------------------|
| Status          | Resolved / Fixed |
| Affected        | 25w41a           |
| Fixed in        | 25w43a           |
| Reported        | 2025-10-09       |
| Mojira category | Text             |

## REPRODUCTION TARGET

**Version:** Minecraft Java Edition snapshot 25w41a

**Environment:** Vanilla single-player Minecraft Java Edition 25w41a with the language set to English (US), default resources, and commands/cheats enabled. No specific game mode, seed, coordinates, server, or additional player is required.

## PRECONDITIONS

---

- The Minecraft Launcher can install and start snapshot 25w41a; enable snapshot installations in the launcher if necessary.
- Use the affected version 25w41a rather than fix version 25w43a or a later release.
- Use the built-in English (US) language so the English capitalization listed in the report is displayed.
- Use a world in which the executing player has permission to run `/tellraw`, such as a single-player world created with Allow Commands enabled.
- Disable custom resource packs that replace the affected English translation strings.

## STEPS TO REPRODUCE

### 1 INFERRED

In the Minecraft Launcher, select or create a Java Edition installation that uses snapshot 25w41a, and launch it.

**SUCCESS CUE** The game reaches the title screen and identifies its version as 25w41a.

### 2 INFERRED

From the title screen, open Options, select Language, choose English (US), and confirm with Done. If English (US) is already selected, leave it selected and return to the title screen.

**SUCCESS CUE** The title-screen menus are displayed in English and English (US) is the active language.

### 3 INFERRED

Open Singleplayer and create a new test world. In the world-creation settings, enable Allow Commands. Any game mode, world seed, and world-generation settings may be used because the report specifies none. Start the world.

**SUCCESS CUE** The player has entered a single-player world in which commands are permitted.

### 4 INFERRED

Wait until the world has finished loading: surrounding terrain should be rendered and normal player movement should respond without a loading pause.

**SUCCESS CUE** The player can move normally and the nearby terrain is rendered.

### 5 INFERRED

Press the Open Chat control, which is T by default.

**INPUT** T

**SUCCESS CUE** The chat input field is open and ready to receive a command.

### 6 REPORT

Type the report's /tellraw command, replacing XYZ with one affected translation key. For a deterministic single-string reproduction, use the first listed key, key.debug.clearChat. Include the leading slash, and do not submit the command yet.

**INPUT** /tellraw @s {"translate":"key.debug.clearChat"}

**SUCCESS CUE** The complete command is visible in the chat input field with no omitted characters.

### 7 REPORT TRIGGER

Press Enter once to execute the command.

**INPUT** Enter

**SUCCESS CUE** The command is accepted without a red syntax or permission error, and one translated text line is rendered in the chat/HUD for the executing player.

## HANDOFF TO OBSERVATION

---

The `/tellraw` command using `key.debug.clearChat` has just executed successfully, and the resulting translated text line is currently visible for capitalization inspection.

## UNCERTAINTIES

---

- The report permits any affected translation key and does not identify one mandatory key. This plan selects `key.debug.clearChat`, the first key in the report, as the simplest deterministic example.
- The report does not explicitly state the active language. English (US) is selected as a practical requirement because the supplied current and expected strings are English strings.
- The report does not specify game mode, seed, coordinates, or whether to use single-player or a server. A command-enabled single-player world is the minimum deterministic environment supported by the supplied reproduction.
- To inspect another listed string, the same trigger can be repeated after handoff by replacing only `key.debug.clearChat` with that string's exact translation key; the report does not require every listed key to be tested in one run.

MANUAL RESULT

|                  |                    |
|------------------|--------------------|
| Version used     |                    |
| Reproduced?      | YES / NO / PARTIAL |
| Trigger reached? | YES / NO           |
| Crash file       |                    |
| Notes            |                    |
| Tested by / date |                    |