

/return executed within an advancement reward function globally discards all subsequent commands

[MC-266968](#) ADVANCEMENTS

Status	Resolved / Fixed
Affected	1.20.3 Pre-Release 2
Fixed in	1.20.3 Pre-Release 4
Reported	2023-11-24
Mojira category	Advancements; Commands; Data Packs

REPRODUCTION TARGET

Use version:

1.20.3 Pre-Release 2

Affected versions (1):

1.20.3 Pre-Release 2

Environment:

Minecraft Java Edition 1.20.3 Pre-Release 2 in a fresh single-player world using the integrated server, with commands enabled and the attached mc-266968.zip data pack installed. Execute the reproduction command from in-game chat as the player, not from a server console, because the data pack commands use @s.

PRECONDITIONS

- Obtain the report attachment named mc-266968.zip; keep it as a ZIP file and do not edit its functions or advancement files.
- Configure the Minecraft Launcher to run exactly Minecraft Java Edition 1.20.3 Pre-Release 2, not the fixed version 1.20.3 Pre-Release 4.
- Use a fresh, disposable world so that no unrelated data packs, functions, or advancement state can affect the reproduction.
- Ensure commands are enabled for the world. The single-player procedure below uses Creative mode with Allow Commands enabled.
- Use the default chat control T where stated, or the player's rebound Open Chat control if T has been changed.

STEPS TO REPRODUCE

1 **REPORT**

In the Minecraft Launcher, create or select an installation for exactly Java Edition 1.20.3 Pre-Release 2, launch it, and wait for the main menu to finish loading. Do not select 1.20.3 Pre-Release 4, because that is listed as the fix version rather than an affected version.

SUCCESS CUE The Minecraft main menu is visible and its version label identifies 1.20.3 Pre-Release 2.

2 **INFERRED**

Select Singleplayer, then Create New World. Give the world the unique name MC-266968-repro, select Creative game mode, set Allow Commands to ON, and create the world.

INPUT MC-266968-repro

SUCCESS CUE The new world begins loading with Creative mode and command access configured.

3 **INFERRED**

Wait after entering the world until the surrounding terrain has rendered and normal player movement responds without world-loading delay.

SUCCESS CUE The player can move normally in the loaded world and the nearby terrain is visible.

4 **INFERRED**

Press Esc, select Save and Quit to Title, and wait until the main menu reappears. This closes the world before its data-pack directory is modified.

SUCCESS CUE The main menu is visible and the MC-266968-repro world is no longer open.

5 **INFERRED**

Using the operating system's file manager, open the game directory used by this launcher installation. Open saves, then the folder for MC-266968-repro, then datapacks. Copy the attached mc-266968.zip file directly into that datapacks directory without changing its filename or contents. If the launcher profile specifies a custom Game Directory, use that directory instead of the operating system's default .minecraft directory.

INPUT <active game directory>/saves/MC-266968-repro/datapacks/mc-266968.zip

SUCCESS CUE mc-266968.zip is present directly inside the MC-266968-repro world's datapacks directory.

6 **INFERRED**

Return to Minecraft, select Singleplayer, select MC-266968-repro, and choose Play Selected World. Wait until terrain is rendered and player movement and commands respond normally.

SUCCESS CUE The player is back in MC-266968-repro and the world has completed its initial loading.

7 **INFERRED**

Press T to open in-game chat. Type the data-pack status command exactly as shown, including the leading slash, and press Enter. This is only a setup verification and must be executed from in-game chat.

INPUT /datapack list enabled

SUCCESS CUE The enabled data-pack list includes the attached pack, normally identified by an entry containing file/mc-266968.zip. If it is absent or reported as invalid, stop before the trigger and correct the installation.

8 **REPORT**

Ensure the world has returned to normal player control after the verification command. Keep the player inside the world; do not switch to a server console, command block, or other execution context, because the reproduction function operates on the executing player through @s.

SUCCESS CUE The player is active in the world with command permission, and mc-266968.zip has been confirmed as enabled.

9 **INFERRED**

Press T to open in-game chat again.

SUCCESS CUE The chat input field is open at the bottom of the screen.

10 **REPORT**

Enter the report's function command exactly as written, including the leading slash. Do not press Enter yet.

INPUT `/function mc-266968:a`

SUCCESS CUE The complete text /function mc-266968:a is present in the in-game chat input field and is ready to be submitted.

11 **REPORT** **TRIGGER**

Press Enter once to submit and execute /function mc-266968:a as the player. Do not run it repeatedly; immediately hand control to the observation subsystem after this single execution.

INPUT `/function mc-266968:a`

SUCCESS CUE The command has been submitted, function execution has completed or returned control to the player, and the resulting chat output is available for immediate inspection.

HANDOFF TO OBSERVATION

The player has just executed `/function mc-266968:a` once from in-game chat in the affected version, with `mc-266968.zip` enabled. Begin observing the resulting command-generated chat output before executing any additional command.

UNCERTAINTIES

- The report does not specify single-player versus dedicated-server execution, game mode, world seed, or coordinates. This plan uses a fresh Creative single-player world with commands enabled because it supplies a player execution context for @s without adding unrelated server conditions.
- The attachment contents themselves were not included as an accessible file in the supplied report text. The plan assumes the attachment named mc-266968.zip is the directly installable data pack referenced by the report and should be placed unchanged in the world's datapacks directory.
- The displayed enabled-pack identifier can vary slightly in formatting, but it should clearly correspond to mc-266968.zip.
- No external web verification was needed because the supplied report provides the affected version, attachment name, namespace, function command, and relevant data-pack resources.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	