

Every dimension's world border is operating independently, and doesn't appear where it actually is

MC-121997 COMMANDS

Status	Resolved / Fixed
Affected	Minecraft 1.12.2; Minecraft 17w45b; Minecraft 17w46a; Minecraft 17w47a; Minecraft 17w47b; Minecraft 17w48a; Minecraft 17w49a; Minecraft 17w49b; Minecraft 17w50a; Minecraft 18w01a; Minecraft 18w02a; Minecraft 18w03b; Minecraft 18w05a; Minecraft 18w06a; Minecraft 18w07c; Minecraft 18w08a (+more)
Fixed in	1.18 Pre-release 1
Reported	2017-11-15
Mojira category	Commands

REPRODUCTION TARGET

Use version: Minecraft 1.12.2

Affected versions (132):

Minecraft 1.12.2

Minecraft 17w45b

Minecraft 17w46a

Minecraft 17w47a

Minecraft 17w47b

Minecraft 17w48a

Minecraft 17w49a

Minecraft 17w49b

Minecraft 17w50a

Minecraft 18w01a

Minecraft 18w02a

Minecraft 18w03b

Minecraft 18w05a

Minecraft 18w06a

Minecraft 18w07c

Minecraft 18w08a

Minecraft 18w10c

Minecraft 18w11a

Minecraft 18w14a

Minecraft 18w14b

Minecraft 18w20c

Minecraft 18w21b

Minecraft 18w22c

Minecraft 1.13-pre1

Minecraft 1.13-pre2

Minecraft 1.13-pre3

Minecraft 1.13-pre6

Minecraft 1.13-pre9

Minecraft 1.13

Minecraft 18w30a

Minecraft 18w30b

Minecraft 18w31a

Minecraft 18w32a

Minecraft 18w33a

Minecraft 1.13.1-pre1

Minecraft 1.13.1-pre2

Minecraft 1.13.1

Minecraft 1.13.2

Minecraft 18w43b

Minecraft 18w43c

Minecraft 18w44a

Minecraft 18w45a

Minecraft 18w46a

Minecraft 1.14

Minecraft 1.14.1

Minecraft 1.14.2 Pre-Release 1

Minecraft 1.14.2 Pre-Release 2

Minecraft 1.14.2

Minecraft 1.14.3

Minecraft 1.14.4 Pre-Release 1

Minecraft 1.14.4 Pre-Release 3

Minecraft 1.14.4 Pre-Release 4

Minecraft 1.14.4 Pre-Release 5

Minecraft 1.14.4 Pre-Release 6

1.14.4

19w34a

19w35a

19w36a

19w37a

19w38b

19w39a

19w40a

19w41a

19w42a

19w44a

19w45a

19w45b

19w46b

1.15 Pre-release 1

1.15 Pre-Release 2

1.15 Pre-release 3

1.15 Pre-release 4

1.15 Pre-release 5

1.15 Pre-release 6

1.15 Pre-release 7

1.15

1.15.1

1.15.1 Pre-release 1

1.15.2 Pre-Release 1

1.15.2 Pre-release 2

1.15.2

20w06a

20w07a

20w08a

20w09a

20w10a

20w11a

20w12a

20w13a

20w13b

20w14a

20w15a

20w16a

20w17a

20w18a

20w19a

20w20a

20w20b

20w21a

1.16 Pre-release 2

1.16 Pre-release 3

1.16 Pre-release 8

1.16 Release Candidate 1

1.16

1.16.1

20w28a

20w30a

1.16.2 Pre-release 1

1.16.2 Release Candidate 1

1.16.2 Release Candidate 2

1.16.2

1.16.3 Release Candidate 1

1.16.3

1.16.4 Pre-release 1

1.16.4 Pre-release 2

1.16.4 Release Candidate 1

1.16.4

20w46a

20w48a

20w51a

21w03a

1.16.5

21w05a

21w05b

21w06a

21w07a

21w10a

21w11a

1.17 Pre-release 2

1.17

1.17.1

21w44a

Environment: Vanilla Minecraft: Java Edition in a single-player world using the integrated server. Run the first listed affected version, Minecraft 1.12.2. Start in Creative mode with cheats/commands enabled. Default keyboard and mouse controls are assumed; use the equivalent bound controls if they have been changed.

PRECONDITIONS

- Select the Minecraft: Java Edition 1.12.2 installation in the launcher. Do not use the listed fix version, 1.18 Pre-release 1.
- Use a new disposable world so that no earlier world-border settings, portals, beds, or spawn points affect the procedure.
- Create the world in Creative mode with Allow Cheats enabled so that `/worldborder`, `/tp`, `/fill`, `/spawnpoint`, `/kill`, and `/gamemode` can be executed from in-game chat.
- Use a single player for the reproduction. A dedicated server and additional players are not required by the report.
- Keep the F3 debug screen available for verifying the current X, Y, and Z coordinates and facing direction.
- The report supplies no world seed. The plan therefore constructs safe test areas at the exact command coordinates to remove terrain, lava, and hostile-mob interference.

STEPS TO REPRODUCE

1 INFERRED

Launch Minecraft: Java Edition 1.12.2. From the main menu select Singleplayer, select Create New World, set Game Mode to Creative, open More World Options, ensure Allow Cheats is ON, and create the world.

INPUT

Singleplayer -> Create New World -> Game Mode: Creative -> More World Options... -> Allow Cheats: ON -> Create New World

SUCCESS CUE The player has loaded into a new world in Creative mode and the hotbar is visible.

2 INFERRED

Wait until the Overworld terrain surrounding the player has rendered and movement responds normally. Press F3 and confirm that coordinate information is visible.

INPUT F3

SUCCESS CUE The Overworld is responsive and the debug overlay displays X, Y, and Z coordinates.

3 INFERRED

Press T to open in-game chat. Enter the following command with the leading slash and press Enter. This moves the player to X=0, Y=100, Z=0, where the portal and respawn platform will be constructed.

INPUT /tp @s 0 100 0

SUCCESS CUE The player is in Creative mode at approximately X=0, Y=100, Z=0.

4 INFERRED

Press T, enter the following command with the leading slash, and press Enter. This creates an 11-by-11 cobblestone platform one block beneath the player.

INPUT /fill -5 99 -5 5 99 5 cobblestone

SUCCESS CUE A solid cobblestone platform exists from X=-5 through 5 and Z=-5 through 5 at Y=99.

5 INFERRED

Set a deterministic personal respawn point at the center of the platform. Press T, enter the command with the leading slash, and press Enter.

INPUT /spawnpoint @s 0 100 0

SUCCESS CUE Chat confirms that the player's spawn point has been set at or near X=0, Y=100, Z=0.

6 INFERRED

Press E to open the Creative inventory. Use the Search Items tab to find Obsidian and Flint and Steel, then place both items in hotbar slots. The hotbar is the row of nine item slots at the bottom of the screen; click or press the corresponding number key to make a slot active.

INPUT E; search for "Obsidian" and "Flint and Steel"

SUCCESS CUE Obsidian and Flint and Steel are both available in the player's hotbar.

7 **INFERRED**

On the platform, construct a Nether portal frame in the vertical plane $Z=0$. Place the four bottom obsidian blocks at $X=2$ through $X=5$, $Y=100$; four top blocks at $X=2$ through $X=5$, $Y=104$; and three side blocks at $Y=101$ through $Y=103$ on each of $X=2$ and $X=5$. Leave the six interior positions at $X=3$ through $X=4$, $Y=101$ through $Y=103$ empty.

INPUT Select Obsidian; right-click to place blocks at the specified coordinates

SUCCESS CUE A complete 4-block-wide by 5-block-tall obsidian rectangle stands on the platform, with a 2-by-3 empty interior.

8 **INFERRED**

Select Flint and Steel in the active hotbar slot. Aim at the top surface of either bottom interior obsidian block and right-click to ignite the portal interior.

INPUT Right-click with Flint and Steel

SUCCESS CUE The 2-by-3 interior of the obsidian frame is filled with the animated purple Nether-portal field.

9 **REPORT**

While still in the Overworld, press T to open chat. Enter the report's command exactly, including the leading slash, and press Enter.

INPUT `/worldborder set 1000`

SUCCESS CUE The command is accepted and chat confirms that the world-border diameter has been set to 1000 blocks.

10 **REPORT**

Walk into the purple portal field and remain inside it until dimension transfer begins. Do not issue another command while the portal transition is in progress.

INPUT W

SUCCESS CUE The loading transition begins after the player remains inside the active portal.

11 **INFERRED**

Wait until Nether terrain has rendered and player movement and chat commands respond normally. Do not continue while a loading screen is present or nearby chunks are still appearing.

SUCCESS CUE The player is in the Nether beside a generated return portal, surrounding chunks are rendered, and controls respond normally.

12 **REPORT**

Before shrinking the Nether border, prepare a safe test corridor at its intended center. Press T, enter the report's center teleport command exactly, including the leading slash, and press Enter.

INPUT `/tp @s 0 50 0`

SUCCESS CUE The player is in the Nether at approximately $X=0$, $Y=50$, $Z=0$; Creative mode prevents terrain or lava at the destination from immediately harming the player.

13 **INFERRED**

Wait until the chunks around X=0, Z=0 have loaded. Press F3 if needed and verify the displayed coordinates before constructing the corridor.

INPUT `F3`

SUCCESS CUE The debug overlay shows approximately X=0, Y=50, Z=0 and the local chunk is loaded.

14 **INFERRED**

Construct the solid outer shell of an enclosed test corridor. Press T, enter the following command with the leading slash, and press Enter. The player may briefly be enclosed in blocks but cannot suffocate while in Creative mode.

INPUT `/fill -2 49 -2 2 53 10 cobblestone`

SUCCESS CUE Chat confirms that blocks were filled in the specified region.

15 **INFERRED**

Hollow out the corridor immediately. Press T, enter the following command with the leading slash, and press Enter.

INPUT `/fill -1 50 -1 1 52 9 air`

SUCCESS CUE The player stands in an enclosed, empty three-block-wide and three-block-high cobblestone corridor extending from approximately Z=-1 through Z=9, with a solid floor and no exposed lava.

16 **REPORT**

Return to the report's first Nether test position. Press T, enter the supplied command exactly with the leading slash, and press Enter.

INPUT `/tp @s 0 50 500`

SUCCESS CUE The player is in the Nether at approximately X=0, Y=50, Z=500.

17 **INFERRED**

Wait until the destination chunk has rendered and chat commands respond. Remain in Creative mode even if the destination is inside terrain or lava.

SUCCESS CUE The Nether chunk around X=0, Z=500 is loaded and the player can issue commands.

18 **REPORT**

While in the Nether, press T and execute the report's border-size command exactly, including the leading slash.

INPUT `/worldborder set 10`

SUCCESS CUE The command is accepted and chat confirms that the current dimension's world-border diameter has been set to 10 blocks.

19 **REPORT**

Press T and execute the report's query command exactly, including the leading slash. Record the displayed diameter without yet evaluating border rendering or player interaction.

INPUT `/worldborder get`

SUCCESS CUE The command completes successfully and a world-border diameter is displayed in chat for the Nether.

20 **INFERRED**

Use a deliberate command death to return to the deterministic Overworld respawn platform without making border-induced death a prerequisite for continuing the setup. Press T, enter the command with the leading slash, and press Enter.

INPUT `/kill`

SUCCESS CUE The death screen appears as a direct result of the `/kill` command and offers the Respawn button.

21 **INFERRED**

Select Respawn and wait until the Overworld platform and nearby Nether portal have loaded.

INPUT `Respawn`

SUCCESS CUE The player has respawned in the Overworld near X=0, Y=100, Z=0, and the constructed portal is visible nearby.

22 **VERIFIED**

Ensure the player is in Creative mode before continuing. Press T, enter the command with the leading slash, and press Enter. The named Java game-mode command form was externally checked for historical use. ([minecraft.wiki](https://minecraft.wiki/w/Tutorial%3ACommand_blocks_and_functions?utm_source=openai))

INPUT `/gamemode creative`

SUCCESS CUE Creative flight and the Creative hotbar/inventory are available, and the player has no Survival health or hunger requirement for setup.

23 **REPORT**

While in the Overworld, execute the report's world-border query. Press T, enter the command exactly with the leading slash, and press Enter. Preserve the displayed value for the observation subsystem without interpreting it during setup.

INPUT `/worldborder get`

SUCCESS CUE The command executes successfully in the Overworld and displays a border diameter in chat.

24 **REPORT**

Walk back into the nearby purple Nether portal field and remain inside it until dimension transfer begins.

INPUT `W`

SUCCESS CUE The portal loading transition begins.

25 **INFERRED**

Wait until the Nether and its return portal have fully loaded. Do not continue until movement and chat commands respond normally.

SUCCESS CUE The player is back in the Nether in Creative mode and the surrounding chunks are stable.

26 **REPORT**

Press T and execute the report's center teleport command exactly, including the leading slash.

INPUT `/tp @s 0 50 0`

SUCCESS CUE The player is at approximately X=0, Y=50, Z=0 inside or immediately beside the previously constructed test corridor.

27 **INFERRED**

Wait for the center chunk to finish loading. If the player is not already within the hollow corridor because of a fractional teleport position, move less than one block into its open interior. Verify with F3 that the position is close to X=0, Y=50, Z=0.

INPUT `F3`

SUCCESS CUE The player is standing in the clear corridor near X=0, Y=50, Z=0, with an unobstructed path toward increasing Z.

28 **REPORT**

Query the Nether border once more before changing game mode. Press T, enter the report's command with the leading slash, and press Enter. Record the displayed value without evaluating the bug.

INPUT `/worldborder get`

SUCCESS CUE The query succeeds in the Nether and displays the current border diameter in chat.

29 **VERIFIED**

Change to Survival mode while still near the center of the corridor. Press T, enter the command with the leading slash, and press Enter. The named Java game-mode command form was externally checked for historical use. ([minecraft.wiki](https://minecraft.wiki/w/Tutorial%3ACommand_blocks_and_functions?utm_source=openai))

INPUT `/gamemode survival`

SUCCESS CUE The Survival health and hunger bars are visible, and the player remains near X=0, Y=50, Z=0 inside the corridor.

30 **INFERRED**

Open the F3 debug overlay and rotate the view until its facing line says south, toward positive Z. Do not move beyond approximately Z=1 during orientation.

INPUT `F3; move the mouse until facing south/toward positive Z`

SUCCESS CUE The player is in Survival mode near Z=0 and is facing down the clear corridor toward increasing Z.

31 **REPORT** **TRIGGER**

Begin walking forward along the corridor toward increasing Z. Continue holding the move-forward control as the displayed Z coordinate approaches and attempts to pass Z=5 to Z=6. Do not jump, sprint, leave the corridor, or release the input before handing off.

INPUT `W (hold)`

SUCCESS CUE Forward movement input is actively being held while the player attempts to traverse the corridor beyond the positive-Z edge of a 10-block-wide border centered at Z=0.

HANDOFF TO OBSERVATION

The player is in Survival mode in the Nether, the Nether border was set to a diameter of 10, the Overworld border was previously set to 1000, and the player has just begun holding W toward positive Z through the prepared corridor while attempting to pass Z=5 to Z=6. Hand control to the observation subsystem now to inspect movement, position, damage state, and border rendering without performing additional setup actions.

UNCERTAINTIES

- The report supplies no world seed, so the exact Nether terrain at the two teleport destinations is unknown. The constructed center corridor removes terrain and lava as confounding factors for the final movement trigger.
- Single-player was selected as the simplest deterministic environment. The report does not state that a dedicated server or multiple players are required.
- The `/kill` command is an execution aid, not a condition stated by the report. It replaces waiting for border-induced death so that the reproduction plan does not depend on an observed bug outcome as a readiness condition.
- The report also describes repeating the experiment in the End, using a border size other than 10, and repeating it with `/worldborder` center changes. Those are corroborating variants; this plan selects the shorter Nether size variant that establishes different per-dimension border settings and ends at the report's invisible-border movement trigger.
- No fix-version reproduction is attempted. The listed fix version, 1.18 Pre-release 1, is intentionally excluded from `recommended_version`.
- External verification was limited to historical Java game-mode command handling; all report-supplied `/worldborder` and `/tp` commands were preserved exactly.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	