

Boats / rafts move into blocks when landing in less than one block deep water

[MC-96198](#) COLLISION

Status	Resolved / Fixed
Affected	Minecraft 16w04a; Minecraft 16w05b; Minecraft 16w06a; Minecraft 1.9 Pre-Release 1; Minecraft 1.9 Pre-Release 2; Minecraft 1.10.2; Minecraft 1.11; Minecraft 1.11.2; Minecraft 1.12 Pre-Release 6; Minecraft 1.12 Pre-Release 7; Minecraft 1.12.2; Minecraft 18w05a; Minecraft 1.14; Minecraft 1.14.1 (+more)
Fixed in	24w19a
Reported	2016-01-28
Mojira category	Collision

REPRODUCTION TARGET

Use version: Minecraft 16w04a

Affected versions (41):

Minecraft 16w04a

Minecraft 16w05b

Minecraft 16w06a

Minecraft 1.9 Pre-Release 1

Minecraft 1.9 Pre-Release 2

Minecraft 1.10.2

Minecraft 1.11

Minecraft 1.11.2

Minecraft 1.12 Pre-Release 6

Minecraft 1.12 Pre-Release 7

Minecraft 1.12.2

Minecraft 18w05a

Minecraft 1.14

Minecraft 1.14.1

20w14a

1.16.1

20w28a

1.16.3

1.16.4

20w46a

20w48a

21w05b

21w06a

21w13a

1.17 Pre-release 1

1.17

1.17.1

1.18

1.18.1

1.18.2

1.19 Pre-release 3

1.19 Release Candidate 2

1.19

1.19.1 Pre-release 5

1.19.2

22w42a

22w45a

1.19.3

1.20

1.20.1

23w44a

Environment: Unmodified Minecraft Java Edition snapshot 16w04a in a fresh single-player Creative world. A Superflat world is recommended only to simplify construction. Use the normal Move Forward control, default W, and Change Perspective control, default F5. No dedicated server, multiplayer participant, seed, or absolute coordinates are required by the report.

PRECONDITIONS

- Install and launch exactly Minecraft Java Edition 16w04a, the first version listed in Affects versions. Do not use fix version 24w19a.
- Use an unmodified client without mods that change boats, water, entity movement, or collision.
- Ensure the Move Forward action is bound to a known key; the default is W.
- Ensure the Use Item/Place Block action is bound to a known input; the default is right-click.
- Prepare enough unobstructed space for a 13-by-13-block lower landing floor and a 3-by-16-block elevated water channel.
- Use a normal wooden boat. Do not substitute a minecart or another vehicle. Bamboo rafts do not exist in the recommended historical version.
- The exact screenshot-based structure is unavailable in the supplied report. The dimensions below are a deterministic practical reconstruction of the reported upper water level, waterfall, solid lower floor, and less-than-one-block-deep flowing water.

STEPS TO REPRODUCE

1 REPORT

In the Minecraft Launcher, create or select an installation for Java Edition snapshot 16w04a and start the game with that installation.

INPUT Minecraft Java Edition 16w04a

SUCCESS CUE The game reaches the main menu and the displayed version is 16w04a.

2 INFERRED

Create a fresh single-player Creative world. From the main menu, open Singleplayer, choose Create New World, set Game Mode to Creative, optionally select the Superflat world type under More World Options, and create the world.

INPUT

Singleplayer -> Create New World -> Game Mode: Creative -> More World Options... -> World Type: Superflat (recommended) -> Create New World

SUCCESS CUE The player enters a new world in Creative mode and can fly and access unlimited inventory items.

3 INFERRED

Wait before constructing anything until nearby terrain has rendered and movement responds normally.

SUCCESS CUE The surrounding ground is visible, missing chunks are no longer present around the construction area, and movement responds without loading pauses.

4 INFERRED

Open the Creative inventory and put a stack of solid building blocks, a Water Bucket, and one normal wooden Boat into separate hotbar slots. The hotbar is the row of nine item slots along the bottom of the screen. The Creative inventory Search Items tab can be used to find each item.

INPUT E; search for "stone", "water bucket", and "boat"

SUCCESS CUE A solid block, a Water Bucket, and a normal wooden Boat are visible in the player's hotbar.

5 INFERRED

Use the solid blocks to construct a flat 13-by-13-block lower landing floor. Keep the entire upper surface level, solid, and free of holes. This floor may be built directly on the Superflat ground.

INPUT Build a 13 x 13 solid horizontal floor

SUCCESS CUE A level 13-by-13 solid floor with no gaps or blocks protruding above its surface is available for the lower flowing water.

6 INFERRED

Choose one side of the lower floor as the launch side. Centered on that side, build the bottom of an elevated channel three blocks wide and sixteen blocks long. Set the channel floor three blocks above the lower landing floor. Extend its front end over the lower floor so a boat leaving the channel will fall toward the lower floor; extend the rest of the channel away from the lower floor to provide an acceleration runway.

INPUT

Upper channel floor: 3 blocks wide x 16 blocks long; channel floor 3 blocks above lower landing floor

SUCCESS CUE A straight three-block-wide runway is suspended above the lower floor, with its long axis pointing toward the lower landing area.

7 **INFERRED**

Build a one-block-high wall along both long sides of the elevated channel and across its rear end. Leave the end facing the lower landing floor completely open so both water and the boat can pass over that edge.

INPUT

Side walls: 16 blocks long and 1 block above the channel floor; rear wall: 3 blocks wide; front wall: none

SUCCESS CUE The elevated structure is a straight water channel with two side walls, a closed rear, and an unobstructed open end above the lower floor.

8 **INFERRED**

Select the Water Bucket and place water throughout the elevated channel until it contains a continuous, one-block-deep upper water surface suitable for boating. Place water directly in the channel cells rather than relying on one distant source to fill the runway. Allow water at the open end to spill downward onto the lower solid floor.

INPUT Select Water Bucket; right-click channel cells to place water

SUCCESS CUE The upper channel has a continuous navigable water surface, and water is falling from its open end onto the lower floor.

9 **REPORT**

Wait until the water flow stops changing shape. Inspect the lower floor and verify that water from the fall spreads horizontally across the top of the solid floor. At least part of the intended landing path must contain visibly sloped or lower-than-full-block flowing water; do not replace the entire lower area with a flat pool of full source blocks.

SUCCESS CUE A stable waterfall connects the upper channel to shallow flowing water lying directly on the lower solid floor.

10 **INFERRED**

Remove any temporary support blocks, misplaced blocks, or other obstacles from the centerline between the rear of the upper channel, its open edge, and the shallow lower-water landing area. Do not remove the solid floor beneath the lower water.

INPUT Left-click unwanted obstruction blocks while in Creative mode

SUCCESS CUE The boat has a straight, unobstructed route along the upper water, over the open edge, and into the lower flowing water.

11 **REPORT**

Move to the rear portion of the elevated channel. Select the Boat in the hotbar, aim at the upper water near the rear of the channel, and use the Boat on the water.

INPUT Select Boat; right-click the upper water near the closed rear end

SUCCESS CUE One normal boat is floating in the upper channel with most of the sixteen-block runway between it and the open end.

12 **INFERRED**

Select an empty hotbar slot so that using the boat does not place water or blocks. Aim at the boat and use it to enter the boat.

INPUT Select empty hotbar slot; right-click the boat

SUCCESS CUE The player's viewpoint is attached to the boat and the player can control it.

13 **INFERRED**

Before beginning the run, steer the boat into the center of the channel and face it directly toward the open end and lower landing area. Use brief taps of Move Left and Move Right, default A and D, as needed. Do not begin the full-speed run until the boat is aligned and still has most of the runway ahead.

INPUT A and D as brief steering taps

SUCCESS CUE The occupied boat is near the rear of the upper channel, centered between the side walls, and pointed straight toward the open end.

14 **REPORT**

Switch to the rear third-person camera recommended in the report comment so the channel edge and landing path remain visible. Press Change Perspective repeatedly only until the camera is behind the player and boat.

INPUT F5, repeated until rear third-person view is active

SUCCESS CUE The boat, the runway ahead, and the open end of the channel are visible from behind the player.

15 **REPORT**

Press and continuously hold Move Forward, default W. Keep holding it as the boat accelerates down the upper water channel. Use only small steering corrections if needed, and do not brake, dismount, or release Move Forward before reaching the edge.

INPUT Hold W; optionally tap A or D briefly without releasing W

SUCCESS CUE The occupied boat is traveling quickly and straight toward the open end after using the available upper-water runway to accelerate.

16 **REPORT** **TRIGGER**

Continue holding Move Forward while allowing the boat to pass completely over the open end of the upper channel, fall toward the lower floor, and make its first contact with the shallow flowing water above that floor. Do not dismount or release Move Forward before contact, and do not repeat the landing before handing off to observation.

INPUT Continue holding W through departure, fall, and first water contact

SUCCESS CUE The occupied boat has just contacted the lower shallow flowing water above the solid floor while Move Forward remains held.

HANDOFF TO OBSERVATION

The occupied boat has just made its first contact with the shallow flowing water above the lower solid floor while the Move Forward input remains held. Begin observation immediately, before releasing the input, dismounting, moving the boat again, or repeating the run.

UNCERTAINTIES

- The report relies on a screenshot whose contents and exact dimensions are not included in the supplied text. The 13-by-13 lower floor, 3-by-16 upper channel, and three-block elevation are practical reconstruction choices rather than dimensions asserted by the report.
- The report does not specify a world seed, coordinates, construction material, exact drop height, or required game mode. A fresh Creative Superflat world and solid stone-like blocks are selected solely to make the setup deterministic and quick to construct.
- The lower landing water must remain flowing and less than one full block deep, as stated by the title and description. Turning the lower area into a full source-water pool would remove a stated trigger condition.
- The original report says only to grab a boat and recommends reproducing at full speed while holding W. Any normal wooden boat available in 16w04a is therefore acceptable.
- Web verification was limited to checking the version-sensitive control behavior: available Minecraft Wiki history confirms that 16w04a boats use the normal forward/backward and left/right movement actions, consistent with the report's W instruction. ([zh.minecraft.wiki](https://zh.minecraft.wiki/w/%E8%88%B9?utm_source=openai))
- A comment mentions 1.20.4, but that version is not present in the report's Affects versions field and is therefore not added to affected_versions.
- Bamboo rafts are included in the report title because later affected versions support them, but the recommended first affected version, Minecraft 16w04a, must be tested with a boat.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	