

The 'Hat' layer of a player skin is not shown in the tab list under certain conditions

MC-71990 UI

Status	Resolved / Fixed
Affected	Minecraft 1.8; Minecraft 1.8.1-pre2; Minecraft 1.8.1-pre3; Minecraft 15w35e; Minecraft 1.9 Pre-Release 3; Minecraft 1.10.2; Minecraft 16w36a; Minecraft 16w39c; Minecraft 1.11.2; Minecraft 17w06a; Minecraft 1.12.1; Minecraft 1.13-pre3; Minecraft 1.13; Minecraft 1.13.1; Minecraft 1.14.3; 1.15.2 (+more)
Fixed in	24w44a
Reported	2014-09-17
Mojira category	Textures and models; UI

REPRODUCTION TARGET

Version: Minecraft Java Edition 1.21.1, the most recent release explicitly listed as affected in the report
Environment: Two authenticated Minecraft Java Edition clients using distinct player accounts and running exactly version 1.21.1. Use a LAN world hosted by the viewer client. The viewer remains in Creative mode and has permission to run commands; the target player is changed to Spectator mode. The target account must use a skin with a clearly visible, nontransparent outer head/hat layer.

PRECONDITIONS

- Label the two clients VIEWER and TARGET. VIEWER is the client from which the player list will be inspected; TARGET is the player whose head icon is being tested.
- Both clients must run Minecraft Java Edition 1.21.1. Do not mix client or server versions.
- VIEWER and TARGET must be logged in with different authenticated player accounts and therefore have different player names.
- TARGET must have an active skin with a conspicuous nontransparent outer head layer, such as hair, a hood, glasses, or another design extending over the face or head. A skin whose outer head layer is completely transparent is unsuitable for this reproduction.
- TARGET's Skin Customization setting named Hat must be ON.
- The VIEWER-hosted LAN world must allow commands so VIEWER can change TARGET's game mode.
- VIEWER must remain in a non-Spectator game mode throughout the trigger. This plan keeps VIEWER in Creative mode.
- Use the configured List Players control when instructed to press Tab. Tab is the default key unless the control has been rebound.

STEPS TO REPRODUCE

1 **REPORT**

Configure and launch both Minecraft Java Edition clients using the release 1.21.1 installation. Log VIEWER and TARGET in with their respective distinct accounts.

INPUT `Minecraft Java Edition version: release 1.21.1`

SUCCESS CUE Both clients reach the Minecraft 1.21.1 title screen under different player accounts.

2 **INFERRED**

On TARGET, open the skin-part settings and enable the outer head layer. From the title screen select Options, select Skin Customization, set Hat to ON, and return to the title screen. If already in a world, use Esc before following the same Options path.

INPUT `Options -> Skin Customization -> Hat: ON -> Done`

SUCCESS CUE TARGET's Skin Customization screen shows Hat: ON.

3 **INFERRED**

On VIEWER, create a new single-player world in Creative mode. No particular seed, world type, coordinates, or difficulty are required by the report.

INPUT `Singleplayer -> Create New World -> Game Mode: Creative -> Create New World`

SUCCESS CUE VIEWER has spawned in the new world with the Creative-mode hotbar visible and normal movement responding.

4 **INFERRED**

On VIEWER, open the pause menu and expose the world to the local network. Enable commands before starting the LAN session.

INPUT `Esc -> Open to LAN -> Game Mode: Creative -> Allow Cheats: ON -> Start LAN World`

SUCCESS CUE VIEWER returns to the world and a chat message reports that the local game has been hosted, normally including a port number.

5 **REPORT**

On TARGET, open Multiplayer, wait for the LAN world to appear, select it, and join it. If LAN discovery is unavailable, use Direct Connection with VIEWER's local network address and the port printed when the LAN world was opened.

INPUT `Multiplayer -> select VIEWER's LAN world -> Join Server`

SUCCESS CUE TARGET finishes loading into the same world, and VIEWER receives or can see evidence that TARGET joined. Both clients remain connected and movement responds normally.

6 **INFERRED**

Move VIEWER and TARGET into the same open area and place them several blocks apart, close enough that VIEWER can plainly see TARGET's player model. Avoid walls or terrain blocking the view.

INPUT

`Use the movement controls, normally W/A/S/D and Space in Creative mode, to position the players within visible range.`

SUCCESS CUE TARGET's complete player model is visibly rendered on VIEWER's screen.

7 **REPORT**

From VIEWER's client, look directly at TARGET and verify only the setup prerequisite that TARGET's selected skin has a visible outer layer around the head. If it is not visible, stop and correct TARGET's skin or Hat setting before continuing.

INPUT Move the mouse to aim VIEWER's camera at TARGET's head.

SUCCESS CUE TARGET's in-world player model visibly has a distinguishable outer head layer, confirming that the selected skin can exercise the reported condition.

8 **REPORT**

Leave VIEWER in Creative mode. Do not switch VIEWER to Spectator mode during the remaining steps.

SUCCESS CUE VIEWER remains in Creative mode and can see the normal hotbar; VIEWER is not spectating an entity or flying through blocks as a spectator.

9 **INFERRED**

On VIEWER, open the in-game chat so the game-mode command can be run with the LAN host's command permission.

INPUT Press T

SUCCESS CUE The chat input field is open on VIEWER's client.

10 **INFERRED**

Enter the game-mode command, replacing the placeholder with TARGET's exact player name, and press Enter. Include the leading slash because the command is being entered in in-game chat.

INPUT /gamemode spectator <TARGET_PLAYER_NAME>

SUCCESS CUE A command confirmation states that TARGET's game mode was set to Spectator, and TARGET's client can fly freely and pass through solid blocks.

11 **INFERRED**

Wait only until the game-mode change is complete and both clients respond normally. Keep TARGET connected in Spectator mode, and do not move TARGET back to another game mode.

SUCCESS CUE TARGET is still connected in Spectator mode, VIEWER is still connected in Creative mode, and both clients respond to movement or camera input without world-loading interruption.

12 **REPORT** **TRIGGER**

On VIEWER, press and continue holding the List Players control, which is Tab by default. Do not release it before handing control to the observation subsystem.

INPUT Press and hold Tab

SUCCESS CUE The multiplayer player-list overlay is open on VIEWER's screen and includes an entry for the still-connected TARGET player.

HANDOFF TO OBSERVATION

VIEWER is holding the player-list overlay open while VIEWER remains in Creative mode and TARGET remains connected in Spectator mode. TARGET's entry is present in the overlay; begin visual observation of that entry now without changing either player's game mode or releasing Tab.

UNCERTAINTIES

- The report does not provide player names, accounts, or a specific skin file. The executor must supply a TARGET account with a clearly identifiable nontransparent outer head layer.
- The report provides two alternative trigger conditions: placing TARGET in Spectator mode or moving TARGET far enough away that the player entity is no longer rendered. This plan selects the Spectator-mode variant because it is the simpler deterministic path and does not require estimating render distance.
- The report permits either a multiplayer server or a LAN server. This plan selects a LAN world so VIEWER can deterministically obtain command permission without requiring separate dedicated-server configuration.
- The exact wording of the LAN command-permission toggle can vary slightly by client UI; use the option that enables cheats or commands for the hosted LAN world.
- Tab is the default List Players key, but the configured List Players control must be used if the key binding has been changed.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	