

Using /setblock or /fill to re-place a block entity keeps old NBT (if no NBT specified) but clears inventories, even when the command fails

[MC-117574](#) COMMANDS

Status	Resolved / Fixed
Affected	Minecraft 1.12 Pre-Release 3; Minecraft 1.12 Pre-Release 4; Minecraft 1.12 Pre-Release 5; Minecraft 1.12 Pre-Release 6; Minecraft 1.12 Pre-Release 7; Minecraft 1.12; Minecraft 1.12.1; Minecraft 1.12.2; Minecraft 17w46a; Minecraft 17w47b; Minecraft 17w48a; Minecraft 17w50a; Minecraft 18w01a (+more)
Fixed in	25w02a
Reported	2017-05-17
Mojira category	Block states; Commands

REPRODUCTION TARGET

Use version: Minecraft 1.12 Pre-Release 3

Affected versions (184):

- Minecraft 1.12 Pre-Release 3
- Minecraft 1.12 Pre-Release 4
- Minecraft 1.12 Pre-Release 5
- Minecraft 1.12 Pre-Release 6
- Minecraft 1.12 Pre-Release 7
- Minecraft 1.12
- Minecraft 1.12.1
- Minecraft 1.12.2
- Minecraft 17w46a
- Minecraft 17w47b
- Minecraft 17w48a
- Minecraft 17w50a
- Minecraft 18w01a
- Minecraft 18w03b
- Minecraft 18w08b
- Minecraft 18w11a
- Minecraft 18w19b
- Minecraft 1.13-pre1
- Minecraft 1.13-pre2
- Minecraft 1.13-pre3
- Minecraft 1.13-pre4
- Minecraft 1.13-pre5
- Minecraft 1.13-pre6
- Minecraft 1.13-pre7
- Minecraft 1.13-pre8
- Minecraft 1.13-pre9
- Minecraft 1.13-pre10
- Minecraft 1.13
- Minecraft 18w30a
- Minecraft 18w30b
- Minecraft 18w31a
- Minecraft 18w32a
- Minecraft 18w33a
- Minecraft 1.13.1-pre1
- Minecraft 1.13.1-pre2
- Minecraft 1.13.1
- Minecraft 1.13.2-pre1
- Minecraft 1.13.2-pre2
- Minecraft 1.13.2
- Minecraft 18w43a
- Minecraft 18w43b
- Minecraft 18w43c
- Minecraft 18w44a
- Minecraft 18w45a
- Minecraft 18w46a
- Minecraft 18w47a
- Minecraft 18w47b
- Minecraft 18w48a
- Minecraft 18w48b
- Minecraft 18w49a
- Minecraft 18w50a
- Minecraft 19w02a
- Minecraft 19w03a
- Minecraft 19w03b
- Minecraft 19w03c
- Minecraft 19w04b
- Minecraft 19w05a
- Minecraft 19w06a
- Minecraft 19w07a
- Minecraft 19w08a
- Minecraft 19w08b
- Minecraft 19w09a
- Minecraft 19w11a
- Minecraft 19w11b
- Minecraft 19w12a
- Minecraft 19w12b
- Minecraft 19w13a
- Minecraft 19w13b
- Minecraft 19w14a
- Minecraft 19w14b
- Minecraft 1.14 Pre-Release 1
- Minecraft 1.14 Pre-Release 2
- Minecraft 1.14 Pre-Release 3
- Minecraft 1.14 Pre-Release 4
- Minecraft 1.14 Pre-Release 5
- Minecraft 1.14
- Minecraft 1.14.1 Pre-Release 1
- Minecraft 1.14.1 Pre-Release 2
- Minecraft 1.14.1
- Minecraft 1.14.2 Pre-Release 1
- Minecraft 1.14.2 Pre-Release 2
- Minecraft 1.14.2 Pre-Release 3
- Minecraft 1.14.2 Pre-Release 4
- Minecraft 1.14.2
- Minecraft 1.14.3 Pre-Release 2
- Minecraft 1.14.3 Pre-Release 3
- Minecraft 1.14.3 Pre-Release 4
- Minecraft 1.14.3
- Minecraft 1.14.4 Pre-Release 1
- Minecraft 1.14.4 Pre-Release 2
- Minecraft 1.14.4 Pre-Release 3
- Minecraft 1.14.4 Pre-Release 4
- Minecraft 1.14.4 Pre-Release 5
- Minecraft 1.14.4 Pre-Release 6

1.14.4 Pre-Release 7 1.14.4 19w34a 19w35a 19w36a 19w37a 19w38b 19w39a 19w40a
 19w41a 19w42a 19w45b 19w46b 1.15 Pre-release 1 1.15 Pre-Release 2 1.15 Pre-release 3
 1.15 Pre-release 4 1.15 Pre-release 5 1.15 Pre-release 6 1.15 Pre-release 7 1.15 1.15.1
 1.15.1 Pre-release 1 1.15.2 Pre-Release 1 1.15.2 Pre-release 2 1.15.2 20w06a 20w07a
 20w08a 20w09a 20w10a 20w11a 20w13a 20w13b 20w15a 20w17a 20w18a 20w19a 20w20a
 20w20b 20w21a 20w22a 1.16 Pre-release 1 1.16 Pre-release 2 1.16 Pre-release 3
 1.16 Pre-release 4 1.16 Pre-release 5 1.16 Pre-release 6 1.16 Pre-release 7
 1.16 Pre-release 8 1.16 Release Candidate 1 1.16 1.16.1 20w27a 20w28a 20w29a 20w30a
 1.16.2 Pre-release 1 1.16.2 Pre-release 2 1.16.2 Pre-release 3 1.16.2 Release Candidate 1
 1.16.2 Release Candidate 2 1.16.2 1.16.3 Release Candidate 1 1.16.3 1.16.4 Pre-release 1
 1.16.4 Pre-release 2 1.16.4 Release Candidate 1 1.16.4 20w46a 20w48a 20w51a 21w03a
 1.16.5 21w05a 21w05b 21w06a 21w07a 21w11a 1.17 Pre-release 2 1.17 23w07a 1.19.4
 1.20 Pre-release 6 1.20.2 1.20.4 24w13a 24w44a 1.21.3 1.21.4

Environment: Minecraft Java Edition, Minecraft 1.12 Pre-Release 3, vanilla single-player world using the integrated server, Creative mode, and cheats enabled. Use a disposable test world with an open placement area. No seed, dedicated server, additional player, mod, resource pack, or datapack is required by the report.

PRECONDITIONS

- Configure the Minecraft Launcher to run exactly Minecraft 1.12 Pre-Release 3, the first version listed as affected. Do not use fix version 25w02a.
- Use a new or disposable Creative-mode world with cheats enabled so that command blocks can be obtained and commands requiring permission level 2 can be run.
- Use the default interaction controls or their rebound equivalents: T opens chat, E opens inventory, Esc closes a UI, and right-click places, opens, or operates the targeted block.
- Choose a location where a command block can be placed with air directly above it and with at least one exposed side available for a lever.
- Do not place any block in the air space directly above the command block before the first activation.
- Preserve the exact legacy command from the report comment. The main description was later rewritten using 1.13 command syntax, which is not appropriate for the recommended 1.12 pre-release.

STEPS TO REPRODUCE

1 **REPORT**

Launch the installation configured for Minecraft 1.12 Pre-Release 3 and wait at the title screen until startup has completed.

INPUT `Minecraft 1.12 Pre-Release 3`

SUCCESS CUE The game reaches its title screen and identifies the running client as the selected 1.12 pre-release rather than a later release or snapshot.

2 **INFERRED**

Select Singleplayer, choose Create New World, set Game Mode to Creative, open More World Options, ensure Allow Cheats is ON, and create the world. Wait until terrain has rendered and player movement responds normally.

INPUT

`Singleplayer -> Create New World -> Game Mode: Creative -> More World Options -> Allow Cheats: ON -> Create New World`

SUCCESS CUE A Creative-mode world is loaded, surrounding terrain is visible, and the player can move and open chat.

3 **INFERRED**

Move to a level, accessible location. If necessary, left-click blocks in Creative mode to clear a placement space. Reserve one ground-level position for a command block, keep the block space directly above it as air, and keep at least one side exposed for a lever.

SUCCESS CUE There is a clear command-block position with air immediately above it and an accessible side face.

4 **INFERRED**

Press T to open in-game chat, enter the command including the leading slash, and press Enter to obtain one command block.

INPUT `/give @p minecraft:command_block 1`

SUCCESS CUE A command block item is present in the player's inventory or hotbar.

5 **INFERRED**

Press T again, enter the command including the leading slash, and press Enter to obtain one lever for controlled repeated activation.

INPUT `/give @p minecraft:lever 1`

SUCCESS CUE A lever item is present in the player's inventory or hotbar.

6 **INFERRED**

Press E to open the inventory. Ensure the command block and lever are each in a hotbar slot—the nine slots along the bottom of the inventory. If either item is elsewhere, click it and then click an empty hotbar slot to move it there. Close the inventory with E or Esc.

SUCCESS CUE Both the command block and lever are visible in separate hotbar slots and can be selected with the corresponding number keys or mouse wheel.

7 **INFERRED**

Select the command block in the hotbar. Aim at the prepared ground position and right-click to place it. Do not place anything in the air block directly above it.

SUCCESS CUE One command block is placed, its top face has air immediately above it, and one side remains accessible.

8 **REPORT**

Right-click the placed command block to open its configuration screen. In the command text field, enter the exact report command without a leading slash. Leave it as an impulse command block that is unconditional and needs redstone, then select Done.

INPUT `setblock ~ ~1 ~ dropper facing=up replace {Items:[{id:"minecraft:stone",Count:1b}]}`

SUCCESS CUE The command block configuration closes, and the command block is ready to place a dropper exactly one block above itself when powered.

9 **INFERRED**

Select the lever in the hotbar, aim at an exposed side face of the command block, and right-click to attach the lever. Do not operate it yet.

SUCCESS CUE A lever is attached to the command block and is visibly in its initial off position; the space above the command block is still air.

10 **REPORT**

Right-click the lever once to change it from off to on and provide the command block's first redstone activation. Wait until the block update is visible.

SUCCESS CUE A dropper is visible directly above the command block, confirming that the first command execution placed its target block.

11 **REPORT**

Aim at the dropper above the command block and right-click it to open the dropper inventory. Inspect the 3-by-3 container grid only to confirm that the first execution established the required starting inventory.

SUCCESS CUE The dropper interface is open and contains one stone block in its container grid; do not move or remove the stone.

12 **INFERRED**

Press Esc to close the dropper interface without clicking or moving any inventory item.

SUCCESS CUE The world view is restored, the dropper remains directly above the command block, and its stone has not been manually altered.

13 **INFERRED**

Right-click the attached lever once to return it from on to off. Do not break or replace either block.

SUCCESS CUE The lever is visibly off, the command block is no longer powered, and the existing dropper remains above it ready for the second execution.

14 **REPORT** **TRIGGER**

Right-click the lever once more to change it from off to on. This issues the exact same setblock command a second time against the already-existing dropper. Do not open, break, or otherwise alter the dropper after this activation before handing off.

SUCCESS CUE The lever has just completed a second off-to-on transition, the command block has received its second activation, and the target dropper remains in place for immediate inspection.

HANDOFF TO OBSERVATION

The exact report command has just been executed for the second time against the existing dropper, and the dropper remains one block above the command block. Hand control to the Observation Agent now, before any further player interaction, so it can inspect command execution status and the dropper's retained block-entity data and inventory state.

UNCERTAINTIES

- The report's main Description examples use syntax updated to the 1.13 command format, while the required recommended version is Minecraft 1.12 Pre-Release 3. This plan therefore uses the exact legacy command supplied in Comment 1, which was written for the original 1.12-era reproduction and reproduces the same repeated-/setblock inventory condition.
- The report does not require a particular game mode, world seed, coordinate, dedicated server, or multiplayer setup. A disposable single-player Creative world with cheats is used as the simplest deterministic execution environment.
- The report comment specifically says to put the command in a command block and run it twice. The command block and lever arrangement is an operational implementation of that instruction; the lever itself is not asserted to be a bug requirement.
- This plan exercises the /setblock variant only. The report also states that /fill is affected, but reproducing both command variants is unnecessary to reach the documented trigger.
- The report's legacy command omits an explicit Slot tag in the Items entry. It is preserved exactly because the reporter states that the first execution places a stone in the dropper; the plan requires confirming that starting state before triggering the second execution.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	