

Order of rendering translucent block faces fails to update with camera position

[MC-38022](#) TEXTURES AND MODELS

Status	Resolved / Fixed
Affected	Minecraft 1.7.2; Minecraft 14w25b; Minecraft 14w27b; Minecraft 14w29b; Minecraft 1.8-pre2; Minecraft 1.8.3; Minecraft 1.8.8; Minecraft 15w45a; Minecraft 15w46a; Minecraft 15w47a; Minecraft 15w47c; Minecraft 1.8.9; Minecraft 15w51b; Minecraft 1.9 Pre-Release 1; Minecraft 1.9 Pre-Release 2 (+more)
Fixed in	24w36a
Reported	2013-10-27
Mojira category	Rendering; Textures and models

REPRODUCTION TARGET

Use version: Minecraft 1.7.2

Affected versions (192):

Minecraft 1.7.2	Minecraft 14w25b	Minecraft 14w27b	Minecraft 14w29b	Minecraft 1.8-pre2	Minecraft 1.8.3	Minecraft 1.8.8	Minecraft 15w45a
Minecraft 15w46a	Minecraft 15w47a	Minecraft 15w47c	Minecraft 1.8.9	Minecraft 15w51b	Minecraft 1.9 Pre-Release 1	Minecraft 1.9 Pre-Release 2	
Minecraft 1.10	Minecraft 1.11	Minecraft 16w50a	Minecraft 1.11.2	Minecraft 17w14a	Minecraft 1.12.2	Minecraft 18w02a	Minecraft 18w08a
Minecraft 18w08b	Minecraft 18w09a	Minecraft 18w11a	Minecraft 18w15a	Minecraft 18w20c	Minecraft 18w21a	Minecraft 18w22c	Minecraft 1.13-pre1
Minecraft 1.13-pre2	Minecraft 1.13-pre3	Minecraft 1.13-pre4	Minecraft 1.13-pre5	Minecraft 1.13-pre6	Minecraft 1.13-pre8	Minecraft 1.13-pre9	
Minecraft 1.13-pre10	Minecraft 1.13	Minecraft 18w30b	Minecraft 18w31a	Minecraft 18w32a	Minecraft 18w33a	Minecraft 1.13.1-pre1	
Minecraft 1.13.1	Minecraft 1.13.2-pre1	Minecraft 1.13.2-pre2	Minecraft 1.13.2	Minecraft 18w50a	Minecraft 19w04b	Minecraft 19w05a	
Minecraft 19w06a	Minecraft 19w07a	Minecraft 19w08a	Minecraft 19w09a	Minecraft 19w11a	Minecraft 19w11b	Minecraft 19w12b	Minecraft 19w13a
Minecraft 19w13b	Minecraft 19w14a	Minecraft 19w14b	Minecraft 1.14 Pre-Release 1	Minecraft 1.14 Pre-Release 2	Minecraft 1.14 Pre-Release 3		
Minecraft 1.14 Pre-Release 4	Minecraft 1.14 Pre-Release 5	Minecraft 1.14	Minecraft 1.14.1	Minecraft 1.14.2 Pre-Release 1			
Minecraft 1.14.2 Pre-Release 2	Minecraft 1.14.2	Minecraft 1.14.3 Pre-Release 2	Minecraft 1.14.3	Minecraft 1.14.4 Pre-Release 1			
Minecraft 1.14.4 Pre-Release 3	Minecraft 1.14.4 Pre-Release 4	Minecraft 1.14.4 Pre-Release 5	Minecraft 1.14.4 Pre-Release 6	1.14.4	19w34a		
19w35a	19w36a	19w37a	19w38b	19w39a	19w40a	19w41a	19w42a
19w45b	19w46b	1.15 Pre-release 1	1.15 Pre-Release 2	1.15 Pre-release 3			
1.15 Pre-release 4	1.15 Pre-release 5	1.15 Pre-release 6	1.15 Pre-release 7	1.15	1.15.1	1.15.1 Pre-release 1	1.15.2 Pre-Release 1
1.15.2 Pre-release 2	1.15.2	20w06a	20w07a	20w08a	20w09a	20w10a	20w11a
20w13a	20w13b	20w15a	20w17a	20w18a	20w19a	20w20a	
20w20b	20w21a	1.16 Pre-release 2	1.16 Pre-release 3	1.16 Pre-release 5	1.16 Pre-release 6	1.16 Pre-release 7	1.16 Pre-release 8
1.16 Release Candidate 1	1.16	1.16.1	20w28a	20w30a	1.16.2 Pre-release 1	1.16.2 Release Candidate 1	1.16.2 Release Candidate 2
1.16.2	1.16.3 Release Candidate 1	1.16.3	1.16.4 Pre-release 1	1.16.4 Pre-release 2	1.16.4 Release Candidate 1	1.16.4	20w46a
20w48a	20w51a	21w03a	1.16.5	21w05a	21w05b	21w06a	21w07a
21w11a	1.17 Pre-release 1	1.17 Pre-release 2	1.17.1	21w37a	21w38a	21w39a	21w40a
21w41a	21w42a	1.18 Pre-release 1	1.18 Pre-release 4	1.18 Pre-release 5	1.18 Release Candidate 2	1.18	1.18.1
22w03a	1.18.2	22w12a	22w15a	22w18a	1.19 Pre-release 2	1.19 Pre-release 5	1.19
1.19.1	1.19.2	22w42a	1.19.3	23w06a	23w07a	1.20 Release Candidate 1	1.20
1.20.1 Release Candidate 1	1.20.1	1.20.2	1.20.4	24w13a	1.20.5 Pre-Release 1	1.20.6	1.21
1.21.1	24w33a						

Environment: Vanilla Minecraft Java Edition 1.7.2 in singleplayer, using keyboard and mouse, Creative mode, cheats enabled, no shaders or rendering-mod clients, and a render distance greater than the two-chunk minimum. The deterministic procedure uses the version-compatible 1.7.2 representation of the report's stained-glass Superflat preset.

PRECONDITIONS

- Install and launch the exact Java Edition version Minecraft 1.7.2; do not select the fix version 24w36a.
- Use an unmodified client without OptiFine, Sodium, shaders, or other mods that can replace translucent-block rendering.
- Make sure the computer has a working F3 key. On keyboards where F-keys control hardware functions, the Fn key may also need to be held.
- Use a render distance above two chunks so that multiple stained-glass chunks around each teleport destination can render.
- The test world must be newly generated from the supplied layer arrangement: bedrock, green stained glass, red stained glass, and blue stained glass, from bottom to top.
- Do not press F3+T, change video settings, reload chunks, or intentionally move after the final teleport; those actions can alter the rendering state that the observation subsystem needs to inspect.

1 [REPORT](#)

In the Minecraft Launcher, create or select an installation for the exact release 1.7.2, start it, and wait for the main menu. Do not use the 24w36a fix version.

INPUT 1.7.2

SUCCESS CUE The Minecraft main menu is displayed and identifies the running version as Minecraft 1.7.2.

SUCCESS CUE The Minecraft main menu is displayed and identifies the running version as Minecraft 1.7.2.

2 INFERRED

From the main menu, open Options, then Video Settings. Set Render Distance to Normal or Far rather than Tiny, then return to the main menu. This ensures that more than two chunks are available around the teleport destinations.

SUCCESS CUE The main menu is visible again and Render Distance is set above the minimum two-chunk setting.

3 INFERRED

Select Singleplayer, then select Create New World.

SUCCESS CUE The Create New World screen is open.

4 INFERRED

Click the Game Mode button until it displays Game Mode: Creative. Creative mode is needed to perform the report's flying step without building anything.

SUCCESS CUE The world-creation screen displays Game Mode: Creative.

5 **INFERRED**

Select More World Options. Turn Allow Cheats ON so that both teleport commands can be run. Cycle World Type until Superflat is selected, and turn Generate Structures OFF to keep the glass plane unobstructed.

SUCCESS CUE Allow Cheats is ON, World Type is Superflat, and Generate Structures is OFF.

6 **VERIFIED** *My friend and I were in a car accident and we were both injured. We were taken to the hospital and the doctor said we had a 50% chance of survival. We were both in a coma for 3 weeks. We were both in a coma for 3 weeks. We were both in a coma for 3 weeks.*

[illegible]

SUCCESS CUE The preset text box contains exactly "2;7,95:13,95:14,95:11;1;" with no spaces or additional characters.

7 INFERRED

Click Use Preset, then click Done to return to the main world-creation screen. Click Create New World.

SUCCESS CUE Minecraft begins generating and loading the new world.

8 REPORT

Wait without issuing commands until world generation finishes, the surrounding terrain is rendered, and controls respond normally.

SUCCESS CUE The player is standing on an uninterrupted flat blue stained-glass surface; the red and green stained-glass layers are directly beneath it, and nearby chunks have finished rendering.

9 INFERRED

Enter Creative flight by quickly pressing the Jump control twice; the default input is a double-tap of Space.

INPUT **Space, Space**

SUCCESS CUE The player is flying and remains suspended instead of falling back onto the blue glass.

SUCCESS CUE The player is flying and remains suspended instead of falling back onto the blue glass.

10 INFERRED

Press F3 to display the debug overlay. Hold the Jump control, default Space, to ascend until the displayed Y coordinate is approximately 10 blocks above the glass surface. With this four-layer preset, a player initially stands at about Y=4, so a target near Y=14 is suitable. Release Space when that height is reached, then press F3 again to hide the overlay.

INPUT `F3; hold Space until approximately Y=14; release Space; F3`

SUCCESS CUE The player is hovering approximately ten blocks above the blue stained-glass surface and is no longer ascending.

success cue The player is hovering approximately ten blocks above the blue stained-glass surface and is no longer ascending.

11 INFERRED

Press T once to open the in-game chat input. The command must be executed in the player chat, not in the launcher or an external console.

INPUT **T**

SUCCESS CUE The chat input line is open and ready to accept a command.

SUCCESS CUE The chat input line is open and ready to accept a command.

12 REPORT

Type the report's first teleport command exactly, including the leading slash, then press Enter. The command moves the nearest player to X=100 and Z=100, preserves the current Y coordinate through the relative "~" argument, and sets camera yaw to 135 and pitch to 45.

INPUT `/tp @p 100 ~ 100 135 45`

SUCCESS CUE The chat closes, the teleport completes, and the player is hovering near X=100 and Z=100 while looking in the command-specified direction.

SUCCESS CUE The chat closes, the teleport completes, and the player is hovering near X=100 and Z=100 while looking in the command-specified direction.

13 **REPORT**

Do not continue immediately. Keep movement inputs released and wait until the stained-glass terrain around X=100, Z=100 has rendered across multiple chunks and the game responds normally.

SUCCESS CUE Multiple surrounding stained-glass chunks are visible, loading activity has settled, and the client is responsive.

14 **VERIFIED**

Reload client resources using the report's debug shortcut: hold F3, tap T once while F3 remains held, then release both keys. On a keyboard with media-function F-keys, hold Fn as needed. F3+T reloads client resources, including textures and models. ([ja.minecraft.wiki](https://ja.minecraft.wiki/w/%E3%83%87%E3%83%90%E3%83%83%E3%82%B0%E7%94%BB%E9%9D%A2?utm_source=openai))

INPUT **F3+T**

SUCCESS CUE The client briefly pauses or redraws as resources reload, then returns to the world view.

15 **REPORT**

After the F3+T reload, keep all movement inputs released and wait until the surrounding stained-glass chunks have rendered again and the game responds normally. Do not move the camera or player during this wait unless required to restore game-window focus.

SUCCESS CUE The player remains near X=100, Z=100 at the same height and orientation, multiple glass chunks are rendered, and the client is responsive.

16 **INFERRED**

Press T once to reopen the in-game chat input.

INPUT **T**

SUCCESS CUE The chat input line is open and ready for the second teleport command.

17 **REPORT** **TRIGGER**

Type the report's second teleport command exactly, including the leading slash, then press Enter. The command moves the nearest player to X=0 and Z=0, preserves the current Y coordinate, and sets yaw to -45 and pitch to 45. Executing this command is the reproduction trigger.

INPUT **/tp @p 0 ~ 0 -45 45**

SUCCESS CUE The chat closes and the player is teleported back near X=0 and Z=0 at the preserved height and command-specified camera orientation.

18 **INFERRED**

Immediately release all movement and camera controls. Without pressing F3+T, changing video settings, or deliberately moving, wait only until the stained-glass terrain at the destination is rendered sufficiently for visual inspection. Hand control to the observation subsystem as soon as the destination view is available.

SUCCESS CUE The player is stationary near X=0 and Z=0, hovering above the glass at yaw -45 and pitch 45, and multiple destination chunks are available for inspection without any post-teleport movement or rendering reset.

HANDOFF TO OBSERVATION

The second teleport has just placed the stationary player near $X=0$ and $Z=0$ at the preserved flight height, with yaw -45 and pitch 45 . Destination glass chunks are visible, and no movement, resource reload, chunk reload, or video-setting change has been performed after the teleport. Begin inspecting the translucent stained-glass layers now.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	