

Players are disconnected from servers when opening command blocks that consist of large numbers of characters within the previous output field

MC-250918 Networking

Status	Resolved / Fixed
Affected	1.18.2, 22w16b, 22w17a, 22w19a, 1.19 Pre-release 1, 1.19 Pre-release 2 (+1 more)
Fixed in	1.19 Pre-release 4
Reported	2022-04-27

STEPS TO REPRODUCE

1. Launch a multiplayer server running 22w16b with command blocks enabled.
2. Join the server.
3. Execute `/recipe give @s *`.
4. Execute `/setblock ~ ~ ~3 minecraft:repeating_command_block{auto:1b,Command:"data get entity @p"}` to place a repeating command block that continuously gets the nearest player's data.
5. Wait at least a few minutes for the repeating command block to generate a large amount of previous output.
6. Open the repeating command block.
7. Observe that you are disconnected from the server.

OBSERVED BEHAVIOUR

On a dedicated server, opening a command block whose **Previous Output** contains a sufficiently large amount of text disconnects the player from the server. In this case, the repeating command block's `/data get entity @p` command produces a large output, which is included when the command-block interface is opened.

The server fails while encoding the outgoing packet containing the command block data. The console reports an `EncoderException` caused by a `UTFDataFormatException`, indicating that the encoded string is too long (331525 bytes). The player is then disconnected. This issue does not occur when the same setup is used in singleplayer.

EXPECTED BEHAVIOUR

When a player opens a command block containing a very large amount of text in its previous output field on a multiplayer server, the command block interface should open normally without disconnecting the player. The player should remain connected to the server and be able to continue interacting with the command block and the world, as expected when opening command blocks with large previous outputs.

ENVIRONMENT

Minecraft Java Edition Versions: 1.18.2, 22w16b, 22w17a, 22w19a, 1.19 Pre-release 1, 1.19 Pre-release 2, 1.19 Pre-release 3 (includes snapshots)

ORIGINAL DESCRIPTION

The Bug:

Players are disconnected from servers when opening command blocks that consist of large numbers of characters within the previous output field.

It's important to note that this issue doesn't occur in singleplayer.

The full server console log regarding this has been attached and can be found below.

Stack Trace:

latest.log

[10:32:06] [Netty Server IO #2/ERROR]: Error receiving packet 7

io.netty.handler.codec.EncoderException: java.io.UTFDataFormatException: encoded string ({"extra"...2:06] "}) too long: 331525 bytes

at qn.a(SourceFile:443) ~[server-22w16b.jar:?]

```

at sh.a(SourceFile:44) ~[server-22w16b.jar:?]
at qp.a(SourceFile:45) ~[server-22w16b.jar:?]
at qp.encode(SourceFile:14) ~[server-22w16b.jar:?]
at io.netty.handler.codec.MessageToByteEncoder.write(MessageToByteEncoder.java:107)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.AbstractChannelHandlerContext.invokeWrite0(AbstractChannelHandlerContext.java:717)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at
io.netty.channel.AbstractChannelHandlerContext.invokeWriteAndFlush(AbstractChannelHandlerContext.java:764)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.AbstractChannelHandlerContext.write(AbstractChannelHandlerContext.java:790)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.AbstractChannelHandlerContext.writeAndFlush(AbstractChannelHandlerContext.java:758)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.AbstractChannelHandlerContext.writeAndFlush(AbstractChannelHandlerContext.java:808)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.DefaultChannelPipeline.writeAndFlush(DefaultChannelPipeline.java:1025)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.channel.AbstractChannel.writeAndFlush(AbstractChannel.java:306)
~[netty-all-4.1.68.Final.jar:4.1.68.Final]
at ql.a(SourceFile:213) ~[server-22w16b.jar:?]
at ql.b(SourceFile:205) ~[server-22w16b.jar:?]
at io.netty.util.concurrent.AbstractEventExecutor.safeExecute(AbstractEventExecutor.java:164)
[netty-all-4.1.68.Final.jar:4.1.68.Final]
at io.netty.util.concurrent.SingleThreadEventExecutor.runAllTasks(SingleThreadEventExecutor.java:469) [netty-al

```

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Crash file	
Notes	
Tested by / date	

Live issue: <https://bugs.mojang.com/browse/MC/issues/MC-250918>