

Item drops sometimes appear at the wrong location

MC-4 NETWORKING

Status	Resolved / Fixed
Affected	Minecraft 1.4.1; Minecraft 1.4.4; Minecraft 1.4.5; Minecraft 1.4.6; Minecraft 1.4.7; Snapshot 13w02a; Snapshot 13w02b; Snapshot 13w04a; Snapshot 13w10b; Minecraft 1.5; Snapshot 13w11a; Minecraft 1.5.1; Minecraft 1.5.2; Snapshot 13w19a; Snapshot 13w21a; Snapshot 13w21b; Minecraft 1.6.1 (+more)
Fixed in	Minecraft 1.8.1-pre1; Future Update
Reported	2012-10-24
Mojira category	Entities; Items; Networking

REPRODUCTION TARGET

Use version: Minecraft 1.4.1

Affected versions (363):

- Minecraft 1.4.1
- Snapshot 13w02a
- Snapshot 13w11a
- Snapshot 13w21b
- Minecraft 13w38b
- Minecraft 13w42a
- Minecraft 1.7.2
- Minecraft 1.7.4
- Minecraft 14w04a
- Minecraft 14w06b
- Minecraft 14w11b
- Minecraft 14w20b
- Minecraft 14w30c
- Minecraft 14w33c
- Minecraft 1.8-pre3
- Minecraft 1.8.3
- Minecraft 15w43c
- Minecraft 15w47c
- Minecraft 16w03a
- Minecraft 1.9.1 Pre-Release 1
- Minecraft 1.9.1
- Minecraft 1.9.3
- Minecraft 1.10 Pre-Release 1
- Minecraft 1.10.2
- Minecraft 16w36a
- Minecraft 1.4.4
- Snapshot 13w02b
- Minecraft 1.5.1
- Minecraft 1.6.1
- Minecraft 13w38c
- Minecraft 13w42b
- Minecraft 13w48a
- Minecraft 14w02b
- Minecraft 14w04b
- Minecraft 14w08a
- Minecraft 1.7.8
- Minecraft 1.8.4
- Minecraft 15w44a
- Minecraft 15w49a
- Minecraft 16w04a
- Minecraft 1.9.2
- Minecraft 1.9.4
- Minecraft 16w32a
- Minecraft 1.4.5
- Snapshot 13w04a
- Minecraft 1.5.2
- Minecraft 1.6.2
- Minecraft 13w39b
- Minecraft 13w43a
- Minecraft 13w48b
- Minecraft 14w02c
- Minecraft 14w05a
- Minecraft 1.7.5
- Minecraft 1.8.8
- Minecraft 15w46a
- Minecraft 1.8.9
- Minecraft 16w05b
- Minecraft 1.9.1 Pre-Release 2
- Minecraft 16w14a
- Minecraft 16w20a
- Minecraft 1.10 Pre-Release 2
- Minecraft 16w32b
- Minecraft 16w39a
- Minecraft 1.4.6
- Snapshot 13w10b
- Snapshot 13w19a
- Minecraft 1.6.4
- Minecraft 13w41a
- Minecraft 1.7
- Minecraft 13w49a
- Minecraft 14w03a
- Minecraft 14w05b
- Minecraft 14w10b
- Minecraft 1.7.9
- Minecraft 1.8.1-pre1
- Minecraft 15w47a
- Minecraft 15w51b
- Minecraft 16w21a
- Minecraft 1.10
- Minecraft 16w33a
- Minecraft 16w39c
- Minecraft 1.4.7
- Minecraft 1.5
- Snapshot 13w21a
- Minecraft 13w38a
- Minecraft 13w41b
- Minecraft 1.7.1
- Minecraft 1.7.3
- Minecraft 14w03b
- Minecraft 14w06a
- Minecraft 14w10c
- Minecraft 14w18b
- Minecraft 1.7.10
- Minecraft 14w30b
- Minecraft 14w32c
- Minecraft 14w34c
- Minecraft 15w43a
- Minecraft 15w47b
- Minecraft 16w02a
- Minecraft 1.9
- Minecraft 1.9.1 Pre-Release 3
- Minecraft 1.9.3 Pre-Release 3
- Minecraft 16w21b
- Minecraft 1.10.1
- Minecraft 16w35a
- Minecraft 16w40a

Minecraft 16w41a Minecraft 16w42a Minecraft 16w44a Minecraft 1.11 Pre-Release 1

Minecraft 1.11 Minecraft 1.11.2 Minecraft 17w06a Minecraft 17w13b Minecraft 17w17a

Minecraft 17w17b Minecraft 1.12 Pre-Release 5 Minecraft 1.12 Minecraft 1.12.1 Pre-Release 1

Minecraft 1.12.1 Minecraft 1.12.2 Pre-Release 1 Minecraft 1.12.2 Pre-Release 2

Minecraft 1.12.2 Minecraft 17w43a Minecraft 17w43b Minecraft 18w03b Minecraft 18w05a

Minecraft 18w11a Minecraft 18w14a Minecraft 18w14b Minecraft 18w15a Minecraft 18w16a

Minecraft 18w19a Minecraft 18w19b Minecraft 18w20a Minecraft 18w20b Minecraft 18w20c

Minecraft 18w21a Minecraft 18w21b Minecraft 18w22b Minecraft 18w22c Minecraft 1.13-pre1

Minecraft 1.13-pre2 Minecraft 1.13-pre3 Minecraft 1.13-pre4 Minecraft 1.13-pre5

Minecraft 1.13-pre6 Minecraft 1.13-pre7 Minecraft 1.13-pre8 Minecraft 1.13-pre10

Minecraft 1.13 Minecraft 18w30a Minecraft 18w30b Minecraft 18w31a Minecraft 18w32a

Minecraft 18w33a Minecraft 1.13.1 Minecraft 1.13.2-pre1 Minecraft 1.13.2-pre2

Minecraft 1.13.2 Minecraft 18w43b Minecraft 18w43c Minecraft 18w44a Minecraft 18w45a

Minecraft 18w46a Minecraft 18w47a Minecraft 18w47b Minecraft 18w48a Minecraft 18w48b

Minecraft 18w49a Minecraft 18w50a Minecraft 19w02a Minecraft 19w03a Minecraft 19w05a

Minecraft 19w06a Minecraft 19w07a Minecraft 19w12b Minecraft 19w13b Minecraft 19w14a

Minecraft 19w14b Minecraft 1.14 Pre-Release 2 Minecraft 1.14 Pre-Release 3

Minecraft 1.14 Pre-Release 4 Minecraft 1.14 Pre-Release 5 Minecraft 1.14

Minecraft 1.14.1 Pre-Release 1 Minecraft 1.14.1 Minecraft 1.14.2 Pre-Release 1

Minecraft 1.14.2 Pre-Release 2 Minecraft 1.14.2 Pre-Release 3 Minecraft 1.14.2 Pre-Release 4

Minecraft 1.14.3 1.14.4 19w37a 19w38b 19w39a 19w40a 19w41a 19w42a 19w44a 19w46b

1.15 Pre-release 1 1.15 Pre-Release 2 1.15 Pre-release 3 1.15 Pre-release 4

1.15 Pre-release 5 1.15 Pre-release 6 1.15 Pre-release 7 1.15 1.15.1 1.15.1 Pre-release 1

1.15.2 Pre-Release 1 1.15.2 Pre-release 2 1.15.2 20w06a 20w07a 20w08a 20w14a 20w15a

20w16a 20w17a 20w18a 20w21a 20w22a 1.16 Pre-release 2 1.16 Pre-release 3

1.16 Pre-release 4 1.16 Pre-release 5 1.16 Pre-release 6 1.16 Pre-release 7

1.16 Pre-release 8 1.16 Release Candidate 1 1.16 1.16.1 20w27a 20w28a 20w29a 20w30a

1.16.2 Pre-release 1 1.16.2 Pre-release 2 1.16.2 Pre-release 3 1.16.2 Release Candidate 1

1.16.2 Release Candidate 2 1.16.2 1.16.3 1.16.4 Pre-release 2 1.16.4 Release Candidate 1

1.16.4 20w45a 20w46a 20w48a 20w49a 20w51a 21w03a 1.16.5 21w05a 21w05b 21w06a

21w07a 21w08b 21w10a 21w11a 21w13a 21w14a 21w15a 21w17a 21w18a 21w19a 21w20a

1.17 Pre-release 1 1.17 Pre-release 2 1.17 1.17.1 Release Candidate 1 1.17.1 21w37a

21w38a 21w39a 21w40a 21w41a 21w42a 21w43a 21w44a 1.18 Pre-release 5

1.18 Release Candidate 1 1.18 Release Candidate 4 1.18 1.18.1 Pre-release 1

1.18.1 Release Candidate 1 1.18.1 22w03a 1.18.2 22w11a 22w12a 22w14a 22w15a 1.19

1.19.1 Release Candidate 2 1.19.1 1.19.2 22w42a 22w43a 1.19.3 Release Candidate 3 1.19.3

23w03a 23w04a 23w07a 1.19.4 Release Candidate 2 1.19.4 23w13a 23w17a 23w18a

1.20 Pre-release 6 1.20 1.20.1 23w31a 23w32a 1.20.2 Pre-release 2 1.20.2 23w41a

23w43a 23w44a 1.20.4 23w51b 24w03b 24w04a 24w06a 24w09a 24w13a

1.20.5 Pre-Release 1 1.20.5 1.20.6 24w20a 1.21 1.21 Release Candidate 1 1.21.1 24w33a

24w39a 1.21.3 24w45a 1.21.4 Pre-Release 1 1.21.4 25w04a 25w08a 1.21.6 1.21.7
1.21.8 25w31a 1.21.10

Environment: Minecraft: Java Edition in singleplayer, using the integrated server and the prepared world attachment named "Minecraft bug MC-4 testcase for debug.zip". Launch the exact first-listed affected version, "Minecraft 1.4.1". Retain the world state supplied by the attachment; do not change its game mode, blocks, entities, player location, or other settings before the trigger.

PRECONDITIONS

- The launcher must have an installation that runs the exact report-listed version "Minecraft 1.4.1"; do not substitute Minecraft 1.4.2 or a fix version.
- Obtain the exact MC-4 attachment "Minecraft bug MC-4 testcase for debug.zip". This is the edited test world identified in the report comments as a consistent and easy reproduction case.
- Keep an untouched backup of the ZIP archive and the extracted world so that every attempt can start from the original saved state.
- Install the extracted world in the saves directory used by the Minecraft 1.4.1 launcher installation. The final world folder must contain level.dat directly inside it, rather than level.dat being hidden inside an extra nested folder.
- Do not open or convert the test world in a newer Minecraft version before this attempt.
- The observation or screen-capture subsystem must be ready before the world is opened because loading the prepared world is the trigger action.
- No command permissions or command-block construction are required for this selected reproduction route; the supplied debug world replaces the report's later, version-incompatible command-based setup.

STEPS TO REPRODUCE

1 REPORT

Obtain the prepared debug-world attachment from MC-4 and preserve it without editing its contents.

INPUT Minecraft bug MC-4 testcase for debug.zip

SUCCESS CUE The exact ZIP archive is available locally and a separate untouched copy has been retained for resetting the test.

2 INFERRED

Locate the game directory assigned to the Minecraft 1.4.1 launcher installation, open its saves directory, and extract the debug-world ZIP there. If the ZIP produces an outer wrapper directory, move the actual world directory into saves so that the world directory itself directly contains level.dat.

INPUT Minecraft bug MC-4 testcase for debug.zip

SUCCESS CUE One newly imported world folder is present under the selected installation's saves directory, and level.dat is directly inside that folder.

3 REPORT

Start the Minecraft Launcher, select the installation configured for the exact report-listed version "Minecraft 1.4.1", and launch the game. Do not use Minecraft 1.8.1-pre1 or another version merely because it appears in the Fix versions field.

INPUT Minecraft 1.4.1

SUCCESS CUE The Minecraft main menu is open and the displayed version identifies the running client as Minecraft 1.4.1.

4 INFERRED

From the main menu, select Singleplayer and wait for the saved-world list to finish loading.

SUCCESS CUE The Select World screen is open and the imported world appears in the list.

5 INFERRED

Identify the newly imported world associated with "Minecraft bug MC-4 testcase for debug.zip". Select it once, but do not open it yet. If other worlds are present and the display name is not the archive filename, identify it by the fact that it was the world newly added during step 2.

INPUT Minecraft bug MC-4 testcase for debug.zip

SUCCESS CUE The imported MC-4 debug world is highlighted in the world list, while the player is still on the Select World screen.

6 REPORT

Confirm that the observation or screen-capture subsystem is active and ready to inspect the first moments after loading. Do not enter another world first, because the supplied report states that reopening this prepared world resets its test sequence.

SUCCESS CUE Observation is active, the MC-4 debug world remains highlighted, and no world-loading action has occurred yet.

7

REPORT

TRIGGER

Open the selected debug world by clicking Play Selected World or by double-clicking its highlighted list entry. Do not press movement, attack, use, drop, inventory, or menu controls during the initial load.

SUCCESS CUE The world-loading screen appears or the prepared world begins rendering; no post-load player input has been issued.

HANDOFF TO OBSERVATION

The original, unmodified MC-4 debug world has just been opened in Minecraft 1.4.1. Hand control to the observation subsystem immediately and observe continuously from the loading transition through initial terrain and entity rendering without issuing player input.

UNCERTAINTIES

- The current formal reproduction command in the report, "teleport @e[type=item,distance=..6] ~ ~1 ~-0.6249", cannot be executed unchanged in the recommended first affected version. The /teleport command was added in Java Edition 1.10 Pre-Release 1, and the selector argument name distance belongs to the command rewrite associated with Java Edition 1.13. ([zh.minecraft.wiki](https://zh.minecraft.wiki/w/%E5%91%BD%E4%BB%A4/teleport?utm_source=openai)) The plan therefore uses the attached debug world that report comments identify as the easiest consistent test case.
- The attachment's internal world-folder name, in-game display name, player coordinates, facing direction, and exact block layout are not supplied in the text of the report. The executor must identify the newly imported world by installation time rather than by an assumed display name.
- The attachment bytes are not included in the raw report provided to this agent. Reproduction depends on successfully obtaining the exact attachment "Minecraft bug MC-4 testcase for debug.zip" from MC-4.
- The report does not specify a game mode for the debug world. Preserve the mode stored in the attachment rather than selecting or changing one.
- The report's formal command-based procedure could be used on an affected version with compatible command syntax, but doing so would conflict with the required selection of the first listed affected version. No unverified historical rewrite of that command has been invented.

MANUAL RESULT

Version used	
Reproduced?	YES / NO / PARTIAL
Trigger reached?	YES / NO
Crash file	
Notes	
Tested by / date	