

Tables (8)

Name	Type	Schema
account		CREATE TABLE account (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, name VARCHAR(100) NOT NULL, account_type VARCHAR(50), initial_balance DECIMAL(10,2) DEFAULT 0, current_balance DECIMAL(10,2) DEFAULT 0, currency VARCHAR(10) DEFAULT 'EGP', -- FR-15 created_at DATETIME DEFAULT CURRENT_TIMESTAMP, FOREIGN KEY (user_id) REFERENCES user(id) ON DELETE CASCADE)
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
name	VARCHAR(100)	"name" VARCHAR(100) NOT NULL
account_type	VARCHAR(50)	"account_type" VARCHAR(50)
initial_balance	DECIMAL(10, 2)	"initial_balance" DECIMAL(10, 2) DEFAULT 0
current_balance	DECIMAL(10, 2)	"current_balance" DECIMAL(10, 2) DEFAULT 0
currency	VARCHAR(10)	"currency" VARCHAR(10) DEFAULT 'EGP'
created_at	DATETIME	"created_at" DATETIME DEFAULT CURRENT_TIMESTAMP
budget		CREATE TABLE budget (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, category_id INTEGER NOT NULL, month INTEGER NOT NULL, -- 1-12 year INTEGER NOT NULL, limit_amount DECIMAL(10,2) NOT NULL, current_spent DECIMAL(10,2) DEFAULT 0, alert_threshold INTEGER DEFAULT 80, FOREIGN KEY (user_id) REFERENCES user(id) ON DELETE CASCADE, FOREIGN KEY (category_id) REFERENCES category(id) ON DELETE CASCADE, UNIQUE (user_id, category_id, month, year))
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
category_id	INTEGER	"category_id" INTEGER NOT NULL
month	INTEGER	"month" INTEGER NOT NULL
year	INTEGER	"year" INTEGER NOT NULL
limit_amount	DECIMAL(10, 2)	"limit_amount" DECIMAL(10, 2) NOT NULL
current_spent	DECIMAL(10, 2)	"current_spent" DECIMAL(10, 2) DEFAULT 0
alert_threshold	INTEGER	"alert_threshold" INTEGER DEFAULT 80
category		CREATE TABLE category (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, name VARCHAR(100) NOT NULL, category_type VARCHAR(10) NOT NULL, -- 'Income' or 'Expense' color VARCHAR(7), max_single_amount DECIMAL(10,2), -- FR-16 (optional limit) FOREIGN KEY (user_id) REFERENCES user(id) ON DELETE CASCADE)
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
name	VARCHAR(100)	"name" VARCHAR(100) NOT NULL
category_type	VARCHAR(10)	"category_type" VARCHAR(10) NOT NULL
color	VARCHAR(7)	"color" VARCHAR(7)
max_single_amount	DECIMAL(10, 2)	"max_single_amount" DECIMAL(10, 2)
currency		CREATE TABLE currency (code VARCHAR(10) PRIMARY KEY, -- e.g., 'EGP', 'USD' name VARCHAR(50) NOT NULL, -- 'Egyptian Pound' symbol VARCHAR(5), -- '£', '\$' rate_to_base DECIMAL(12,6) NOT NULL -- e.g., relative to a base like 'USD')
code	VARCHAR(10)	"code" VARCHAR(10)
name	VARCHAR(50)	"name" VARCHAR(50) NOT NULL
symbol	VARCHAR(5)	"symbol" VARCHAR(5)
rate_to_base	DECIMAL(12, 6)	"rate_to_base" DECIMAL(12, 6) NOT NULL
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"

Name	Type	Schema
seq		"seq"
transaction		CREATE TABLE "transaction" (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, account_id INTEGER NOT NULL, category_id INTEGER NOT NULL, date DATE NOT NULL, amount DECIMAL(10,2) NOT NULL, transaction_type VARCHAR(10) NOT NULL, -- 'Income' or 'Expense' description VARCHAR(255), notes TEXT, -- FR-19 created_at DATETIME DEFAULT CURRENT_TIMESTAMP, FOREIGN KEY (user_id) REFERENCES user(id) ON DELETE CASCADE, FOREIGN KEY (account_id) REFERENCES account(id) ON DELETE CASCADE, FOREIGN KEY (category_id) REFERENCES category(id) ON DELETE CASCADE)
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
account_id	INTEGER	"account_id" INTEGER NOT NULL
category_id	INTEGER	"category_id" INTEGER NOT NULL
date	DATE	"date" DATE NOT NULL
amount	DECIMAL(10, 2)	"amount" DECIMAL(10, 2) NOT NULL
transaction_type	VARCHAR(10)	"transaction_type" VARCHAR(10) NOT NULL
description	VARCHAR(255)	"description" VARCHAR(255)
notes	TEXT	"notes" TEXT
created_at	DATETIME	"created_at" DATETIME DEFAULT CURRENT_TIMESTAMP
transaction_template		CREATE TABLE transaction_template (id INTEGER PRIMARY KEY AUTOINCREMENT, user_id INTEGER NOT NULL, name VARCHAR(100) NOT NULL, -- e.g., "Monthly Rent" description VARCHAR(255), default_amount DECIMAL(10,2), transaction_type VARCHAR(10) NOT NULL, -- 'Income' or 'Expense' account_id INTEGER, -- optional default account category_id INTEGER, -- optional default category FOREIGN KEY (user_id) REFERENCES user(id) ON DELETE CASCADE, FOREIGN KEY (account_id) REFERENCES account(id) ON DELETE SET NULL, FOREIGN KEY (category_id) REFERENCES category(id) ON DELETE SET NULL)
id	INTEGER	"id" INTEGER
user_id	INTEGER	"user_id" INTEGER NOT NULL
name	VARCHAR(100)	"name" VARCHAR(100) NOT NULL
description	VARCHAR(255)	"description" VARCHAR(255)
default_amount	DECIMAL(10, 2)	"default_amount" DECIMAL(10, 2)
transaction_type	VARCHAR(10)	"transaction_type" VARCHAR(10) NOT NULL
account_id	INTEGER	"account_id" INTEGER
category_id	INTEGER	"category_id" INTEGER
user		CREATE TABLE user (id INTEGER PRIMARY KEY AUTOINCREMENT, email VARCHAR(120) NOT NULL UNIQUE, password_hash VARCHAR(128) NOT NULL, display_name VARCHAR(100), default_currency VARCHAR(10) DEFAULT 'EGP', -- FR-15 created_at DATETIME DEFAULT CURRENT_TIMESTAMP)
id	INTEGER	"id" INTEGER
email	VARCHAR(120)	"email" VARCHAR(120) NOT NULL UNIQUE
password_hash	VARCHAR(128)	"password_hash" VARCHAR(128) NOT NULL
display_name	VARCHAR(100)	"display_name" VARCHAR(100)
default_currency	VARCHAR(10)	"default_currency" VARCHAR(10) DEFAULT 'EGP'
created_at	DATETIME	"created_at" DATETIME DEFAULT CURRENT_TIMESTAMP

Indices (2)

Name	Type	Schema
idx_transaction_search		CREATE INDEX idx_transaction_search ON "transaction" (user_id, description, notes)
user_id		"user_id"
description		"description"

Name	Type	Schema
notes		"notes"
idx_transaction_user_date		CREATE INDEX idx_transaction_user_date ON "transaction" (user_id, date)
user_id		"user_id"
date		"date"

Views (0)

Name	Type	Schema
------	------	--------

Triggers (0)

Name	Type	Schema
------	------	--------