

europecv: an unofficial class for European curricula

Nicola Vitacolonna

vitacolo@dimi.uniud.it

Department of Mathematics and Computer Science
University of Udine, Italy

Giuseppe Silano

giuseppe.silano@unisannio.it

Department of Engineering
University of Sannio in Benevento, Italy

January 31, 2019

Abstract

As of 11 March 2002 the European Commission has defined a common format for curricula vitæ. This class is an unofficial L^AT_EX implementation of that format. Although primarily intended for users in the European Union, the class can be used for any kind of curriculum vitæ.

To simplify the package distribution and its improvements, a GitHub repository has been opened. Such repository is available at the link <https://github.com/gsilano/EuropeCV>. Please, feel free to open an issue if you find mistakes or errors. At the same time, if you want you can collaborate as a developer: your name will be added to the list of contributors.

1 Overview

This class is an unofficial L^AT_EX implementation of the standard model for curricula vitæ (the *Europass CV*) as recommended by the European Commission.¹ The Europass CV replaces the European CV, launched in 2002.

The Europass CV defines both the content and the layout of a curriculum vitæ. The `europecv` class provides support for the latter, and for the former as far as personal information and spoken languages are concerned. If you want to know how the content of a Europass CV must be structured you must read the documentation provided by the Europass website.²

This class tries to be as close as possible to the standard model without sacrificing flexibility. Although it is primarily intended for users of the European Union, the class can be used for any kind of curriculum vitæ (possibly with the options `notitle` and `nologo`, see below), or even for other kinds of documents: for example, this documentation file has been typeset using the `europecv` class. The source files are included in the package.

A minimal (empty) curriculum vitæ, quite similar to the official one, can be obtained with the following code:

```
\documentclass[helvetica,narrow]{europecv}
\usepackage{graphicx} % Required to draw the logo
\begin{document}
\begin{europecv}
\end{europecv}
\end{document}
```

This produces the following output, having only the *title* ("Europass Curriculum Vitæ"), and the Europass logo:³

¹<http://europa.eu.int/scadplus/leg/en/cha/c11057.htm>.

²<http://europass.cedefop.eu.int/htm/index.htm>.

³It also produces a footer with the page number, not shown here.



Europass Curriculum Vitae

The main differences with respect to the official model are the use of Helvetica (which should be in any standard L^AT_EX distribution) instead of Arial, and the use of a vector image instead of a low-resolution bitmap.

2 A curriculum through class options

The following options can be used with the `\documentclass` command, e.g.

```
\documentclass[latin1,Helvetica,narrow,italian,logo,notitle,totpages]{europcv}
```

Input encoding

Important!

The default input encoding for the `europcv` class is UTF-8. If you have a Unicode capable text editor, you should be able to directly type text with accents, diacritics and so on (i.e., no need to use L^AT_EX commands for special characters). In order for this to work, you must ensure that your document is saved using the UTF-8 text encoding. As an alternative, you may specify a different input encoding for your document (see options below). Please note that the `ucs` and `inputenc` packages are needed no matter which encoding you use (see Section [Dependencies](#)).

`utf8`
Other options

Chooses UTF-8 input encoding. This is the default.

The other available input encodings are: `ansinew`, `applemac`, `ascii`, `cp850`, `cp852`, `cp858`, `cp437`, `cp437de`, `cp865`, `cp866`, `cp1250`, `cp1251`, `cp1252`, `cp1257`, `decmulti`, `koi8-r`, `koi8-ru`, `koi8-u`, `latin1`, `latin2`, `latin3`, `latin4`, `latin5`, `latin9`, `latin10`, `maccyr`, `macukr`, `next`.

Notes

Any of the above options causes the `inputenc` package to be loaded with the specified encoding,⁴ so that you do not have to load that package in your document.

Font options

`Helvetica`
`arial`

Uses Helvetica as the default font.

Uses Arial as the default font. In order for this option to take effect, the font must have been installed and must be accessible through L^AT_EX. How to install fonts in L^AT_EX goes beyond the scope of this document: read *The Font Installation Guide* you can find on CTAN. The `europcv` class expects the font filenames to use `m` for the supplier (Monotype) and `a1` for the typeface (Arial). For more information, please refer to the *Fontname* guide you can find on CTAN.

`narrow`

Uses a condensed version of the font. This option must be used with either `Helvetica` or `arial`.

Notes

If no font option is specified, `europcv` will use the current font.






Language options

Important!

The following options are not related to `babel`. See the Notes at the end of this list.

⁴`utf8` loads `inputenc` with the option `utf8x`.

bulgarian	Chooses Bulgarian language (translation not yet completed). You should load the fontenc package with T2A option, or equivalent encoding (<code>\usepackage[T2A]{fontenc}</code> in the preamble of your document). See the examples folder for an example. Of course, you must also have Cyrillic fonts.
catalan	Chooses Catalan language (translation not yet completed).
czech	Chooses Czech language (translation not yet completed).
danish	Chooses Danish language (translation not yet completed).
dutch	Chooses Dutch language.
english	Chooses English language. This is the default.
estonian	Chooses Estonian language.
french	Chooses French language.
finnish	Chooses Finnish language.
galician	Chooses Galician language.
german	Chooses German language.
greek	Chooses the Greek language. The babel package must be included in your document with at least the Greek and English language options (put <code>\usepackage[greek,english]{babel}</code> in the preamble of your document.) See the examples folder for a minimal example. Of course, you must also have Greek fonts.
hungarian	Chooses Hungarian language (translation not yet completed).
icelandic	Chooses Icelandic language (translation not yet completed). Note that this option does not work with the OT1 font encoding. Use the fontenc package to select an alternate font encoding, such as T1 (<code>\usepackage[T1]{fontenc}</code> in the preamble of your document).
italian	Chooses Italian language.
latvian	Chooses Latvian language.
lithuanian	Chooses Lithuanian language (translation not yet completed). Note that this option does not work with the OT1 font encoding. Use the fontenc package to select an alternate font encoding, such as T1 (<code>\usepackage[T1]{fontenc}</code> in the preamble of your document).
maltese	Chooses Maltese language. You should use the T4 font encoding (put <code>\usepackage[T4]{fontenc}</code> font encoding (put <code>\usepackage[T4]{fontenc}</code> in the preamble of your document), or include the maltese package and use the commands <code>\mh</code> , <code>\mH</code> and so on, for <code>mh</code> , <code>mH</code> etc... See the examples.
norwegian	Chooses Norwegian language.
polish	Chooses Polish language. Note that this option does not work with the OT1 font encoding. Use the fontenc package to select an alternate font encoding, such as T1 (<code>\usepackage[T1]{fontenc}</code> in the preamble of your document).
portuguese	Chooses Portuguese language.
romanian	Chooses Romanian language.
serbian	Chooses Serbian language.
slovak	Chooses Slovak language.
slovenian	Chooses Slovenian language.
spanish	Chooses Spanish language.
swedish	Chooses Swedish language (translation not yet completed).

Notes	<p>The choice of the language only affects the appearance of the title (“Europass Curriculum Vitæ”), the personal information section, the spoken language table and the footer with the page number. In some cases, it may affect the used alphabet (e.g. in Bulgarian).</p> <p>If you want to use the hyphenation patterns for the language(s) of your choice, you must include the <code>babel</code> package in your document. The use of <code>babel</code> is mandatory for Greek (see the Greek language option above). If you need a different language, you must create a new <code>.def</code> file, and add the corresponding <code>\DeclareOption</code> in the class file.</p>
About unfinished translations	<p>The localizations marked as “not yet completed” lack the translation of the following:</p> <ul style="list-style-type: none"> – “Basic user” – “Intermediate user” – “Proficient user” <p>The above phrases are used by the “predefined level description” commands (p. 9), which can be replaced by <code>\ecvCEF</code>.</p>
Flag options	
<code>noflag</code>	Draws no flag after the title. This is the default.
<code>flagWB</code>	Draws the following:  after the title.
<code>flagBW</code>	Draws the following:  after the title.
<code>flagCMYK</code>	Draws the following:  after the title.
<code>flagBlueCMYK</code>	Draws the following:  after the title.
Notes	The <code>graphicx</code> package must be included in your document for the flag to be drawn. The official model of the Europass CV does not use any flag.
Logo options	
<code>logo</code>	Draws the Europass logo:  at the beginning of the Europass CV. This is the default.
<code>nologo</code>	Does not draw the Europass logo.
Notes	The <code>graphicx</code> package must be included in your document for the Europass logo to be drawn.
Title option	
<code>notitle</code>	Omits the title (“Europass Curriculum Vitæ”) at the beginning of the curriculum vitæ.
Notes	Users outside the European Community who might want to use the <code>europcv</code> class may specify <code>notitle</code> and <code>nologo</code> among the class options.

Page numbering

`totpages`

Prints the total number of pages on each page.

Notes

This option requires the `totpages` package. The way the page numbering looks like can be changed by the command `\ecvpage` (see Footer and Footnotes section).

Spoken language table

`booktabs`

Loads the `booktabs` package.

Notes

This option affects the appearance of the spoken language table (see p. 10).

3 A curriculum through commands

Personal information

`\ecvdate{date}`

Sets CV update date to *date*. To enter the current date use the `\today` command.

`\ecvname{name}`

Sets your name to *name*.

`\ecvfootername{name}`

Sets your name as it appears in the footer. By default, the name in the footer is the same as the one specified with `\ecvname`. Use `\ecvfootername` if you want it to be different (for example, if you want to exchange the order of first name and last name).

`\ecvfirstname{name}`

Deprecated. Use `\ecvname` and `\ecvfootername` instead.

`\ecvlastname{name}`

Deprecated. Use `\ecvname` and `\ecvfootername` instead.

`\ecvaddress{addr}`

Sets the address to *addr*.

`\ecvfax{fax}`

Sets the fax number to *fax*. If you do not have any fax number, you can leave it empty.

`\ecvtelephone[mobile][office]`
`{tel}`

Sets the telephone number to *tel* and, optionally, the mobile and the office numbers to *mobile* and to *office*, respectively.

`\ecvemail{email}`

Sets the email to *email*.

`\ecvprofessional{professional}`

Sets the professional email to *professional*.

`\ecvpec{pec}`

Sets the PEC email to *pec*.

`\ecvhomepage{url{URL}}`

Sets the Home page to *URL*.

`\ecvSkype{skype}`

Sets the Skype account to *skype*.

`\ecvnationality{nationality}`

Sets the nationality to *nationality*.

`\ecvdateofbirth{birth}`

Sets the date of birth to *birth*.

`\ecvgender{gender}`

Sets the gender to *gender*.

`\ecvpicture{picture}`

Sets the personal picture to be the file *picture*.

`\ecvbeforepicture{text}`

text will be included just before inserting the picture when typesetting the personal information.

`\ecvafterpicture{text}`

text will be included just after inserting the picture when typesetting the personal information.

`\ecvspace{space}`

This command can be used *only* inside `\ecvbeforepicture` or `\ecvafterpicture` to vertically shift the picture or the text after the picture (see the example below).

`\ecvpersonalinfo[vspace]`

Typesets personal information.

Notes	<p><code>\ecvpersonalinfo</code> must appear only inside a <code>europcv</code> environment. Personal information definition commands can appear anywhere before the <code>europcv</code> environment, either in the preamble or in the document. Note that the <code>\ecvpicture</code> command does not draw anything: your picture is inserted when <code>\ecvpersonalinfo</code> occurs. The picture position can be controlled with <code>\ecvbeforepicture</code>: for example, <code>\ecvbeforepicture{\raggedright}</code> draws the picture on the left, and <code>\ecvbeforepicture{\centering}</code> centers the picture. The <code>\ecvpersonalinfo</code> command has an optional argument that tells how much vertical space to leave after the personal information block.</p>
-------	--

For example, consider the following document:

```


\documentclass[helvetica,notitle,nologo]{europcv}
\usepackage{graphicx}

% Define personal data
\ecvname{Alan Turing}
\ecvfootername{}
\ecvaddress{Wilmslow, Cheshire, England}
\ecvtelephone[1234][5678]{4321}
\ecvfax{0055884321}
\ecvemail{\href{mailto:alan.touring@alan.turing}{alan.touring@alan.turing}}
\ecvprofessional{\href{mailto:alan.touring@alan.touring.work}{alan.touring@alan.touring.work}}
\ecvpec{\href{mailto:alan.touring@pec.it}{alan.touring@pec.it}}
\ecvhomepage{\url{www.homepage.com}}
\ecvskype{alan-touring}
\ecvnationality{English}
\ecvdateofbirth{June 23 1927}
\ecvgender{Male}
\ecvbeforepicture{\raggedright}
\ecvpicture[height=3cm]{examples/at}
\ecvdate{\today}

\begin{document}
\begin{europcv}
\ecvpersonalinfo
\end{europcv}
\end{document}

```

The above will produce the following output:

<p>Updated January 31, 2019</p>	
<p>Personal information</p>	
<p>Surname / First name</p>	<p>Alan Turing</p>
	

Address	Wilmslow, Cheshire, England
Telephone	4321 Mobile: 1234 Office: 5678
Fax	0055884321
Personal Email	alan.touring@alan.turing
Professional Email	alan.touring@alan.touring.work
PEC	alan.touring@pec.it
Home page	www.homepage.com
Skype	alan-touring
Nationality	English
Date of birth	June 23 1927
Gender	Male

If you do not want to use so much space, you may add some negative space with `\ecvspace` in order to raise the personal information block. In this case, the picture should be put at the rightmost position. The following is an example that shows how to put your personal picture on the side of the personal information block:

```
\documentclass[helvetica,notitle,nologo]{europecv}
\usepackage{graphicx}

\ecvname{Alan Touring}
\ecvfootername{}
\ecvaddress{Wilmslow, Cheshire, England}
\ecvtelephone[1234][5678]{4321}
\ecvfax{0055884321}
\ecvemial{\href{mailto:alan.touring@alan.turing}{alan.touring@alan.turing}}
\ecvprofessional{\href{mailto:alan.touring@alan.touring.work}{alan.touring@alan.touring.work}}
\ecvpec{\href{mailto:alan.touring@pec.it}{alan.touring@pec.it}}
\ecvhomepage{\url{www.homepage.com}}
\ecvskype{alan-touring}
\ecvnationality{English}
\ecvdateofbirth{June 23 1927}
\ecvgender{Male}
\ecvbeforepicture{\raggedleft}
\ecvpicture[height=3cm]{examples/at}
\ecvafterpicture{\ecvspace{-3.5cm}}
\ecvdate{\today}

\begin{document}
\begin{europecv}
\ecvpersonalinfo
\end{europecv}
\end{document}
```

The output of the above code looks like this:

**Updated
January 31, 2019**

Personal information

Surname / First name

Address

Telephone

Fax

Personal Email

Professional Email

PEC

Home page

Skype

Nationality

Date of birth

Gender

Alan Turing

Wilmslow, Cheshire, England

4321 Mobile: 1234 Office: 5678

0055884321

alan.touring@alan.turing

alan.touring@alan.touring.work

alan.touring@pec.it

www.homepage.com

alan-touring

English

June 23 1927

Male



Note that if your personal data (e.g., your address) is long enough, then some text may overlap your picture. A (not so good) solution to solve the problem consists in breaking the o ending line(s) with `\&` (backslash-backslash-ampersand).

Sectioning commands

`\section[vspace]{title}`

Starts a new section. For example, the current section has been started with `\section{Sectioning commands}`.

`\ecvsection[vspace]{title}`

Deprecated. It is still available for backward compatibility. Starts a new section. For example, the current section has been started with `\ecvsection{Sectioning commands}`. Use the command `\pdfbookmark{Name of the section}{Name of the section}` if you want add the section into the table of contents.

`\ecvitem[vspace]{left}{right}`

Puts *left* text on the left of the vertical rule and *right* text on the right of the vertical rule.

`\ecvitem*[vspace]{left}{right}`

Deprecated. The same as above, but produces a small bullet before *left* text, as in the next item.

• Notes

Sectioning commands must be used inside the `europcv` environment, and text within the environment should be typeset only inside a sectioning command. All of them have nd.optional nrgument that specifies how much vertical space to leave *after* that command. For instance, the previous item has been specified by

`\ecvitem[15pt]{...}{...}`

Spoken languages

`\ecvmothertongue[vspace]{language}`

Typesets the mother tongue.

`\ecvlanguageheader{symbol}`

Typesets the header of the language table. The nrgument is a symbol used as a footnote symbol referring to the language table footer (see below).

Mother tongue
Self-assessment
European level^(*)

English

French

German

Understanding				Speaking				Writing	
Listening		Reading		Spoken interaction		Spoken production			
C1	Proficient user	C2	Proficient user	B2	Independent user	C1	Proficient user	C2	Proficient user
A2	Basic user	A2	Basic user	A2	Basic user	A2	Basic user	A2	Basic user

^(*) Common European Framework of Reference (CEF) level

Note that you should use tight page margins to make the table fit comfortably.

Footer and Footnotes

`\ecvfootnote{note}`

Puts a note in the footer of every page of the curriculum vitae.⁵ The note spans the right column width and it is justified. This command should appear in the preamble of your document.

`\ecvpage{def}`

Redefines the way the page numbering looks like. The default is to print the word "Page" (in the language of your choice) followed by the page number. You can change this: for example, `\ecvpage{\thepage}` can be used to suppress the word "Page".

Notes

The footer is typeset using the fancyhdr package. So, you can use fancyhdr commands to customize the footer (and the header too, of course). For example, if you want plain page numbers, you can use `\pagestyle{plain}` at the beginning of your document (as it has been done for this document, whose source code is included in the package).

If you want to use your own left, center, and right footer, you can put the relevant commands after `\begin{document}`. For example:

```
% [...]
\begin{document}
\fancyfoot{} % Clears the footer
\fancyfoot[L]{My left footer}
\fancyfoot[C]{My center footer}
\fancyfoot[R]{My right footer}
```

Some parameters can be set by using the following commands.

Fine Tuning

`\ecvWithHorRule`

Draws a horizontal rule at the beginning of the Europass CV, which spans the first column. This is the default.

`\ecvNoHorRule`

Does not draw the horizontal rule at the beginning of the Europass CV. This part was typeset with `\ecvNoHorRule`.

`\ecvRuleWidth{width}`

Sets the thickness of the rules. The default is 0.4pt. This part has been typeset with `\ecvRuleWidth{2pt}`. The vertical rule can be omitted by setting this parameter to 0pt.

⁵Standard footnotes can also be used inside the `europcv` environment.

<code>\ecvExtraRowHeight{height}</code>	Puts extra space between <i>all</i> subsequent items in the <code>europcv</code> environment (including rows of the spoken language table). The default is 0pt. This part has been typeset with <code>\ecvExtraRowHeight{10pt}</code> .
<code>\ecvColSep{width}</code>	Sets the space between the vertical rule and the surrounding text. The default is 12pt. This part has been typeset with <code>\ecvColSep{20pt}</code> .
<code>\ecvFlagWidth{width}</code>	Sets the size of the flag. The default is 10mm.
<code>\ecvLogoWidth{width}</code>	Sets the size of the Europass logo. The default is 23mm.
<code>\ecvLogoOffset{offset}</code>	Adjusts the vertical position of the Europass logo. The default is 1cm.
<code>\ecvLeftColumnWidth{width}</code>	Sets the text width in the left column to <i>width</i> . The right column fills the page. The default is 5cm. This part has been typeset with <code>\ecvLeftColumnWidth{6cm}</code> .
<code>\ecvTitleKern</code>	Changes the kerning of the title. The default value is 0.5pt.
Notes	<p>To change global sizing parameters, such as the page size, the margins and so on, use the <code>geometry</code> package.</p> <p>You may draw horizontal lines with <code>\hline</code> or <code>\cline</code>. The lines above have been obtained by:</p> <pre> \hline\ecvitem[0pt]{Notes}{...}\cline{2-2} \ecvitem{}{...} </pre>

4 Bibliographies

The main weakness of this class is related to bibliographies. If you insert a bibliography inside the `europcv` environment with a command like:

```

\section{Additional Information}
\ecvitem{}{\bibliographystyle{plain}
\nocite{*}
\bibliography{mypublications}}

```

the bibliography will flow out if it does not fit in the current page. The reason is that the `europcv` environment is a `longtable`, each `\ecvitem` corresponds to a row of the table, and a row cannot be split across pages. Therefore, you can safely put a bibliography using the `\bibliography` command only outside the `europcv` environment. Which may be or may not be what you want.

Another possibility is to use the `bibentry` package, and put each `\bibentry` command inside an `\ecvitem` command:

```

\ecvitem{}{\textsc{Publications}}
\ecvitem{}{\bibentry{pub1}}
[...]
\ecvitem{}{\bibentry{pubN}}

```

The drawback of this solution is that you have to use a `\bibentry` command for each bibliography item you want to appear. If you have written many publications, this can be a pain in the neck. Unfortunately, the only solution I know is to write a script to perform the task automatically.

Finally, you can add references to your publications using the commands (and also defining new ones following the same rules) `\conferencePublications[Name of the label]` and `\refconferencePublications [Name of the label]`. Below the code that you have to insert in the preamble.

```
\makeatletter
```

```

\let\oldhypertarget\hypertarget
\renewcommand{\hypertarget}[2]{%
\oldhypertarget{#1}{#2}%
\protected@write\@mainaux{}{%
\string\expandafter\string\gdef
\string\csname\string\detokenize{#1}\string\endcsname{#2}%
}%
}
\newcommand{\myhyperlink}[1]{%
\hyperlink{#1}{\csname #1\endcsname}%
}
\makeatother

% The counters. They have to be defined for each publication (journal papers, books, and so on).
\newcounter{ConferencePapers} %For the conference papers
\setcounter{ConferencePapers}{0}

\newcounter{JournalPapers} %For the journal papers
\setcounter{JournalPapers}{0}

% These commands have to be ridefined for each publication type (journal, paper, etc.)
\newcommand{\conferencePublications}[1][]{%
\stepcounter{ConferencePapers}
\hypertarget{#1}{[C\theConferencePapers]} %C is the indexing of your conference papers
}

\newcommand{\journalPublications}[1][]{%
\stepcounter{ConferencePapers}
\hypertarget{#1}{[J\theJournalPapers]} %J is the indexing of your journal papers
}

\newcommand{\refconferencesPublications}[1][]{%
\myhyperlink{#1}
}

\newcommand{\refjournalPublications}[1][]{%
\myhyperlink{#1}
}

```

In such a way, you can refer your publications into the text as reported below and in the “cv_template_academic_en”.

Research activities

Publications

Stability of piecewise-linear systems

Something related to the picewise-linear systems [\[C1\]](#), [\[C2\]](#) ad [\[C3\]](#).

Refereed conference proceedings

- | | |
|------|---|
| [C1] | Details related to the conference paper |
| [C2] | Details related to the conference paper |
| [C3] | Details related to the conference paper |

5 Dependencies

The `europcv` class is built upon the `article` class, so you can use all standard `article` options, such as `12pt`, `draft`, `a4paper`, and so on. It requires the `array`, `longtable`, `fancyhdr`, `ucs` and `inputenc` packages, which should be available by default on any decent \LaTeX distribution.

6 Official Europass CV and `europcv`: the differences

Unless you want to install Arial (Narrow), you will probably typeset your curriculum vitæ in (condensed) Helvetica typeface if you want to adhere to the standard model.⁶ Differences, however, are quite small:

Helvetica:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? \$ % & / () # *

Arial:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? \$ % & / () # *

9 License

All files in this package may be distributed under the terms of the L^AT_EX Project Public License. See <http://www.ctan.org/tex-archive/help/Catalogue/licenses.lpp1.html> for the details of that license.

10 Language self-assessment

The following is a short description of the different levels of language assessment as defined by the *Common European Framework of Reference for Languages*. See http://www.coe.int/T/E/Cultural_Co-operation/education/Languages/Language_Policy/Common_Framework_of_Reference/ for more details.

Understanding

Listening

- A1:** I can understand familiar words and very basic phrases concerning myself, my family and immediate surroundings when people speak slowly and clearly.
- A2:** I can understand phrases and the highest frequency vocabulary related to areas of most immediate personal relevance (e.g. very basic personal and family information, shopping, local area, employment). I can catch the main points in short, clear, simple messages and announcements.
- B1:** I can understand the main points of clear standard speech on familiar matters regularly encountered in work, school, leisure, etc. I can understand the main points of many radio or TV programmes on current affairs or topics of personal or professional interest when the delivery is relatively slow and clear.
- B2:** I can understand extended speech and lectures and follow even complex lines of argument provided the topic is reasonably familiar. I can understand most TV news and current affairs programmes. I can understand the majority of films in standard dialect.
- C1:** I can understand extended speech even when it is not clearly structured and when relationships are only implied and not signalled explicitly. I can understand television programmes and films without too much effort.
- C2:** I have no difficulty in understanding any kind of spoken language, whether live or broadcast, even when delivered at fast native speed, provided I have some time to get familiar with the accent.

Reading

- A1:** I can understand familiar names, words and very simple sentences, for example on notices and posters or in catalogues.
- A2:** I can read very short, simple texts. I can find specific, predictable information in simple everyday material such as advertisements, prospectuses, menus and timetables and I can understand short simple personal letters.
- B1:** I can understand texts that consist mainly of high frequency everyday or job-related language. I can understand the description of events, feelings and wishes in personal letters.
- B2:** I can read articles and reports concerned with contemporary problems in which the writers adopt particular attitudes or viewpoints. I can understand contemporary literary prose.
- C1:** I can understand long and complex factual and literary texts, appreciating distinctions of style. I can understand specialised articles and longer technical instructions, even when they do not relate to my field.
- C2:** I can read with ease virtually all forms of the written language, including abstract, structurally or linguistically complex texts such as manuals, specialised articles and literary works.

Speaking

Spoken interaction

- A1:** I can interact in a simple way provided the other person is prepared to repeat or rephrase things at a slower rate of speech and help me formulate what I'm trying to say. I can ask and answer simple questions in areas of immediate need or on very familiar topics.
- A2:** I can communicate in simple and routine tasks requiring a simple and direct exchange of information on familiar topics and activities. I can handle very short social exchanges, even though I can't usually understand enough to keep the conversation going myself.
- B1:** I can deal with most situations likely to arise whilst travelling in an area where the language is spoken. I can enter unprepared into conversation on topics that are familiar, of personal interest or pertinent to everyday life (e.g. family, hobbies, work, travel and current events).
- B2:** I can interact with a degree of fluency and spontaneity that makes regular interaction with native speakers quite possible. I can take an active part in discussion in familiar contexts, accounting for and sustaining my views.
- C1:** I can express myself fluently and spontaneously without much obvious searching for expressions. I can use language flexibly and effectively for social and professional purposes. I can formulate ideas and opinions with precision and relate my contribution skilfully to those of other speakers.
- C2:** I can take part effortlessly in any conversation or discussion and have a good familiarity with idiomatic expressions and colloquialisms. I can express myself fluently and convey finer shades of meaning precisely. If I do have a problem I can backtrack and restructure around the difficulty so smoothly that other people are hardly aware of it.

Spoken production

- A1:** I can use simple phrases and sentences to describe where I live and people I know.
- A2:** I can use a series of phrases and sentences to describe, in simple terms, my family and other people, living conditions, my educational background and my present or most recent job.
- B1:** I can connect phrases in a simple way in order to describe experiences and events, my dreams, hopes and ambitions. I can briefly give reasons and explanations for opinions and plans. I can narrate a story or relate the plot of a book or film and describe my reactions.
- B2:** I can present clear, detailed descriptions on a wide range of subjects related to my field of interest. I can explain a viewpoint on a topical issue giving the advantages and disadvantages of various options.
- C1:** I can present clear, detailed descriptions of complex subjects integrating sub-themes, developing particular points and rounding off with an appropriate conclusion.
- C2:** I can present a clear, smoothly-flowing description or argument in a style appropriate to the context and with an effective logical structure which helps the recipient to notice and remember significant points.

Writing

- A1:** I can write a short, simple postcard, for example sending holiday greetings. I can fill in forms with personal details, for example entering my name, nationality and address on a hotel registration form.
- A2:** I can write short, simple notes and messages. I can write a very simple personal letter, for example thanking someone for something.
- B1:** I can write simple connected text on topics which are familiar or of personal interest. I can write personal letters describing experiences and impressions.
- B2:** I can write clear, detailed text on a wide range of subjects related to my interests. I can write an essay or report, passing on information or giving reasons in support of or against a particular point of view. I can write letters highlighting the personal significance of events and experiences.

- C1:** I can express myself in clear, well-structured text, expressing points of view at some length. I can write about complex subjects in a letter, an essay or a report, underlining what I consider to be the salient issues. I can select a style appropriate to the reader in mind.
- C2:** I can write clear, smoothly-flowing text in an appropriate style. I can write complex letters, reports or articles which present a case with an effective logical structure which helps the recipient to notice and remember significant points. I can write summaries and reviews of professional or literary works.