

1/1

.....The default backface-visibility-1

normal ☐

running ☐

visible ☒

none of all ☐

1/1 Which of the following css property is used to -2
define the time it takes one iteration of an animation to
?play

animation-time ☐

animation-duration ☒

animation-value ☐

none of the mentioned ☐

1/1 To Choose More Than 1 file upLoaded on Site -3
..... You Have To Use

1/1 To Choose More Than 1 file upLoaded on Site -3
..... You Have To Use

read-only ☐

novalidate ☐

multiple ☒

required ☐

1/1 Suppose we want to arrange three DIVs so that -4
DIV 3 is placed above DIV1. Now, which CSS
property are we going to use to control the stack
?order

d-index ☐

x-index ☐

y-index ☐

z-index ☒

1/1

A shorthand property for the grid-row-gap and grid-column-gap properties

grid-row ☐

grid-column ☐

grid-gap ☒

none of all ☐

1/1

Choose the correct HTML tag for the last Section in my Website

last Section ☐

header ☐

footer ☒

section-10 ☐

1/1

Choose the correct HTML tag for adding two different Languages

1/1 Choose the correct HTML tag for adding two - 7
different languages

wbr ☐

add ☐

bdi ☒

src ☐

1/1 The CSS property used to specify the - 8
- transparency of an element is

visibility ☐

overlay ☐

opacity ☒

transparece ☐

1/1 Choose the correct HTML Tag for first Section - 9
in the website

1/1 Choose the correct HTML Tag for first Section -9
in the website

Footer ☐

main ☒

section ☐

New ☐

1/1 Choose the correct CSS Property For spacing -10
between different lines

line spacing ☐

line width ☐

height ☐

line height ☒

1/1 Which of the following CSS property is used to -11
define the number of times an animation should play

1/1 Which of the following css property is used to -11
?define the number of times an animation should play

transtion-iteration-count ☐

transtion-duration ☐

animation-value ☐

animation-iteration-count ☒

1/1 To Obligate the user to enter his information you -12
. have to use

obligated ☐

no validate ☐

required ☒

get and post ☐

1/1 dashed is one the values given to -13

1/1

..... dashed is one the values given to -13

outline ☐

border ☒

div ☐

text ☐

1/1

Choose the correct C_{ss} Property for making all -14
letters capital

capitalize ☐

size ☐

uppercase ☒

lowercase ☐

1/1

The shorthand for direction and wrap is -15

1/1

The shorthand for direction and wrap is -15

- a) flex ☐
- B) flex-wrap ☐
- C) flex-direction ☐
- D) flex-flow ☒

1/1 *What will be the output of following CSS code -16*
snippet? h1 { color: "red" : }

- a) heading becomes dark-green ☐
- b) heading becomes green ☐
- c) nothings happen ☒
- d) h1 becomes green. ☐

1/1

The default animation-play-state -17

normal ☐

paused ☐

linear ☐

running ☒

1/1 *Which of the following CSS property sets what -18
kind of these mentioned are added to an element such
as underline , overline , etc*

a) text-size ☐

b) text-decoration ☒

c) font-style ☐

d) none ☐

1/1 *In HTML, which attribute is used to create a -19
link that opens in a new window tab*

1/1 In HTML, which attribute is used to create a link that opens in a new window tab

src="_blank" ☐

target="_blank" ☒

target="_self" ☐

alt="_blank" ☐

1/1 What will be the output of the following CSS -20
border: 1px solid red; code snippet? span {
outline: green dotted 6px ;}

a) All span elements will have a green thick border and a red outline ☐

c) All span elements will have a outer green dotted border and an inner red bordered ☒

c) All span elements will have a red dotted border and an inner green border ☐

d) All span elements will have an outer red border and inner green dotted border ☐

1/1

. The default position is -21

- a) fixed ☐
- b) static ☒
- c) absolute ☐
- d) relative ☐

1/1 The HTML tag used to define the internal -22
- stylesheet is

- <styel> ☐
- <script> ☐
- <link> ☐
- <style> ☒

1/1 Which of the following is the correct syntax to -23
?display the hyperlinks without any underline

1/1 Which of the following is the correct syntax to -23
?display the hyperlinks without any underline

a {text-decoration : underline;} ☐

a {decoration : no-underline;} ☐

a {text-decoration : none} ☒

None of the above ☐

1/1 Which of the following property is used as the -24
?shorthand property for the padding properties

padding-left ☐

padding-right ☐

padding ☒

All of the above ☐

1/1 Which of the following is the correct syntax to -25
?select all paragraph elements in a div element

1/1 Which of the following is the correct syntax to -25
?select all paragraph elements in a div element

p ☐

div ~ p ☐

div#p ☐

div p ☒

1/1 Which of the following is the correct syntax to -26
?select the first p sibling of a div element

p ☐

div + p ☒

div p ☐

div ~ p ☐

0/1 Which of these options expresses the value of -27
?transparency in the dark layer rgba

opacity ☒

0/1 Which of these options expresses the value of -27
? transparency in the dark layer rgba

opacity ☒

filter ☐

alpha ☒

color ☐

1/1 Which of the following property defines the -28
? number of columns in a multicolumns text flow

column ☐

column-flow ☐

column-number ☐

column-count ☒

1/1 Which of the following property defines the style -29
of the divider rule between columns in a multicolumns
? text flow

1/1 Which of the following property defines the style of the divider rule between columns in a multicolumns ? text flow

- column ☐
- column-rule ☒
- column-style ☐
- none of the mentioned ☐

0/1 Which of the following selectors is used to select ? elements that are read-only

- required ☐
- reed-only ☒
- validate ☐
- none of the mentioned ☒

1/1 Which of the following selector is used to select ? siblings

1/1 Which of the following selector is used to select -31
? siblings

::siblings ☐

E ~ siblings ☒

+ siblings ☐

None of the Above ☐

1/1 Which of the following is an appropriate value -32
?for the overflow element

Scroll ☐

hidden ☐

auto ☐

all of the mentioned ☒

1/1 Which of the following CSS property sets the -33
?shadow for a box element

1/1 Which of the following CSS property sets the -33
?shadow for a box element

box-shadow ☒

text-shadow ☐

box-style-shadow ☐

none of the above ☐

1/1 Choose the correct CSS Property for making a -34
space between words written in my website

line-spacing ☐

 ☐

space ☐

word-spacing ☒

1/1 Which of the following CSS property specifies -35
?the look and design of an outline

0/1 Which of the following CSS selector selects the -36
?elements that are checked

checked ☒

E ~ F ☐

:hover ☐

none of the mentioned ☒

1/1 it is one of the properties for - 37
describing box-shadow

speed ☐

blur ☒

inst ☐

background ☐

0/1

it is one of the properties for - 38
describing linear gradient

fonts ☐

direction ☒

background ☐

top-left ☒

1/1

to make (...) after long Paragraphs - 39

text-overflow:clip ☐

text-overflow:ellipsis ☒

text ☐

font-size: ... ☐

1/1

Which of the following is used to read an -40
?HTML page and render it

1/1

Which of the following is used to read an HTML page and render it

Web server ☐

Web browser ☒

Web network ☐

Web matrix ☐

1/1

Which of the following elements in HTML5 defines video or movie content

<video> ☒

<movie> ☐

<audio> ☐

<media> ☐

1/1

which of the following measurements represents seconds

1/1 which of the following measurements represents -42
? seconds

s ☒

se ☐

sec ☐

seconds ☐

none of all mentioned ☐

0/1 an obligated property for operating a video in -43
html5

control ☒

video ☐

required ☐

none of the above ☒

1/1 inline stylesheet pro ...make the image can -44
not be taken to another place

value = 0 ☐

position = fixed ; ☐

draggable = false ; ☒

image : fixed ; ☐

1/1 Which tag is used to create a dropdown in -45
?HTML Form

<input> ☐

<select> ☒

<textarea> ☐

none of the above ☐

1/1 Which of the following HTML tag is used to -46
?create an unordered list

none of the above ☐

1/1 Which of the following HTML tag is used to -46
?create an unordered list

<order list> ☐

<unordered list> ☐

<unorder list> ☐

none of all ☒

0/1 you have to write (special for 3d -47
.works only to work)

perspective : 600 px ; & transform-
style: 3d; ☒

transform-style : flat ; ☐

transform-style: 3d ; ☒

3d ☐

none of all ☐

1/1 Which of the following css property allows -48
elements to be offset, rotated, scaled, and skewed in a
?variety of different ways

transform-3D ☐

transform-origin ☐

transform ☒

transform-rotate: / transform-scale:
/etc ☐

1/1 Which of the following css property is used to -49
?define a delay before an animation starts

transition-delay ☐

transition ☐

transform ☐

animation-delay ☒

1/1 it is one of the values for describing - 50
radial gradient

shape ☐

fonts ☐

background ☐

circle ☒

ما هو تقييمك لصعوبة الاختبار ؟ *

صعب جدا ☐

يميل للصعوبة ☒

متوسط ☐

يميل للسهل ☐

سهل ☐

لا أعلم مستوى الاختبار وبرجاء ارسال رقم
خدمة عملاء الجرجير لاتمام التعاقد معهم ☐