



Alexandria University - Faculty of Science
Mid term examination – 2024

Department: Mathematics and Computer Science
Course Title: Integral equations
Course Code: Integral equations
Lecturer: Dr.Hanna R. Ebead
Total Marks: 30

1. Solve the integral equations.

(a) $y(x) = x - \int_0^x (x-t)y(t) dt$

(b) $y(t) = \frac{7}{8}t + \frac{1}{2} \int_0^1 tsy^2(s) ds$

2. (a) Let $f \in C[a, b]$. If $k : [a, b] \times [a, b] \rightarrow \mathbb{R}$ is continuous on $[a, b] \times [a, b]$ Then prove that

$$y(t) = f(t) + \lambda \int_a^b k(t, s)y(s) ds \quad t \in [a, b]$$

has a unique continuous solution $y \in C[a, b]$

Provided that

$$|\lambda| < \frac{1}{L(b-a)}, \quad \text{Where } L = \max_{t,s \in [a,b] \times [a,b]} |k(t, s)|$$

(b) Give an counter example to show that the previous theorem is sufficient but not necessary

3. Convert the following IVP

$$\begin{cases} \frac{d^2y}{dx^2} - 2x \frac{dy}{dx} - 3y = 0 \\ y(0) = 1, y'(0) = 0 \end{cases}$$

Into equivalent Volterra integral equation