```
Activity 1:
```

```
1. Create a script that asks for user name then send a greeting to him.
             #! /bin/bash
             echo "please enter your name "
              read name
             echo "you are welcome $name"
2. Create a script called s1 that calls another script s2 where:
      a. In s1 there is a variable called x, it's value 5
               #! /bin/bash
               x=5
               export x
               . s2.sh
      b. Try to print the value of x in s2.
               #! /bin/bash
               echo "you enter the value of x is $x"
3. Create a script called mycp where:
      a. It copies a file from directory to another
               #! /bin/bash
               cp -r file1.txt /home/ahmed/Desktop/
      b. It copies multiple files from directory to another.
               #! /bin/bash
               cp -r /home/ahmed/ /home/ahmed/Desktop/
4. Create a script called mycd where it change directory to the given argument
directory.
       #! /bin/bash
       echo "please enter your directory you want to change"
       read dir
       cd $dir
5. Create a script called myls where it lists the given argument directory.
       #! /bin/bash
       echo "please enter your directory you want to change"
       read dir
       Is -I /$dir
6. Create a script to get number from user and add 1 to it and print it.
         #! /bin/bash
       echo "please enter number"
       read x
       echo "number added 1 on it is $((x+1))"
```

7. Design script to print the current logged in user

#! /bin/bash echo "logged user is \$USER"

8. Design script to print content of file /etc/password

#! /bin/bash
head /etc/passwd

9. Script to sort content of file /etc/passwd based on the user id

#! /bin/bash

head /etc/passwd > op1.txt | sort -k 3n op1.txt

10. Script to sort content of file /etc/passwd based on user name alphabet

#! /bin/bash

head /etc/passwd > op1.txt | sort -k 1n op1.txt

11. Script to sort all integer input argument from high to low

#! /bin/bash
array="\$@"
echo " array before sorting is : \$array"
echo " array after sorting is : "
echo \$array | fmt -s -w 1 | sort -n