



Grade 3



**IT Department
Web Development**

On-site 5

**ON-SITE GUIDE
2025 - 2026**

Analysis and Design for School Tournament Website

1. Project Overview

1.1 Purpose

This project aims to create a web-based tournament management system for schools using PHP, MySQL, and Bootstrap. It will serve as a practical lesson for students learning web development, database design, and full-stack implementation.

1.2 Scope

The system will:

- Display tournament information (teams, matches, standings)
- Allow viewing match schedules
- Automatically calculate team standings based on match results
- Provide a clean, responsive interface using Bootstrap

2. Database Analysis and Design

2.1 Current Database Structure Analysis

Tables:

1. **teams** - Stores team information

- Fields: id (PK), class_name (unique), points, goals_scored, goals_conceded
- Good normalization with unique constraints
- Includes calculated fields for performance metrics

2. **matches** - Records match results

- Fields: id (PK), team1_id (FK), team2_id (FK), team1_goals, team2_goals, match_date

- Proper foreign key relationships to teams table
- Includes date for scheduling

2.2 Strengths of Current Design

- Simple and straightforward structure
- Proper use of primary and foreign keys
- Includes unique constraints where appropriate
- Calculated fields reduce query complexity

2.3 Potential Enhancements

1. Add a status field to matches (completed, upcoming, postponed)
2. Consider adding a tournament table if multiple tournaments need management
3. Add created_at and updated_at timestamps for both tables
4. Consider adding a players table if tracking individual players is needed

3. Software Requirements Specification (SRS)

3.1 Functional Requirements

FR1: Team Management

- Display all teams in the tournament (teams.php)
- Show team statistics (points, goals)

FR2: Match Management

- Display all matches (matches.php)
- Show match results with team names (not just IDs)
- Group matches by date or status

FR3: Standings Calculation

- Automatically calculate and display standings (standings.php)
- Sort by points, then goal difference

FR4: Schedule Display

- Show upcoming matches (schedule.php)
- Option to filter by date range

FR5: Website Structure

- Consistent header/footer across all pages
- Responsive design using Bootstrap

3.2 Non-Functional Requirements

NFR1: Performance

- Page load times under 2 seconds for all queries
- Efficient database queries with proper indexing

NFR2: Usability

- Intuitive navigation between sections
- Mobile-friendly responsive design

NFR3: Security

- Basic protection against SQL injection
- No sensitive data requiring authentication

NFR4: Maintainability

- Clear separation of concerns (DB, presentation, logic)
- Well-commented code for educational purposes

3.3 User Interface Requirements

UI1: Common Elements

- Consistent navigation across all pages
- School/tournament branding in header
- Footer with basic information

UI2: Team Page

- Table view of all teams
- Sortable columns
- Visual indicators for top teams

UI3: Matches Page

- List of matches with team names and scores
- Grouped by date
- Visual distinction between past and upcoming matches

UI4: Standings Page

- Ranked list of teams
- Highlighting for promotion/relegation zones
- Display of key statistics

4. Educational Value Analysis

This project provides excellent learning opportunities for students in:

1. Database Design

- Understanding table relationships
- Implementing constraints
- Calculating derived data

2. PHP Development

- Connecting to MySQL
- CRUD operations
- Data processing

3. Frontend Integration

- Bootstrap implementation
- Data presentation
- Responsive design principles

5. Implementation Recommendations

1. Development Approach

- Start with database setup and sample data
- Implement basic pages first (teams, matches)
- Add standings calculation logic
- Finish with schedule and UI enhancements

2. Teaching Points


- Emphasize secure database connections
- Demonstrate proper query parameterization
- Show Bootstrap grid system implementation
- Highlight the importance of data consistency

3. Extension Possibilities

- Add match result entry form (for admin)
- Implement team logos
- Add player statistics
- Create tournament brackets

Database Design

Create Database (school_tournament)



Tables Structure

```
CREATE TABLE teams (
    id INT AUTO_INCREMENT PRIMARY KEY,
    class_name VARCHAR(50) NOT NULL UNIQUE,
    points INT DEFAULT 0,
    goals_scored INT DEFAULT 0,
    goals_conceded INT DEFAULT 0
);
```

```
CREATE TABLE matches (
    id INT AUTO_INCREMENT PRIMARY KEY,
    team1_id INT NOT NULL,
    team2_id INT NOT NULL,
    team1_goals INT NOT NULL,
    team2_goals INT NOT NULL,
    match_date DATETIME NOT NULL,
    FOREIGN KEY (team1_id) REFERENCES teams(id),
    FOREIGN KEY (team2_id) REFERENCES teams(id)
```

);

Create Basic File Structure



Create Database Connection (db.php)

```
<?php
$host = 'localhost';
$dbname = 'school_tournament';
$username = 'root';
$password = "";

try {
    $pdo = new PDO("mysql:host=$host;dbname=$dbname", $username,
$password);
    $pdo->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    die("Connection failed: " . $e->getMessage());
}
?>
```


Create Header Template (header.php)

```
<?php include 'includes/db.php'; ?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-  
scale=1.0">
```

```
<title><?= $pageTitle ?? 'Class Tournament' ?></title>
```

```
<link
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.mi  
n.css" rel="stylesheet">
```

```
</head>
```

```
<body>
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark mb-4">
```

```
<div class="container">
```

```
<a class="navbar-brand" href="index.php">Class Tournament </a>
```

```
<div class="collapse navbar-collapse">
```

```
<ul class="navbar-nav">
```

```
<li class="nav-item"><a class="nav-link"  
href="teams.php">Teams</a></li>
```

```
<li class="nav-item"><a class="nav-link"  
href="matches.php">Matches</a></li>
```

```
<li class="nav-item"><a class="nav-link"  
href="standings.php">Standings</a></li>
```

```

    <li class="nav-
item"><a class="nav-link"
href="schedule.php">Schedule</a></li>

  </ul>

</div>

</div>

</nav>

```

```
<div class="container">
```

Create Footer Template (footer.php)

```

</div> <!-- container -->

<footer class="mt-5 py-3 bg-dark text-white text-center">
  <div class="container">
    <p>Class Football Tournament &copy; <?php echo date('Y');?> </p>
  </div><!-- container -->
</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bund
le.min.js"></script>

</body>

</html>

```

Design Teams Page (teams.php)



مدارس وي
للتكنولوجيا
التطبيقية



Class Tournament Teams Matches Standings Schedule

Teams Management				
<input type="text" value="Class Name"/>		<button>Add Team</button>		
Class	Points	Goals For	Goals Against	Actions
Class A1	6	8	3	<button>Edit</button> <button>Delete</button>
Class B1	4	5	4	<button>Edit</button> <button>Delete</button>

Class Football Tournament © 2025

```
<?php include 'includes/header.php'; ?>
```

```
<div class="card mb-4">
```

```
<div class="card-header bg-primary text-white">
```

```
<h2>Teams Management</h2>
```

```
</div>
```

```
<div class="card-body">
```

```
<form method="post" class="row g-3 mb-4">
```

```
<div class="col-md-6">
```

```
<input type="text" class="form-control" name="class_name"  
placeholder="Class Name" required>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<button type="submit" name="add_team" class="btn btn-  
success">Add Team</button>
```

```
</div>
```

```
</form>
```

```
<table class="table table-striped">
```

```
<thead>
```

```
<tr>
```

```
<th>Class</th>
```

```
<th>Points</th>
```

```
<th>Goals For</th>
```

```
<th>Goals Against</th>
```

```
<th>Actions</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<tr>
```

```
<td>Class A1</td>
```

```
<td>6</td>
```

```
<td>8</td>
```

```
<td>3</td>
```

```
<td>
```

```
<a href="" class="btn btn-sm btn-warning">Edit</a>
```

```
<a href="" class="btn btn-sm btn-danger">Delete</a>
```

```
</td>
```

```
</tr>
```

```
<tr>
```

```
<td>Class B1</td>
```

`<td>4</td>``<td>5</td>``<td>4</td>``<td>``Edit``Delete``</td>``</tr>``</tbody>``</table>``</div>``</div>``<!-- Include footer -->``<?php include 'includes/footer.php'; ?>`

Add PHP Functionality

Implement Teams Page (teams.php)

`<?php``$pageTitle = "Teams Management";``include 'includes/header.php';``?>``<div class="card mb-4">`

<div class="card-header bg-primary text-white">



<h2>Teams Management</h2>

</div>

<div class="card-body">

```
<?php
```

```
// Handle form submission
```

```
if ($_SERVER['REQUEST_METHOD'] === 'POST' &&  
isset($_POST['add_team'])) {
```

```
    $stmt = $pdo->prepare("INSERT INTO teams (class_name)  
VALUES (?");
```

```
    $stmt->execute([$_POST['class_name']]);
```

```
    echo '<div class="alert alert-success">Team added  
successfully!</div>';
```

```
}
```

```
?>
```

```
<form method="post" class="row g-3 mb-4">
```

```
<div class="col-md-6">
```

```
<input type="text" class="form-control"  
name="class_name" placeholder="Class Name" required>
```

```
</div>
```

```
<div class="col-md-6">
```

```
<button type="submit" name="add_team" class="btn btn-  
success">Add Team</button>
```

```
</div>
```

```
<table class="table table-striped">
```

```
<thead>
```

```
<tr>
```

```
<th>Class</th>
```

```
<th>Points</th>
```

```
<th>Goals For</th>
```

```
<th>Goals Against</th>
```

```
<th>Action</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$teams = $pdo->query("SELECT * FROM teams")->fetchAll();
```

```
foreach ($teams as $team): ?>
```

```
<tr>
```

```
<td><?= htmlspecialchars($team['class_name']) ?></td>
```

```
<td><?= $team['points'] ?></td>
```

```
<td><?= $team['goals_scored'] ?></td>
```

```
<td><?= $team['goals_conceded'] ?></td>
```

```
<td>
```

```
<a href="" class="btn btn-sm btn-warning">Edit</a>
```

```
<a href="" class="btn btn-sm btn-danger">Delete</a>
```

</td>

</tr>

<?php endforeach; ?>

</tbody>

</table>

</div>

</div>

<?php include 'includes/footer.php'; ?>

Design Matches Page (matches.php)



مدارس وي
للتكنولوجيا
التطبيقية



Class Tournament Teams Matches Standings Schedule

Add Match Result

Select Team 1 Select Team 2

Match History

Date	Match	Result
10/05/2025 15:00	Class A1 vs Class B1	2 - 1
03/05/2025 15:00	Class B1 vs Class A1	1 - 1

Class Football Tournament © 2025

```
<?php include 'includes/header.php'; ?>
```

```
<div class="card mb-4">
```

```
<div class="card-header bg-primary text-white">
```

```
<h2>Add Match Result</h2>
```

```
</div>
```

```
<div class="card-body">
```

```
<form class="row g-3">
```

```
<div class="col-md-3">
```

```
<select class="form-select">
```

```
<option>Select Team 1</option>
```

```
<option>Class A1</option>
```

```
<option>Class B1</option>
```

```
</select>
```

```
</div>
```

```
<div class="col-md-1">
```

```
<input type="number" class="form-control" value="2">
```

</div>

<div class="col-md-1">

<input type="number" class="form-control" value="1">

</div>

<div class="col-md-3">

<select class="form-select">

<option>Select Team 2</option>

<option>Class A1</option>

<option>Class B1</option>

</select>

</div>

<div class="col-md-3">

<input type="datetime-local" class="form-control">

</div>

<div class="col-md-1">

<button class="btn btn-success">Save</button>

</div>

</form>

</div>

</div>

<h3 class="mb-3">Match History</h3>

<table class="table table-striped">

<thead>

<tr>

<th>Date</th>


```

<th>Match</th>
<th>Result</th>
</tr>
</thead>
<tbody>
<tr>
<td>10/05/2025 15:00</td>
<td>Class A1 vs Class B1</td>
<td>2 - 1</td>
</tr>
<tr>
<td>03/05/2025 15:00</td>
<td>Class B1 vs Class A1</td>
<td>1 - 1</td>
</tr>
</tbody>
</table>

```

```
<?php include 'includes/footer.php'; ?>
```

Add PHP Functionality

Step 3: Implement Matches Page (matches.php)

```
<?php
```

```
$pageTitle = "Matches Management";
```

include 'includes/header.php';



// Handle form submission

```
if ($_SERVER['REQUEST_METHOD'] === 'POST' &&  
isset($_POST['add_match'])) {
```

```
    try {
```

```
        $pdo->beginTransaction();
```

```
        // Insert match
```

```
        $stmt = $pdo->prepare("INSERT INTO matches
```

```
            (team1_id, team2_id, team1_goals, team2_goals, match_date)
```

```
            VALUES (?, ?, ?, ?, ?)");
```

```
        $stmt->execute([
```

```
            $_POST['team1'],
```

```
            $_POST['team2'],
```

```
            $_POST['team1_goals'],
```

```
            $_POST['team2_goals'],
```

```
            $_POST['match_date']
```

```
        ]);
```

```
        // Update team statistics (simplified version)
```

```
        // تحديث إحصائيات الفريق الأول 2.
```

```
        updateTeamStats($pdo, $_POST['team1'], $_POST['team1_goals'],  
        $_POST['team2_goals']);
```

// تحديث إحصائيات الفريق الثاني 3.

```
updateTeamStats($pdo, $_POST['team2'], $_POST['team2_goals'],  
$_POST['team1_goals']);
```

// This would need more complex logic in a real application

```
$pdo->commit();
```

```
echo '<div class="alert alert-success">Match added  
successfully!</div>';
```

```
} catch (Exception $e) {
```

```
$pdo->rollBack();
```

```
echo '<div class="alert alert-danger">Error: ' . $e->getMessage() .  
'</div>';
```

```
}
```

```
}function updateTeamStats($pdo, $teamId, $goalsFor, $goalsAgainst) {
```

```
// تحديد النقاط بناء على النتيجة
```

```
$points = 0;
```

```
if ($goalsFor > $goalsAgainst) {
```

```
$points = 3; // فوز
```

```
} elseif ($goalsFor == $goalsAgainst) {
```

```
$points = 1; // تعادل
```

```
}
```

// تحديث بيانات الفريق

```
$stmt = $pdo->prepare("UPDATE teams SET
```

```
points = points + ?,
```

```
goals_scored = goals_scored + ?,
```

```
goals_conceded = goals_conceded + ?
```

```
WHERE id = ?");
```

```
$stmt->execute([$points, $goalsFor, $goalsAgainst, $teamId]);
```

```
}
```

```
$teams = $pdo->query("SELECT * FROM teams")->fetchAll();
```

```
?>
```

```
<div class="card mb-4">
```

```
<div class="card-header bg-primary text-white">
```

```
<h2>Add Match Result</h2>
```

```
</div>
```

```
<div class="card-body">
```

```
<form method="post" class="row g-3">
```

```
<div class="col-md-3">
```

```
<select class="form-select" name="team1" required>
```

```
<option value="">Select Team 1</option>
```

```
<?php foreach ($teams as $team): ?>
```

```
<option value="<?= $team['id'] ?>"><?=
```

```
htmlspecialchars($team['class_name']) ?></option>
```

```
<?php endforeach; ?>
```

```
</select>
```

```
</div>
```

```
<div class="col-md-1">
```

```
    <input type="number" class="form-control"
name="team1_goals" required min="0">
```

```
</div>
```

```
<div class="col-md-1">
```

```
    <input type="number" class="form-control"
name="team2_goals" required min="0">
```

```
</div>
```

```
<div class="col-md-3">
```

```
    <select class="form-select" name="team2" required>
```

```
        <option value="">Select Team 2</option>
```

```
        <?php foreach ($teams as $team): ?>
```

```
            <option value="<?= $team['id'] ?>"><?=
htmlspecialchars($team['class_name']) ?></option>
```

```
        <?php endforeach; ?>
```

```
    </select>
```

```
</div>
```

```
<div class="col-md-3">
```



```

<input
type="datetime-local"
class="form-control" name="match_date" required>

</div>

<div class="col-md-1">
    <button type="submit" name="add_match" class="btn btn-
success">Save</button>
</div>
</form>
</div>
</div>

<h3 class="mb-3">Match History</h3>
<table class="table table-striped">
    <thead>
        <tr>
            <th>Date</th>
            <th>Match</th>
            <th>Result</th>
        </tr>
    </thead>
    <tbody>
        <?php
            $matches = $pdo->query("
                SELECT m.*,

```

```

        t1.class_name as
team1_name,

        t2.class_name as team2_name

FROM matches m
JOIN teams t1 ON m.team1_id = t1.id
JOIN teams t2 ON m.team2_id = t2.id
ORDER BY m.match_date DESC
")->fetchAll();

```

```
foreach ($matches as $match): ?>
```

```
<tr>
```

```
    <td><?= date('d/m/Y H:i', strtotime($match['match_date']))
```

```
?></td>
```

```
    <td><?= htmlspecialchars($match['team1_name']) ?> vs <?=
htmlspecialchars($match['team2_name']) ?></td>
```

```
    <td><?= $match['team1_goals'] ?> - <?= $match['team2_goals']
?></td>
```

```
</tr>
```

```
<?php endforeach; ?>
```

```
</tbody>
```

```
</table>
```

```
<?php include 'includes/footer.php'; ?>
```

Step 4 standings.php

Class Tournament Teams Matches Standings Schedule

Tournament Standings									
#	Team	P	W	D	L	GF	GA	GD	Pts
1	B2	1	1	0	0	3	1	2	3
2	A2	0	0	0	0	0	0	0	0
3	A3	0	0	0	0	0	0	0	0
4	B1	0	0	0	0	0	0	0	0
5	A1	1	0	0	1	1	3	-2	0

Legend:
 P: Matches Played W: Wins D: Draws L: Losses GF: Goals For GA: Goals Against GD: Goal Difference Pts: Points

<?php

\$pageTitle = "Tournament Standings";

include 'includes/header.php';

// Calculate additional stats for each team

\$teams = \$pdo->query("

SELECT

t.*,

(t.goals_scored - t.goals_conceded) AS goal_difference,

(SELECT COUNT(*) FROM matches m

WHERE (m.team1_id = t.id OR m.team2_id = t.id)) AS
matches_played,

(SELECT COUNT(*) FROM matches m

WHERE ((m.team1_id = t.id AND m.team1_goals >
m.team2_goals) OR

```
(m.team2_id = t.id
AND m.team2_goals >
m.team1_goals))) AS wins,
```

```
(SELECT COUNT(*) FROM matches m
```

```
WHERE ((m.team1_id = t.id OR m.team2_id = t.id) AND
m.team1_goals = m.team2_goals)) AS draws
```

```
FROM teams t
```

```
ORDER BY t.points DESC, goal_difference DESC, t.goals_scored
DESC
```

```
")->fetchAll();
```

```
?>
```

```
<div class="card mb-4">
```

```
<div class="card-header bg-primary text-white">
```

```
<h2>Tournament Standings</h2>
```

```
</div>
```

```
<div class="card-body">
```

```
<div class="table-responsive">
```

```
<table class="table table-striped table-hover">
```

```
<thead class="table-dark">
```

```
<tr>
```

```
<th>#</th>
```

```
<th>Team</th>
```

```
<th>P</th>
```

```
<th>W</th>
```

<th>D</th>

<th>L</th>

<th>GF</th>

<th>GA</th>

<th>GD</th>

<th>Pts</th>

</tr>

</thead>

<tbody>

<?php foreach (\$teams as \$index => \$team): ?>

<tr>

<td><?= \$index + 1 ?></td>

<td><?= htmlspecialchars(\$team['class_name']) ?></td>

<td><?= \$team['matches_played'] ?></td>

<td><?= \$team['wins'] ?></td>

<td><?= \$team['draws'] ?></td>

<td><?= \$team['matches_played'] - \$team['wins'] -
\$team['draws'] ?></td>

<td><?= \$team['goals_scored'] ?></td>

<td><?= \$team['goals_conceded'] ?></td>

<td><?= \$team['goal_difference'] ?></td>

<td><?= \$team['points'] ?></td>

</tr>

<?php endforeach; ?>

</tbody>

</table>

</div>

<div class="mt-4">

<h4>Legend:</h4>

<ul class="list-inline">

<li class="list-inline-item">P: Matches
Played

<li class="list-inline-item">W: Wins

<li class="list-inline-item">D: Draws

<li class="list-inline-item">L: Losses

<li class="list-inline-item">GF: Goals
For

<li class="list-inline-item">GA: Goals
Against

<li class="list-inline-item">GD: Goal
Difference

<li class="list-inline-item">Pts: Points



</div>

</div>

</div>

<?php include 'includes/footer.php'; ?>

Step 5 schedule.php



```
<?php
```

```
$pageTitle = "Match Schedule";
```

```
include 'includes/header.php';
```

```
// Get upcoming and past matches
```

```
$upcomingMatches = $pdo->query("
```

```
    SELECT m.*, t1.class_name as team1_name, t2.class_name as  
    team2_name
```

```
    FROM matches m
```

```
    JOIN teams t1 ON m.team1_id = t1.id
```

```
JOIN teams t2 ON
m.team2_id = t2.id

WHERE m.match_date > NOW()

ORDER BY m.match_date ASC

")->fetchAll();
```

```
$pastMatches = $pdo->query("

SELECT m.*, t1.class_name as team1_name, t2.class_name as
team2_name

FROM matches m

JOIN teams t1 ON m.team1_id = t1.id
JOIN teams t2 ON m.team2_id = t2.id
WHERE m.match_date <= NOW()
ORDER BY m.match_date DESC
LIMIT 5

")->fetchAll();

?>
```

```
<div class="card mb-4">

<div class="card-header bg-primary text-white">
    <h2>Match Schedule</h2>
</div>

<div class="card-body">
    <ul class="nav nav-tabs" id="scheduleTabs" role="tablist">
        <li class="nav-item" role="presentation">
```

```
<button class="nav-  
link active" id="upcoming-tab"  
data-bs-toggle="tab"
```

```
data-bs-target="#upcoming" type="button" role="tab">
```

```
Upcoming Matches
```

```
</button>
```

```
</li>
```

```
<li class="nav-item" role="presentation">
```

```
<button class="nav-link" id="past-tab" data-bs-toggle="tab"
```

```
data-bs-target="#past" type="button" role="tab">
```

```
Recent Results
```

```
</button>
```

```
</li>
```

```
</ul>
```

```
<div class="tab-content p-3 border border-top-0 rounded-bottom">
```

```
<div class="tab-pane fade show active" id="upcoming"  
role="tabpanel">
```

```
<?php if (count($upcomingMatches) > 0): ?>
```

```
<div class="list-group">
```

```
<?php foreach ($upcomingMatches as $match): ?>
```

```
<div class="list-group-item">
```

```
<div class="d-flex w-100 justify-content-between">
```

```
<h5 class="mb-1"><?=
```

```
htmlspecialchars($match['team1_name']) ?> vs
```

```

<?= htmlspecialchars($match['team2_name']) ?></h5>
        <small><?= date('D, M j',
strtotime($match['match_date'])) ?></small>
    </div>
    <p class="mb-1">
        <span class="badge bg-info text-dark">
            <?= date('g:i A', strtotime($match['match_date']))
?>
        </span>
        <span class="badge bg-secondary">
            Field #1
        </span>
    </p>
</div>
<?php endforeach; ?>
</div>
<?php else: ?>
    <div class="alert alert-info">No upcoming matches
scheduled yet.</div>
<?php endif; ?>
</div>

<div class="tab-pane fade" id="past" role="tabpanel">
    <?php if (count($pastMatches) > 0): ?>

```

<div class="list-group">



<?php foreach (\$pastMatches as \$match): ?>

<div class="list-group-item">

<div class="d-flex w-100 justify-content-between">

<h5 class="mb-1">

<?= htmlspecialchars(\$match['team1_name']) ?>

<?= \$match['team1_goals'] ?>

-

<?= \$match['team2_goals'] ?>

<?= htmlspecialchars(\$match['team2_name']) ?>

</h5>

<small><?= date('M j', strtotime(\$match['match_date'])) ?></small>

</div>

<p class="mb-1">

<?php

\$winner = (\$match['team1_goals'] > \$match['team2_goals']) ? \$match['team1_name'] :

(((\$match['team2_goals'] > \$match['team1_goals']) ? \$match['team2_name'] : null);

?>

<?php if (\$winner): ?>


```
<span
class="badge bg-success"><?=
htmlspecialchars($winner) ?> won</span>
```

```
<?php else: ?>
```

```
<span class="badge bg-warning text-
dark">Draw</span>
```

```
<?php endif; ?>
```

```
</p>
```

```
</div>
```

```
<?php endforeach; ?>
```

```
</div>
```

```
<?php else: ?>
```

```
<div class="alert alert-info">No match results available
yet.</div>
```

```
<?php endif; ?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<?php include 'includes/footer.php'; ?>
```