BRANDGUARD

Product Requirements Document

Round 2 — The Build | Inkloom AI brand governance challenge

BUILD WINDOW / 22–25 OCTOBER 2026 DELIVERY GOAL / JUDGE-READY MVP

PROJECT STATEMENT

Build a source-backed platform where a creator submits marketing content, receives actionable brand-compliance findings linked to approved evidence, revises the draft, and obtains a human approval tied to that exact content and policy version.

DOCUMENT CONTROL	VALUE
Version	1.0 — implementation baseline
Status	Proposed requirements; no features claimed as completed
Competition window	22 October 2026, 10:00 AM IST → 25 October 2026, 10:00 AM IST (72 hours)
Source baseline	BrandGuard Hackathon Solution Plan (Round 1) + Round 2 instructions supplied by team
Primary audience	Engineering team, QA lead, designer, hackathon judges
Demo organisation	LumaDesk — fictional brand, synthetic guideline pack

Working assumption: four contributors, one demo organisation and English-only content. Adjust owner assignments to actual team capacity.

P0 success is a working, independently testable creator → findings → revision → reviewer approval → export journey.

01 Executive brief

Product goal

BrandGuard closes the gap between static brand guidelines and everyday marketing output. It allows creators and reviewers to check copy and basic posters against explicitly approved brand sources, make corrections, and approve the exact reviewed version without mistaking AI suggestions for authoritative facts.

The one journey that must work

STEP	JUDGE ACTION	OBSERVABLE RESULT
1. Configure	Open a pre-seeded brand workspace	Approved guidelines and fact sheet are visible with source versions.
2. Submit	Paste an intentionally flawed campaign caption	Draft is stored and can be reviewed.
3. Inspect	Run checks and open a finding	Incorrect name and unsupported numerical claim show cited evidence.
4. Revise	Correct text, then rerun review	A new immutable version and new findings appear.
5. Approve	Switch to an authorised reviewer	Reviewer approves the current version; self-approval is blocked.
6. Verify	Change content after approval	Previous approval becomes stale; approved export is blocked.

Success definition for Round 2

- An unfamiliar judge can use the hosted app and finish the primary scenario without a team member coaching them.
- Deterministic checks work end to end; AI checks enrich the output but do not gate a working demo if provider service fails.
- Every source-backed finding links to an approved, versioned rule or fact with a genuine excerpt.
- Approval is a server-enforced workflow decision, not a cosmetic status or a model verdict.
- The repository, updated PDF, tech summary, feature status, changes log and three Round 3 improvements are ready before the deadline.

Alignment to 100-point rubric

CRITERION / POINTS	PRODUCT PROOF
Core workflow / 30	Recorded creator-to-reviewer acceptance test; visible draft, findings, revision, approval and export.
Technical depth / 25	Rule engine, evidence validation, document extraction, optional AI adapter, role checks, version guard and failure handling.
Progress from Round 1 / 20	Trace every promised capability to an implemented screen, test or transparent deferred item.
Round 3 plan / 15	Three independently meaningful extensions with scope and measurable delivery criteria.
Usability / 10	Clear navigation, demo fixture, visible states, issue explanations and no-facilitator walkthrough.

02 Problem, users and boundaries

Problem and opportunity

Employees, agencies and AI-assisted teams create copy and campaign assets faster than reviewers can apply shared guidelines. Approved product facts, preferred language, and visual rules often remain scattered across documents. A typical manual review can miss factual overclaims or repeat the same corrections with little visibility into why.

Primary users

ROLE	PRIMARY JOB	ACCESS IN MVP
Creator	Submit and revise campaign material	Create drafts, run checks, view findings, respond to feedback, submit for approval.
Brand manager	Own source-of-truth rules	Manage approved rules, facts, brand palette and rule versions; view insights.
Reviewer	Make human content decisions	See queue, evidence and versions; comment, request changes, approve or override with a reason.
Workspace admin	Secure and operate demo workspace	Control members and roles; access audit events and workspace setup.

In scope vs explicitly out of scope

ROUND 2 IN SCOPE	NOT A ROUND 2 PROMISE
One seeded English-language brand workspace	Multi-company tenant onboarding or enterprise SSO
Text campaign drafts, DOCX/text-PDF extraction	Scanned multi-page PDF understanding, slides, video and audio
PNG/JPEG poster OCR for one basic demo	Guaranteed logo authenticity or full layout/design interpretation
Approved facts, terms, channel disclaimers, guided tone review	Universal internet fact-checking or legal review
Human decisions with revision and evidence history	Automatic publishing to social or CMS platforms

Key limitation: a claim can only be labelled supported or contradicted relative to the approved source pack; missing evidence must be labelled not verified / needs human review.

03 Feature prioritisation and cut line

P0 is mandatory for an honest working demo. P1 is a target if the P0 path is stable; P2 can be cut without invalidating the project. Keep original Round 1 differentiators in P0/P1 rather than presenting them solely as future ideas.

PRIORITY	CAPABILITY	DONE WHEN
P0	Hosted app, seeded workspace, demo users, role checks	Public judge URL loads; authenticated users cannot take unauthorised actions.
P0	Approved sources, fact sheet and brand rules	Managers can create/approve sources; findings cite real approved passages.
P0	Text submission + deterministic checks	Draft finds incorrect brand term and unsupported fixed product claim.

P0	Findings UI, versioning, review and human approval	Creator corrects; reviewer approves; edits/policy changes invalidate approval.
P0	Download/export with approval guard	Current approved text and summary export; stale versions are blocked.
P1	DOCX and text-PDF extraction	Valid files extract into reviewable text; failures are explicit.
P1	Source-constrained AI tone/claim review	Structured findings, traceable evidence, visible AI/rules-only state.
P1	PNG/JPEG OCR and limited visual/alt-text hints	A sample poster yields extracted text; uncertain OCR is marked.
P1	Issue-frequency and disputed-rule insights	Real stored findings/decisions aggregate into a simple dashboard.
P2	Rich side-by-side version diff and comment threading	Improves reviewer efficiency; not necessary for correct approvals.
P2	Polished graphs and advanced editor automation	Remove before compromising reliability or demo completeness.

Non-negotiable development guardrail

If time slips, reduce visual checks and tone rewriting before cutting evidence integrity, permission checks or stale-approval protection. A rules-only review with an honest “AI unavailable” status is acceptable; a false green “all clear” is not.

04 Detailed user journeys

Journey A — Source setup (brand manager)

1. Sign in to BrandGuard as brand manager and open Brand Sources.
2. Review a pre-seeded style guide, product facts, approved logo and palette; optionally add or edit a rule.
3. Set rule ID, exact passage, severity, scope, owner and effective date. Changes remain draft until explicitly approved.
4. Approve the source version. The application captures a policy snapshot identifier used by subsequent reviews.

Acceptance: Unapproved or expired sources cannot be silently treated as current authoritative evidence.

Journey B — Creator review to revision

5. Create a draft with title, channel (for example Instagram), audience and purpose; paste campaign text or upload an allowed document.
6. Select “Run brand review”. A visible job status progresses through queued, running and complete/partial/failed.
7. Read ordered findings with severity, location, rule/AI label, source link and suggested correction.
8. Apply a safe suggestion or manually edit. Save as Version 2, compare if available, and rerun against pinned rules.
9. Submit the version to the review inbox only after review finishes or after acknowledged partial analysis.

Journey C — Reviewer decision and safe export

10. Open the review queue, select the submitted version and inspect its findings, comments, source snapshot and review status.
11. Request changes, or approve if eligible. Record a written override reason for any unresolved high-severity issue.
12. Verify the saved approval contains content hash, source snapshot, reviewer and time.
13. Export approved content and summary; any later edit or active source update disables “Approved export” until rerun and reapproval.

05 Functional requirements

FR-01 | Authentication and role-based access [P0]

Support one workspace with creator, brand manager, reviewer and admin roles. Create reviewer/creator demo identities safely; all protected actions need server-side membership checks.

Acceptance: Creators cannot approve their own work; unauthorised source, export or decision requests receive a denial, including by direct URL.

FR-02 | Brand source and rule management [P0]

Store approved guideline text (pasted or extracted), product facts, brand terms, selected channel disclaimers and optional palette/logo. Rule records contain unique ID, wording, category, severity, scope, source version and effective period.

Acceptance: Manager can approve a version; new edits do not silently modify previously approved excerpts; expired rules are excluded or visibly flagged.

FR-03 | Content submission and intake [P0 / P1]

Creator saves a draft with channel, audience and purpose. P0 accepts pasted text. P1 adds DOCX/text-PDF extraction and an image OCR demo. The raw upload stays private.

Acceptance: Valid submissions yield a persisted content version; unsupported, corrupt, encrypted or oversize files show helpful failure messages.

FR-04 | Deterministic brand checks [P0]

Run case-aware approved-term and banned-term matches, required channel disclaimers, and explicit fact comparisons against the active approved pack. Store exact matched offsets where possible.

Acceptance: A synthetic example using “Luma Desk” and a prohibited “100% guarantee” produces correct, explainable findings; clean controls do not falsely require changes.

FR-05 | Source-grounded AI adapter [P1]

For tone or nuanced claim review, provide only relevant approved passages plus user draft to a configurable model; request strict structured JSON; validate rule IDs, quotes and spans on the server. AI cannot invent sources.

Acceptance: Invalid JSON, absent provider credentials, timeout or mismatched evidence results in partial AI status while deterministic checks remain usable.

FR-06 | Finding cards and evidence inspection [P0]

Show category, severity, rule match/AI judgement label, affected text, explanation, source version, exact passage, proposed edit and resolution state. Distinguish contradicted vs not verified claims.

Acceptance: Judge can open any source-backed finding and see a passage that exists in the active approved source; no unverified claim is labelled false solely for missing evidence.

FR-07 | Immutable content versioning [P0]

Every content edit creates a new immutable version and hash, preserving earlier text and review findings. Suggested edits must reference an expected version.

Acceptance: Editing Version 1 generates Version 2; stale suggestions never overwrite Version 2; earlier records remain inspectable.

FR-08 | Review queue and comments [P0]

Creator submits a version to reviewer inbox. Reviewer can add a comment, request changes, or approve. Submission and decision timestamps are recorded.

Acceptance: Reviewer sees a version-specific queue item; “request changes” returns draft to creator with explanation; creator cannot close their own approval.

FR-09 | Version-bound human approvals [P0]

Approval transaction checks authorised reviewer, current submitted content version, current approved-policy snapshot and outstanding high-severity findings. Overrides require a written reason.

Acceptance: A new draft version or policy update marks prior approval stale; direct approve endpoint rejects self, wrong role and stale version.

FR-10 | Approved output and review report [P0]

Permit download/copy of only the current approved content version, with review summary listing findings and decision metadata. Plain TXT plus human-readable report is sufficient for P0.

Acceptance: Approved version exports correctly; unapproved or stale content never exports under an "Approved" label.

FR-11 | Insights from actual decisions [P1]

Aggregate most frequent rule categories, repeated terminology errors and reviewer-disputed findings. A disputed rule is logged separately from creator mistakes.

Acceptance: Insights counts reflect persisted findings and reviewer dispositions; dashboard labels small synthetic sample as illustrative, not market evidence.

FR-12 | Visible processing state and recovery [P0]

Use queued/running/complete/partial/failed statuses, bounded retries and clear messages; leave partial deterministic results visible after AI failure. No silent skips.

Acceptance: Simulated provider failure yields "AI analysis unavailable/partial" and still displays completed rule findings.

FR-13 | Judge-ready demo and seed data [P0]

Provide synthetic LumaDesk rules, product fact sheet, demo caption, a clean sample, optional poster and safe demo accounts; README describes login and exact test path.

Acceptance: A fresh judge can reproduce the core flow on the live domain without developer-only commands or missing dependencies.

FR-14 | Audit events and traceability [P0]

Log source approvals, content submissions, review runs, reviewer decisions, overrides and invalidations with actor and timestamp. Keep source excerpts separate from logs and do not log secrets.

Acceptance: Approval and override details can be inspected by an authorised user; audit events match the tested version and policy.

06 Product rules and workflow state machine

Content states and transitions

CURRENT	ACTION	NEXT	GUARD
Draft	Run analysis	Draft	Creates review run; analysis state tracked separately.
Draft	Submit for approval	In review	Latest eligible review run exists; any partial checks acknowledged.
In review	Request changes	Changes requested	Authorised reviewer; reason required.
Changes requested	Save revised draft	Draft	New immutable content version; old approval remains historical.
In review	Approve	Approved	Not self; version and source snapshot current; high issues resolved or overridden.

Approved	Edit content / update active policy	Draft / stale approval	Approval no longer authorises export; rerun and reapprove required.

Approval invariants (must be enforced by database/service logic)

- Approval references an immutable content_version_id, content hash and source_snapshot_id; never just a mutable content item ID.
- At decision time, recheck that the version is the submitted current version and the approved policy snapshot has not been superseded.
- Only reviewer or permitted manager/admin can approve, and no actor can approve a version they authored.
- Unresolved high-severity findings require an authorised override reason attached to that approval event.
- Export route must re-evaluate approval validity, not trust a cached “Approved” badge from the frontend.

Review-run states (separate from content states)

Queued → Running → Complete, Partial or Failed. Untested categories appear explicitly. A service failure must never generate a zero-findings “passed” result. Re-running does not mutate previously completed run results.

07 Experience and screen specification

SCREEN	REQUIRED CONTENT AND CONTROLS
01. Sign in / demo start	Role-aware entry; short “Try demo” guide; visible product promise and sample-brand disclosure.
02. Workspace overview	New review CTA, pending approvals, recent drafts, approved source pack version, status badges.
03. Brand sources	Guidelines, facts and scope; source citations; active/draft/expired states; manager add/approve actions.
04. New review	Title, channel, audience, purpose, paste area, optional upload, file limits, run check CTA.
05. Review findings	Content and findings side by side on desktop or stacked on mobile; severity, evidence drawer, suggested edits and rerun.
06. Versions / review inbox	Version number, status, compare summary, submitted-by, reviewer comments and decision buttons.
07. Approved export	Version and policy snapshot confirmation; export action; explicit stale/blocked state.
08. Insights (P1)	Issue counts, categories, disputed guideline markers and plain-language caveat on synthetic sample.

Experience principles

- An obvious primary action on every screen; no action that looks clickable but does nothing.
- Each severity has an icon or word, not colour alone; show loading, empty, partial and error states.
- Keyboard-operable forms, visible focus, descriptive errors and readable mobile layout from 360 px upwards.
- Judge onboarding is embedded in the product: a concise, dismissible demo checklist is better than requiring a live explanation.

08 Technical implementation

Proposed system architecture

Browser (Django templates + HTMX) → Django application (auth, workspace permissions, content workflow, version guard) → PostgreSQL (source/version/finding/decision records). A review service combines Python rule checks, source retrieval and an optional external AI adapter. File uploads are private. A background worker is preferred for slow analysis; a bounded synchronous review is a temporary MVP fallback.

LAYER	BASELINE TECHNOLOGY	REASON / FALLBACK
Frontend	Django templates, HTMX, CSS	Low integration overhead; server-rendered accessible forms.
Backend	Django, Python, service layer	Consistent RBAC, transactional approval and file processing.
Database	PostgreSQL	Relational version model and text search; use SQLite only for local dev if necessary.
File processing	python-docx, pypdf, Pillow, optional Tesseract	Explicit extraction limits; OCR may be feature-gated if deployment support fails.
Review engine	Python rules + scoped fact retrieval + configurable AI	Deterministic path always available, independent of model provider.
Background work	Worker/queue if host supports it	Avoid blocking HTTP; use bounded sync job only as a documented fallback.
Deployment	Git repo + managed hosting + private file location	Pinned dependencies, environment secrets, health endpoint and seed command.

Core data entities and minimum important fields

ENTITY	REQUIRED FIELDS / RELATIONSHIPS
Workspace / Membership	workspace_id; user_id; role; active flag. Every business object belongs to a workspace.
Source / SourceVersion	type; owner; status; version; effective dates; text; storage key; approved_by.
Rule / Fact	stable rule_id; source_version_id; quote/span; category; scope; severity; expected value.
ContentItem / ContentVersion	creator_id; title; channel; audience; immutable body; version no.; sha256; created_at.
ReviewRun / Finding	content_version_id; policy_snapshot_id; analysis state; category; span; source version; evidence quote; suggestion; status.
Decision / Comment / AuditEvent	actor; content version; policy snapshot; action; reason; timestamp; high-severity override metadata.

Illustrative service endpoints

These routes are implementation guidance, not externally promised APIs. Use CSRF protection for browser POST forms and permission checks on every endpoint.

METHOD / ROUTE	RESPONSIBILITY
GET /app/brand-sources/	List rules and approved evidence with manager controls.
POST /app/brand-sources/approve/	Approve a source version; invalidate affected approval snapshot.

POST /app/content/new/	Create draft and first immutable version.
POST /app/content/{id}/review/	Start or execute review for explicit content version.
POST /app/content/{id}/versions/	Create next version from edited content.
POST /app/content/{id}/submit/	Submit current reviewed version to inbox.
POST /app/reviews/{id}/decision/	Approve or request changes after transactional checks.
GET /app/content/{id}/export/	Authorize and export current approved version only.
GET /health/	Basic health/readiness status; do not expose secrets.

Review engine contract

14. Resolve workspace and pin the active approved source snapshot before analysis begins.
15. Extract text and record status/uncertainty. Run exact rule checks first; retrieve relevant approved facts for candidate claims.
16. Optionally call one schema-constrained model for tone or ambiguous statements. User content is untrusted data, not executable instructions.
17. Validate every output reference: known rule ID, approved source version, verbatim quoted passage, in-range text span and allowed category.
18. Store results and run state. Contradictory, outdated or missing evidence becomes “needs human review”, not fabricated certainty.

09 Security, privacy and nonfunctional requirements

ID	REQUIREMENT	ACCEPTANCE / LIMIT
NFR-01	Availability and judge access	Stable HTTPS URL; judge login path and seed/demo data work in a fresh private-browser session.
NFR-02	Processing reliability	Explicit timeout and finite retry; rules-only path survives provider outage; no failed run labelled passed.
NFR-03	Upload protections	Allowlist MIME; max 5 MB, PDF max 10 pages, image max 12 megapixels; reject macros, archives and protected files.
NFR-04	Workspace isolation	All reads, downloads, decisions and storage references checked against workspace and role; test cross-workspace access.
NFR-05	Provider disclosure	Synthetic data by default; disclose external AI processing; do not send real confidential drafts by default.
NFR-06	Input/output integrity	Sanitize rendered text; validate JSON schema, evidence IDs and source quotes; treat uploaded instructions as untrusted.
NFR-07	Latency target	Aim for text reviews within 20 seconds on documented test setup; measure actual P50/P95 and failures.
NFR-08	Accessibility baseline	Keyboard navigation, visible focus, labels and contrast; limited checker cannot claim WCAG certification.
NFR-09	Observability	Track failed reviews, parsing errors and protected 403s without dumping customer source text or credentials.
NFR-10	Reproducibility	README, env.example, migration/seed commands, pinned dependencies and one-command local startup.

Operational decisions

- Never commit API keys, password values or production uploads. Secrets belong in hosting environment variables.

- Provide a rules-only switch if the AI provider is unavailable or if consent for external processing is not given.
- Prefer synthetic content and a resettable demo database; preserve judge-facing test accounts without publishing administrative secrets.
- Export is always initiated by a user. Social auto-posting, copyright/legal determination and universal fact validation are excluded.

10 Acceptance tests and measurable targets

Hard gate tests — all must pass before submission

TEST	SETUP / ACTION	EXPECTED
AT-01: core text	Submit deliberately flawed LumaDesk caption	Finds incorrect brand term and unsupported numeric guarantee with real evidence.
AT-02: revision	Correct finding and rerun	New version persists; previous findings preserved; updated result shown.
AT-03: self approval	Creator calls reviewer decision action	Request denied server-side; no approval created.
AT-04: stale content	Approve V2 then edit to V3	V2 approval remains in history; V3 cannot export approved.
AT-05: stale policy	Approve then activate modified source	Approved export blocks until new review and decision.
AT-06: high severity	Attempt approval without resolving high finding	Requires permitted override plus reason or returns denied.
AT-07: AI failure	Mock timeout or invalid JSON	Rule findings survive and AI run marked partial/failed.
AT-08: evidence	AI returns fake source ID or invalid quote	Finding rejected/quarantined, never shown as verified evidence.
AT-09: isolation	Access another workspace URL	Denied; no cross-workspace content leaked.
AT-10: clean file	Upload clean, supported document	Explicitly reports successful extraction with no fabricated issues.

Quality evaluation — goals, not measured results

- Prepare up to 30 synthetic review fixtures: 18 deliberately flawed and 12 clean controls, with a 10-case holdout if time allows.
- Aim for ≥85% precision and ≥80% recall for deterministic rules on the holdout. Report numerator/denominator and separately report AI performance; do not invent results.
- All evidence-bearing findings must resolve to an approved source version and an actual passage (100% validity for displayed citations).
- Ask three volunteers, if available, to complete the core journey without hints. Record real success, time and usability friction.
- Record p50/p95 review time, provider failure count and critical test status with timestamp and environment.

Example synthetic fixture

Approved FACT-02 v1: “Up to 20% faster task completion in our internal pilot; results vary.”

Bad campaign text: “LumaDesk guarantees 100% productivity improvement.”

Expected outcome: High-severity unsupported guarantee tied to FACT-02 v1. Suggested text may reuse only the approved claim with its qualification; creator confirms it before publishing.

11 72-hour implementation plan

The previous Round 1 solution paper estimated a 48-hour build. The confirmed Round 2 window is 72 hours: Thursday 22 October 2026, 10:00 AM IST through Sunday 25 October 2026, 10:00 AM IST. These are integration checkpoints, not an assumption that every contributor works continuously.

WINDOW (IST)	PRIORITY DELIVERABLE	EXIT CHECK
22 Oct 10:00–18:00 H0–8	Repo scaffolding, auth/roles, models, seed, design shell	Hosted skeleton + seeded login works.
22 Oct 18:00–23 Oct 06:00 H8–20	Approved sources, draft creation, basic intake, deterministic rules	Synthetic text case produces persisted rule findings.
23 Oct 06:00–22:00 H20–36	Evidence UI, content versions, review inbox, approval guards	Full text journey works locally end to end.
23 Oct 22:00–24 Oct 10:00 H36–48	AI adapter, extraction, limited image path, feedback capture	P1 additions run without breaking P0.
24 Oct 10:00–22:00 H48–60	Hosted integration, permission tests, failure handling, insights	External device can complete demonstration.
24 Oct 22:00–25 Oct 04:00 H60–66	Bug fixes, feature freeze, acceptance tests, recordings	Critical test suite green; known gaps documented.
25 Oct 04:00–10:00 H66–72	Final live smoke test; update PDF, repo README, feature list and submission	All links validated and submission ready before 10:00.

Parallel work allocation (illustrative four-member team)

OWNER	ACCOUNTABILITY
Product / QA lead	Requirements, synthetic fixtures, manual tests, judge walkthrough, submission PDF and pitch.
Backend lead	Models, roles, source and content versions, workflow guards, deployment and audit events.
AI / processing lead	Extraction, deterministic checks, retrieval, model adapter, schema guardrails and evaluation.
Frontend lead	Dashboard, editor, findings, evidence drawer, review inbox, export and mobile usability.

Build order and decision gates

- By H20: deterministic source-backed text review must exist. If not, suspend image and analytics work.
- By H36: creator-to-reviewer approval path must work locally. If not, freeze AI features and fix the workflow.
- By H60: judge-ready deployed URL and all P0 tests. No ambitious architecture refactor after this checkpoint.
- At H66: freeze scope, document all deferred features and only fix critical breakages until submission.

12 Judge demonstration and Round 2 submission

Three-minute independent demo script

TIME	WHAT JUDGE DOES / SEES
0:00–0:30	Open hosted BrandGuard. See approved synthetic LumaDesk brand pack and demo instructions.

0:30–1:15	Submit flawed caption; show deterministic findings, exact evidence, and optional poster OCR.
1:15–2:00	Correct claim; save new version; run review; switch to reviewer and approve that version.
2:00–2:30	Edit the approved draft; demonstrate approval becoming stale and export blocked.
2:30–3:00	Show issue insights if finished; briefly mention measurable tests, limits and three Round 3 upgrades.

Required submission package

DELIVERABLE	MUST INCLUDE	STATUS BEFORE SUBMIT
Working project link	HTTPS app URL, working demo credentials or supported demo access, seeded example	To fill after deployment
Source repository	Public/accessible repo link, setup instructions, licence/assets notes, env.example	To fill after build
Updated project PDF	This PRD revised with actual build state, screenshots, demo and test evidence	Draft now; update before deadline
Completed feature list	P0/P1 table marked Done / Partial / Not done with proof	To fill from actual commits
Technology / implementation	Frameworks, model/provider and disclosure, persistence, hosting, processing design	Verify actual choices
Changes from Round 1	48h→72h schedule correction plus actual features changed, removed or added	Explain with reasons
Three Round 3 improvements	Scope, benefits and measurable end state for each, as specified below	Proposed in Section 13

Feature status reporting convention

Never describe a planned capability as shipped. Each line in the final submission should contain: Feature ID, Status (Done / Partial / Not done), Evidence (URL, screenshot, test, commit), Known limitation, and whether the demo requires a special flag or external API key.

Round 1 → Round 2 change log template

ITEM	ORIGINAL PLAN	ROUND 2 DECISION / REASON
Development window	48-hour assumption	Confirmed 72-hour window; adjust checkpoints and stabilisation buffer.
Architecture	Django modular monolith + PostgreSQL + optional worker	Keep unless deployment constraints require justified temporary fallback.
Image checking	OCR and limited poster checks	Target P1; explicitly report any reduction to ensure reliable text core.
AI integrations	Configurable provider + grounded JSON	Ship when validated; otherwise operate in documented rules-only mode.
Insights	Issue frequency and disputed rules	Ship simple data-based view if stable; do not substitute decorative charts.

13 Three major Round 3 improvements

These are net-new, meaningful platform capabilities beyond Round 2. The Round 1 pillars—traceable evidence, version-bound approvals and feedback insights—remain foundational Round 2 features.

R3-01 Multi-brand governance and policy lifecycle

Support multiple brands within one organisation, each with isolated sources, inherited corporate policies, configurable reviewer groups, approval chains, scheduled policy effective dates and automatic notice when a source becomes obsolete.

Why this matters: Agencies and larger marketing teams need consistent governance without mixing unrelated brand rules.

Definition of done: Two brands with shared + local rules; no cross-brand leakage; staged approval for high-risk campaigns; policy change triggers affected-content re-review queue.

R3-02 Design-aware visual compliance engine

Move beyond OCR of flattened posters. Ingest layered assets where possible, detect palette misuse, logo exclusion-zone issues, typography differences, important layout violations, text contrast and missing alt-text context, with annotated evidence regions and human confirmation.

Why this matters: A significant share of brand inconsistencies is visual and cannot be resolved by text-only review.

Definition of done: Benchmark against labelled visual fixtures; show reviewable bounding-box annotations, measured accuracy/limitations and actionable fixes for at least three visual-rule types.

R3-03 Creator-tool and publishing-gate integrations

Connect an external content design or publishing workflow (for example a Canva/Figma-style design connector plus a CMS/social publishing endpoint), accept revisions through a reviewed asset ID, and only release an approved immutable version downstream.

Why this matters: BrandGuard becomes part of real content operations instead of a separate upload portal.

Definition of done: At least one production-like inbound connector and one outbound publishing gate; safe retries, permissions, revocation, version mismatch blocking and logged publish requests.

Integration partners and platform APIs should be validated during Round 3; these are proposed engineering goals, not claims of existing agreements or access.

14 Risks, open decisions and ownership

RISK / QUESTION	MITIGATION OR DECISION OWNER
Model API unavailable, over budget or slow	Rules-only mode and bounded call; AI lead chooses/document provider and tests failures.
Evidence hallucination or prompt injection	Schema validation and strict source-ID/quote validation; backend owns enforcement.
Hosting cannot run OCR worker	Make text workflow independent; P1 image OCR may run in a separate permitted service.
Approval race after simultaneous edit	Database transaction and version/hash guard; backend adds concurrency test.
Judge cannot log in or demo data lost	Dedicated demo fixture, health check, reset instructions and external-device smoke test.
Source pack incomplete or ambiguous	Mark not verified, surface human-review route and avoid universal truth claims.
Unclear actual team size or provider budget	Product lead assigns owners and hard API spending cap at kickoff.
Submission format or source-code reuse rules	Product lead verifies organiser portal and discloses pre-existing code, libraries and significant AI assistance as applicable.

Decision log to complete during build

DECISION	CURRENT POSITION	RECORD WHEN FINAL
AI provider/model	Not selected in this PRD	Actual provider, model identifier, limits, data-handling disclosure
Production host / DB	Django + PostgreSQL preferred	Working URL, environment, storage handling and region if material
OCR deployment	P1 / optional service dependency	Tesseract or alternative, supported formats, demo limitations
P1 scope	Target after P0 gate	List shipped, partially shipped, or removed capabilities with reasons
Core test results	Targets only	Dated test counts, evidence validation and known defects

15 Sources, assumptions and final release gate

Grounding and provenance

- Primary baseline: BrandGuard Hackathon Solution Plan, 9 pages, supplied with this request. The Round 1 document defines source-backed findings, version-bound approvals, reviewer-feedback insights, MVP flow, security limits, proposed Django architecture and synthetic LumaDesk example.
- Competition instructions: Round 2 announcement supplied by the team on 22 October 2026. Confirmed 22–25 October, 10:00 AM IST start/end; 300 teams, 100 advance; judging weights 30/25/20/15/10; required submission outputs.
- The original Inkloom AI problem statement is described by the Round 1 solution plan but was not separately attached in this message. Reconcile this PRD with the original PS before final submission if it contains requirements absent from the plan.
- Synthetic demo facts, timing and score targets are requirements or examples, not measured user research, implemented features or validated customer results.

Final release checklist — must be answered YES before 25 Oct, 10:00 IST

☐ A judge can open the live URL and sign in or enter the demo without personal assistance.

☐ The seeded brand pack has visible, approved versioned rules and facts.

☐ Text submission produces genuine source-cited findings and preserves the draft.

☐ Revising content creates a new version and shows rerun results.

☐ Reviewer approval, self-approval denial and stale-approval invalidation are demonstrated.

☐ Approved export is access-controlled and contains only the valid current version.

☐ Provider failure, bad file and permission failure produce honest visible states.

☐ Repository and README contain reproducible local setup and implementation disclosures.

☐ Updated project PDF accurately lists implemented, partial and deferred features.

☐ The feature inventory, technology details, plan changes and three Round 3 improvements are provided.

BRANDGUARD · KNOW WHAT WAS CHECKED. KNOW WHAT WAS APPROVED.