

# Digital Smile Design

Ahmed Hossam<sup>1</sup>, Ahmed Abdelfattah<sup>1</sup>, Ehab Wahba<sup>1</sup>, Mo'men Maged<sup>1</sup>, Mohaned Alaa<sup>1</sup> and Mostafa Mahmoud<sup>1</sup>

<sup>1</sup>Systems and Biomedical Engineering, Cairo University

**Abstract**—Digital smile design is a unique dental treatment planning tool that strengthens a dental provider's diagnostic vision, enhances predictability, and improves communication between dental providers and their patients. We've designed a software solution that is easy to use for everyone. The software can detect 4 defects in a person's smile. Moreover, it provides some solutions and templates to change these defects. The software works with high accuracy and time efficiency compared to traditional methods.

## I. INTRODUCTION

Many dentists use traditional methods such as **Power Point** templates to aid them in the process of smile design. Such method is easy to use, accessible, and free. However, it is time consuming and provides low efficiency results. We've also tested the trial version of an already existing software called **Smile Designer Pro** which had a much simpler interface than Power Point templates. It can also detect the facial midline and the mouth boundaries. Nevertheless, is semi-automatic and requires a lot of human modifications.

We designed the presented software to detect 4 defects in a smile: midline shift, discoloration, gummy smile and diastema. We also provided different teeth templates according to the person's facial structure.

## II. MATERIALS AND METHODS

### A. Facial Landmarks

We've collected 49 profile shots from different sources (i.e. our colleagues, the internet, and dentists) of smiling people.

At first, we've used **Google's** landmark facial detector API to detect certain points to crop the mouth from the face image, and determine the facial midline using the the landmark found at the intermediate distance between the eyes. However, it required constant internet connection and did not provide as many points around the mouth for a smooth cropping.

Finally, we used **dlib's** facial landmarks recognition free library as it provides 68 points which are enough to crop the mouth from the image smoothly, and detect the facial midline points.




Fig. 1. Dlib facial landmarks.



Fig. 2. Cropped mouth.

### B. Discoloration

The first thing that people notice in someone's smile is the color of their teeth, so it is very important to detect whether someone's teeth have any discoloration. We have successfully detected teeth discoloration by adding a color mask to the cropped mouth image to separate the teeth from the rest of the mouth. Then, we have iterated on every pixel in the mask and compared it to a certain range of teeth shades values and detected whether it falls within that range or not. Afterwards, we have removed the black pixels from the masked image to get rid of any noise that may affect our calculations. Finally, We have counted every pixel that does not fall within the predetermined discoloration shades and divided it by the total number of the teeth pixels.



Fig. 3. Color segmented teeth.

### C. Midline Shift

The position of the mid-line between the central incisors should lie on a line drawn from the intermediate distance between the eyes and passing through the middle of the nose, lips and chin. After detecting the horizontal position of the facial midline, we started to move horizontally along the mouth from its center in both directions (left and right) till the two edges of the mouth. Then, we stored and sorted every pixel in the way in an ascending order according to its B component intensity in the BGR color mode. Next, we selected

the first 3 pixels with the least blue intensity and calculated the distance between each one of them. If the distance between the two pixels is less than a certain threshold, we choose the intermediate pixel as the horizontal position of the dental midline. However, if the distances are not equal, we choose the position of the pixel at the direction of the farthest distance.




Fig. 4. White line is the facial midline and the dental midline is calculated through the 3 red lines.

#### D. Gummy Smile

A “gummy smile” is when too much gum tissue shows above your front teeth when you smile. We have detected whether a person smile is a gummy smile or not by calculating the ratio between the gum and the teeth. The gum is calculated by iterating over the cropped mouth image and getting the number of the pixels that contain gum. Then, this number is divided by the number of teeth pixels and according to the percentage of the gummy pixels, we decide whether it is a gummy smile or not.



Fig. 5. An example of a gummy smile.

#### E. Diastema

A “Diastema” is a gap between the central incisors. This gap can be detected by converting the cropped image to the grey scale color space. Using canny’s edge detection, we can detect the lower edge of the central incisors by choosing a point lies on one of the central incisors and navigating down till we reach its lower edge. Then, we moved up along the vertical line starting from the lower edge of the central incisors and during every vertical iteration, we moved horizontally, left and right, and counted how many dark pixels, compared to the color of the teeth, are found. If the number of rows passed a certain threshold, then the person has a diastema.




Fig. 6. A case with diastema.

#### F. Teeth Coloring

If the software detected that there’s a discoloration, a drop list appears in the UI for the user to select between 2 shades (A1 and B1). After the user selects the desired shade, a mask with the same color is added to the cropped mouth image to color the teeth and show it in the UI after adding the desired color.



Fig. 7. A before and after image as shown in the GUI.

#### G. Detect Teeth Color

The software can also detect the mean color of the teeth and match it with a tooth color chart by calculating the percentage of the mean color to every color in the template. This feature makes it easy for the user to visualize how his teeth is different from the perfect colors.




Fig. 8. Teeth color detection.

#### H. Template Matching

The user can select between 4 facial structure types and according to it, the software applies the corresponding teeth template to the image. The added template is automated to

fit on the teeth of the image. However, we added an option that the template can be moved across the image and resized according to the professional's choice.



Fig. 9. Template matching example.

### III. RESULTS

The software was tested on 49 images and had the following results.

Principle	Successful cases	Accuracy
Gummy Smile	45	91.8%
Teeth Discoloration	44	89.8%
Midline Shift	41	83.7%
Diastema	45	91.8%

### IV. DISCUSSION

Although the results accuracy is quite good, there are some problems in the software that could be challenging to the next developers also. First, if the posture of the person in the image is tilted, the midline detection is affected and often leads to wrong results.

Second, if the image is taken under poor lighting conditions or a flash of light reflection is found on the mouth, it changes the color of the teeth or the gum, which leads to inaccurate gummy smile or discoloration detection.

Moreover, if the gap between the two central incisors is large but the lower jaw teeth are behind it, this can lead to an error in the detection of a diastema as it can not find dark pixels between the central incisors.

### V. FUTURE WORK

The accuracy of the software can be improved by using advanced and improved algorithms to detect the defects and controlling the shot environment, so the lighting and the rotated images will not be problems. Furthermore, more features can be added to the software such as:

- 1) Horizontal Plane Detection
- 2) Golden Proportion Ratio
- 3) Vertical Dimension
- 4) Smile at Rest

### VI. CONCLUSION

Dentists can use the software to diagnose the mentioned defects and use the solutions that the software offers to fix them. Moreover, anyone can use the software as it is has a very simple UI that can detect all of the mentioned defects with the press of a button.